

DECLARATIONS OF CONFORMITY



Siemens VDO Automotive AG, P.O. Box 10 09 43, D-93009 Regensburg

Name Dgmar Kolar
Department SV CTS R86 EMC Laboratory
Tel. +49(0)9417790-6689
Fax +49(0)9417790-136699
E-Mail dgmar.kolar@siemens.com
Internet www.siemensvdo.de
Our Ref. Doc_SWK48096.doc
Date: 03/08/2005

Name Dgmar Kolar
Department SV CTS R86 EMC Laboratory
Tel. +49(0)9417790-6689
Fax +49(0)9417790-136699
E-Mail dgmar.kolar@siemens.com
Internet www.siemensvdo.de
Our Ref. Doc_S12278002.doc
Date: 09/11/2005

Declaration of Conformity in accordance with Directive 1999/5/EC (R&TTE Directive)

Manufacturer: Siemens VDO Automotive AG
Body & Chassis Electronics
Address: Dep. SV C BC P2 RF TG
 Siemensstrasse 12
 D-93049 Regensburg
 Germany

Product type designation: 5WK4 9096
Intended use: Radio frequency receiver used in vehicle locking/unlocking systems
 The product mentioned above complies with the essential requirements and other relevant provisions of Directive 1999/5/EC, when used for its intended purpose:
Health and safety pursuant to §3.1.a:

Applied standard(s): EN 60950:2000
Applied standard(s): EN 301 489 -1,-3; V1.4.1 (2002-08)
Applied standard(s): EN 300 220-1; V1.3.1 (2000-09)
 The following marking applies to the above mentioned product:



Siemens VDO Automotive AG
 Regensburg, 2005-08-03

J. V. M. Fischer
 Dr. Martin Fischer
 Executive Vice President
 Body and Chassis Electronics Operations

Siemens VDO Automotive AG Body & Chassis Electronics
Postal Address: Siemens VDO Automotive AG
 Siemensstrasse 12
 P.O. Box 10 09 43
 D-93009 Regensburg
 Germany
Office Address: Helmut Mätzch
 Klaus Müller

Siemens VDO Automotive AG, Chairman of the Supervisory Board: Edward G. Kutsch, Managing Board: Franz Weising, Chairman: Adamson, Klaus Egger, Günter Heilmann, John Lubber, Registered Office: München, Commercial Registry: München, HRB 152627

SL1530

Lear Corporation
Medical Systems Division
2157 Telegraph Road
Southfield, MI 48033-4248
USA
Phone (248) 447-1500



Date: February 6, 2009

INFORMATION TO BE INCLUDED IN THE END USER'S MANUAL

The following information must be included in the end product user's manual to ensure continued FCC and Industry Canada regulatory compliance. The ID numbers must be included in the manual if the device label is not readily accessible to the end user. The compliance paragraphs below must be included in the user's manual.

The following user's manual statements are provided by Lear Corporation to Jaguar Land Rover electronically after certification.

Key fobs

Land Rover, Range Rover,
FCC ID: KOBJTF10A (Range Rover, Land Rover)
FCC ID: KOBJTF10B (Jaguar)
IC: 3521A-JTF10A (Range Rover, Land Rover)
IC: 3521A-JTF10B (Jaguar)
Model #: AH42-15K601A (Range Rover)
Model #: AH22-15K601A (Land Rover)
Model #: AW65-15K601A (Jaguar)

This device complies with Part 15 of the FCC Rules and with RSS-210 of Industry Canada.

Operation is subject to the following two conditions:
(1) This device may not cause harmful interference, and
(2) This device must accept any interference received, including interference that may cause undesired operation.
WARNING: Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.
The term "IC:" before the radio certification number only signifies that Industry Canada technical specifications were met.

Lear Corporation
Medical Systems Division
2157 Telegraph Road
Southfield, MI 48033-4248
USA
Phone (248) 447-1500



RKE Receiver

Land Rover, Range Rover, Jaguar
FCC ID: KOBJLR09A
IC: 3521-JLR09A
Model #: AH42-15K602-A

This device complies with Part 15 of the FCC Rules and with RSS-210 of Industry Canada.

Operation is subject to the following two conditions:

- (1) This device may not cause harmful interference, and
- (2) This device must accept any interference received, including interference that may cause undesired operation.

WARNING: Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.
The term "IC:" before the radio certification number only signifies that Industry Canada technical specifications were met.

Passive Entry / Passive Start Module

Land Rover, Range Rover, Jaguar
FCC ID: KOBJBG10A
IC: 3521-JBG10A
Model #: AH22-19H440 (PEPS)
Model #: AH42-19H440 (Passive Start ONLY)

FCC ID: KOBJBG10B

IC: 3521-JBG10B
Model #: AH22-19H440 (PEPS)
Model #: AH42-19H440 (Passive Start ONLY)

This device complies with Part 15 of the FCC Rules and with RSS-210 of Industry Canada.

Operation is subject to the following two conditions:


- (1) This device may not cause harmful interference, and
- (2) This device must accept any interference received, including interference that may cause undesired operation.

WARNING: Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.
The term "IC:" before the radio certification number only signifies that Industry Canada technical specifications were met.

EC Declaration of Conformity

EC Directive: 1999/5/EC
 Manufacturer: Lear Corporation
 Type Designation / FCC ID: KOB/JBG10B
 Model Numbers: SE0770237, 19H440, AH22-19H440, AH42-19H440-AD, AH42-19H440-AE
 Description / Intended Use: Remote Function Actuator (RFA), passive keyless entry and start system low frequency initiator
 Trademarks: Land Rover / Range Rover / Jaguar
 Applied Standards: European Commission Directive 2006/28/EC
 ETSI EN 60950
 CEPT/ERC/REC 70-03
 AS/NZS 4288
 FCC Regulations 47 CFR Part 15
 Responsible Person: Kevin Cotton
 Lear Corporation
 21557 Telegraph Road
 Southfield, Michigan 48033
 United States of America

Hereby, **Lear Corporation** declares that the product referenced above is in compliance with the essential requirements of Directive 1999/5/EC, on the approximation of the laws of the member states relating to Directive 1999/5/EC


Signed: 
 Kevin Cotton, Lear Corporation

Date: 27 March 2009

EC Declaration of Conformity

EC Directive: 1999/5/EC
 Manufacturer: Lear Corporation
 Type Designation / FCC ID: KOB/JBG10A
 Model Numbers: SE0770237, 19H440, AH22-19H440-AC, AH42-19H440-AD, AH22-19H440, AH42-19H440
 Description / Intended Use: Remote Function Actuator (RFA), passive keyless entry and start system low frequency initiator
 Trademarks: Land Rover / Range Rover / Jaguar
 Applied Standards: European Commission Directive 2006/28/EC
 ETSI EN 300 330
 CEPT/ERC/REC 70-03
 AS/NZS 4288
 FCC Regulations 47 CFR Part 15
 Responsible Person: Kevin Cotton
 Lear Corporation
 21557 Telegraph Road
 Southfield, Michigan 48033
 United States of America

Hereby, **Lear Corporation** declares that the product referenced above is in compliance with the essential requirements of Directive 1999/5/EC, on the approximation of the laws of the member states relating to Directive 1999/5/EC

Signed: 
 Kevin Cotton, Lear Corporation

Date: 27 March 2009

EC Declaration of Conformity

EC Directive: 1999/5/EC
 Manufacturer: Lear Corporation
 Type Designation: SE0760127
 Model Numbers: SE0760127, 15K602, AH42-15K602-B, AH42-15K602-BC
 Description / Intended Use: RF Receiver (RFR), used in passive entry and passive start, remote keyless entry, and tire pressure monitoring systems
 Trademarks: Land Rover / Range Rover / Jaguar
 Applied Standards: European Commission Directive 2006/28/EC
 ETSI EN 60950
 ETSI EN 300 220
 CEPT/ERC/REC 70-03
 ASINZS 4268
 Responsible Person: Kevin Cotton
 Lear Corporation
 21557 Telegraph Road
 Southfield, Michigan 48033
 United States of America

Hereby, **Lear Corporation** declares that the product referenced above is in compliance with the essential requirements of **Directive 1999/5/EC**, on the approximation of the laws of the member states relating to **Directive 1999/5/EC**.

Signed: 
 Kevin Cotton, Lear Corporation

Date: 27 March 2009

EC Declaration of Conformity

EC Directive: 1999/5/EC
 Manufacturer: Lear Corporation
 Type Designation: 15K601
 Model Numbers: SE0B50127, SE0B80127, 15K601-BB, AH42-15K601B, AH22-15K601B, AH42-15K601-BC, AH22-15K601-BC
 Description / Intended Use: Passive Key (PK) / Customer Identification Device (CID), passive keyless entry system keyfob
 Trademarks: Land Rover / Range Rover
 Applied Standards: CEPT/ERC/REC 70-03
 ETSI EN 60950
 ETSI EN 300 220
 ETSI EN 301 489
 IEC EN 60950
 ASINZS 4268
 Responsible Person: Kevin Cotton
 Lear Corporation
 21557 Telegraph Road
 Southfield, Michigan 48033
 United States of America

Hereby, **Lear Corporation** declares that the product referenced above is in compliance with the essential requirements of **Directive 1999/5/EC**, on the approximation of the laws of the member states relating to **Directive 1999/5/EC**.

Signed: 
 Kevin Cotton, Lear Corporation

Date: 26 March 2009

Quietek

快特電波股份有限公司
低功率射頻電機型式認證證明

一、申請者：Lear Corporation
二、製造廠商：Lear Corporation
三、器材名稱：Range Rover FOB
四、廠牌/型號：Range Rover / SE0B60227
五、發射功率（電場強度）：315MHz；84.195dBuV/m(Peak)
315MHz
六、工作頻率：

七、發證日期：98年06月02日
八、審驗合格標識式樣：

說明：

- 請依下列標識式樣自製標識，標貼名稱請於器材本體明顯處，始得販賣或公開陳列。
- 經型式認證合格之低功率射頻電機，其型號、設計、射頻性能如有變更，應重新申請型式認證。
- 違反低功率電波輻射性電機管理辦法之規定，擅自使用或變更無線電頻率、電功率者，除依電信法規定處罰外，除證機關(構)並得禁止其型式認證證明或型式認證標識。
- 送審廠商應保留送審樣品供日後核對。
- 本型式認證證明及其合格標識使用權專屬取得本證明者，本證明持有入檢附同意書經請國家通訊傳播委員會備查後，得授權他人於同廠牌同型號之器材，使用其合格標識。

備註：

- 本器材符合低功率射頻電機技術規範 LP0023.4.2 節之規定。
- 本認證機構係經國家通訊傳播委員會委託，核發本型式認證證明。
- 本器材所使用固定式天線廠牌/型號如下：
Lear Corporation / N/A

Quietek

快特電波股份有限公司
低功率射頻電機型式認證證明

一、申請者：Lear Corporation
二、製造廠商：Lear Corporation
三、器材名稱：RFA (Passive Start)
四、廠牌/型號：LEAK / SE0770357
五、發射功率（電場強度）：125KHz；61.5dBuV/m(Average)
125KHz
六、工作頻率：

七、發證日期：98年06月02日
八、審驗合格標識式樣：

說明：

- 請依下列標識式樣自製標識，標貼名稱請於器材本體明顯處，始得販賣或公開陳列。
- 經型式認證合格之低功率射頻電機，其型號、設計、射頻性能如有變更，應重新申請型式認證。
- 違反低功率電波輻射性電機管理辦法之規定，擅自使用或變更無線電頻率、電功率者，除依電信法規定處罰外，除證機關(構)並得禁止其型式認證證明或型式認證標識。
- 送審廠商應保留送審樣品供日後核對。
- 本型式認證證明及其合格標識使用權專屬取得本證明者，本證明持有入檢附同意書經請國家通訊傳播委員會備查後，得授權他人於同廠牌同型號之器材，使用其合格標識。

備註：

- 本器材符合低功率射頻電機技術規範 LP002.2 節之規定。
- 本認證機構係經國家通訊傳播委員會委託，核發本型式認證證明。
- 本器材所使用固定式天線廠牌/型號如下：
Lear Corporation / N/A



快特電波股份有限公司

低功率射頻電機型式認證證明

一、申請者：Lear Corporation

二、製造廠商：Lear Corporation

三、器材名稱：REA (Passive Start & Start Module)

四、廠牌/型號：LEAR / 5E0770237

五、發射功率（電場強度）：125KHz / 63.3dBuV/m(Average)

六、工作頻率：125KHz

98 年 06 月 02 日

◎ CCAH09LP0560T8

七、發證日期：

八、審驗合格標識式樣：

說明：

1. 請依下列標識式樣自製標識，標貼或印鑄於器材本體明顯處，始得販售或公開陳列。
2. 經型式認證合格之低功率射頻電機，其型號、設計、射頻性能如有變更，應重新申請型式認證。
3. 違反低功率電波輻射性電機管理辦法之規定，擅自使用或變更無線電頻率、電功率者，除依電管法規定處罰外，除應開罰(鍰)並得廢止其型式認證證明或型式認證標識。
4. 送審廠商應保留送審樣品供日後核對。
5. 本型式認證證明及其合格標識使用權專屬取得本證明者，本證明持有人除附同意書報請國家通訊傳播委員會備查後，得授權他人於同廠牌同型號之器材，使用其合格標識。

備註：

- 1、本器材符合低功率射頻電機技術規範 LP0002.2.8節之規定。
- 2、本廠認證機構經國家通訊傳播委員會委託，核發本型式認證證明。
- 3、本器材所使用固定式天線廠牌/型號如下：
Lear Corporation / N/A



快特電波股份有限公司

低功率射頻電機型式認證證明

一、申請者：Lear Corporation

二、製造廠商：Lear Corporation

三、器材名稱：Range Rover / 5E0B50227

四、廠牌/型號：Range Rover / 5E0B50227

五、發射功率（電場強度）：315MHz / 84.195dBuV/m(Peak)

六、工作頻率：315MHz

98 年 06 月 02 日

◎ CCAH09LP0551T7

七、發證日期：

八、審驗合格標識式樣：

說明：

1. 請依下列標識式樣自製標識，標貼或印鑄於器材本體明顯處，始得販售或公開陳列。
2. 經型式認證合格之低功率射頻電機，其型號、設計、射頻性能如有變更，應重新申請型式認證。
3. 違反低功率電波輻射性電機管理辦法之規定，擅自使用或變更無線電頻率、電功率者，除依電管法規定處罰外，除應開罰(鍰)並得廢止其型式認證證明或型式認證標識。
4. 送審廠商應保留送審樣品供日後核對。
5. 本型式認證證明及其合格標識使用權專屬取得本證明者，本證明持有人除附同意書報請國家通訊傳播委員會備查後，得授權他人於同廠牌同型號之器材，使用其合格標識。

備註：

- 1、本器材符合低功率射頻電機技術規範 LP0002.3.4.2節之規定。
- 2、本廠認證機構經國家通訊傳播委員會委託，核發本型式認證證明。
- 3、本器材所使用固定式天線廠牌/型號如下：
Lear Corporation / N/A



Continental Automotive GmbH - Postfach 105 205 - 50505 Hagen, Germany

Kolke Dieringer
AOL PRG 42
Phone +49 (0)41 790-6099
Fax +49 (0)41 790-136899
diagmar.kolke@continental-corporation.com

Date: July 23, 2008
Your message stated: Your Reference: Our Reference: Your reference:

Declaration of Conformity in accordance with Directive 1999/5/EC (R&TE Directive)

Manufacturer: Continental Automotive GmbH
Address: Siemensstrasse 12
D-93065 Regensburg
Germany
Product type designation: S180 052 020 A
Intended use: Tire Pressure System

The product mentioned above complies with the essential requirements and other relevant provisions of Directive 1999/5/EC, when used for its intended purpose:

- Health and safety pursuant to §3.1.a: Applied standard(s): EN 60950-1:2006
- Electromagnetic compatibility pursuant to § 3.1.b: Applied standard(s): EN 301 489 -1; V1.6.1 (2005-09)
EN 301 489 -3; V1.4.1 (2002-08)
- Efficient use of spectrum pursuant to § 3.2: Applied standard(s): EN 300 220 -1; V2.1.1 (2006-04)
EN 300 220 -2; V2.1.1 (2006-04)

The following marking applies to the above mentioned product:



Continental Automotive GmbH
Regensburg, 2008-07-29

ben
Executive Vice President
Body & Security

ju Müller
Director Product Group 3
Body & Security

Continental Automotive GmbH
Postfach 105 205
D-50505 Hagen, Germany
Phone +49 (0)41 790-6099
Fax +49 (0)41 790-136899
www.continental-corporation.com

Continental Automotive GmbH
Postfach 105 205
D-50505 Hagen, Germany
Phone +49 (0)41 790-6099
Fax +49 (0)41 790-136899
www.continental-corporation.com

快特電波射頻電機型式認證證明

一、申請者: Lear Corporation
二、製造廠商: Lear Corporation
三、器材名稱: Jaguar job
四、廠牌/型號: JAGUAR / 5E0B4P217
五、發射功率 (電場強度): 315MHz; 83.225dBuV/m(Peak)
六、工作頻率: 315MHz

七、審核日期: 98 年 07 月 01 日

八、審核合格標籤式樣:

說明:

- 請在以上標籤式樣自製標籤, 標貼在印鑄於器材本體明顯處, 始得視為合格公司標例。
- 標籤式樣除合格之低功率射頻電機, 其型號、設計、射頻性能如有變更, 應重新申請型式認證。
- 違反低功率電磁射頻性電機管理辦法之規定, 擅自使用或變更無線電頻率、電力頻率, 除違反電法規定處罰外, 除罰鍰(罰)並得停止其型式認證證明或型式認證標籤。
- 送審產品應保留送審樣品供日後核對。
- 本型式認證證明及其合格標籤使用權專屬取得本證明者, 低電磁射頻器材檢驗法第 15 條規定, 持有本證明由國際網路申請其他人於同廠牌同型號之電信管制射頻器材使用型式認證標籤, 並於次日日起 30 天內, 應檢具「電信管制射頻器材檢核合格標籤或符合性聲明標籤」向原使用單位呈報。

備註:

- 本器材符合低功率射頻電機技術規範(LP0002.3.4.2節)之規定。
- 驗證標籤係根據國家通訊傳播委員會委託, 經符合型式認證證明。
- 本證明使用固定式手機, 驗證號碼為 Lear Corporation / N/A。



전자문서확인번호 NC19-1219-4T41-1RED

방송통신기기인증서 Certificate of Broadcasting and Communication Equipment

인증의 종류 형식등록(Type Registration)

Certification Type

LEAR CORPORATION

상호 또는 성명

Trade Name or Applicant

기기의 명칭

데이터전송용 무선기기

Equipment Name

기본모델명

5E0BSP127

Basic Model Number

파생모델명

5E0B50.5E0B960

Series Model Number

인증번호

LER-5E0BSP127

Certification No

제조사/제조국가

Lear Automotive Electronics and Electrical/중국

Manufacturer/Country of Origin

형식기호

LARN2-K03L433.9ZT.0.12E60.003RFID

Type Identification


인증연월일

2009년(Year) 05월(Month) 28일(Date)

기타

Others

위 기기는 「전기통신기본법」, 「전파법」에 따라 인증되었음을 증명합니다.
It is certified that foregoing equipment has been certified under the Framework Act on Telecommunications and Radio Waves Act.



2009년(Year) 05월(Month) 28일(Date)

전파연구

실용연구소

Director General of Radio Research Laboratory

Korea Communications Commission Republic of Korea

본 인증서와 기기 인증번호는 본 연구소에서만 유효합니다.

This certificate and device approval number are valid only at this research institute.

본 인증서와 기기 인증번호는 본 연구소에서만 유효합니다.

This certificate and device approval number are valid only at this research institute.



전자문서확인번호 WBSF-310L-V75G-VYVD

방송통신기기인증서 Certificate of Broadcasting and Communication Equipment

인증의 종류 형식등록(Type Registration)

Certification Type

LEAR CORPORATION

상호 또는 성명

Trade Name or Applicant

기기의 명칭

복제소용핵무선기기(데이터전송용 무선기기)

Equipment Name

기본모델명

5E0D40

Basic Model Number

파생모델명

Series Model Number

인증번호

LER-5E0B40

Certification No

제조사/제조국가

Lear Automotive Electronics and Electrical/중국

Manufacturer/Country of Origin

형식기호

LARN2-K03L433.9ZT.0.12E60.003RFID

Type Identification


인증연월일

2009년(Year) 07월(Month) 15일(Date)

기타

Others

위 기기는 「전기통신기본법」, 「전파법」에 따라 인증되었음을 증명합니다.
It is certified that foregoing equipment has been certified under the Framework Act on Telecommunications and Radio Waves Act.



2009년(Year) 07월(Month) 15일(Date)

전파연구

실용연구소

Director General of Radio Research Laboratory

Korea Communications Commission Republic of Korea

본 인증서와 기기 인증번호는 본 연구소에서만 유효합니다.

This certificate and device approval number are valid only at this research institute.

본 인증서와 기기 인증번호는 본 연구소에서만 유효합니다.

This certificate and device approval number are valid only at this research institute.

전자문서확인번호 7N7R-CEN-RHMI-SULX



방송통신기기인증서

Certificate of Broadcasting and Communication Equipment

형식등록(Type Registration)

인증의 종류
Certification Type
상호 또는 성명
Trade Name or Applicant
기기의 명칭
Equipment Name

LEAR CORPORATION
비약 전체장도 부성기기

기본모델명
Basic Model Number
파생모델명
Series Model Number

5B0770237

인증번호
Certification No
제조사/제조국가
Manufacturer/Country of Origin

LER-5B0770237
Lear Valls Automotive Electronics and Electrical/스페인
LPD-R03L0.125TAID

형식기호
Type Identification
인증일월일
Date of Certification

2009년(Year) 09월(Month) 04일(Date)

기타
Others


위 기기는 「전기통신기본법」, 「전파법」에 따라 인증되었음을 증명합니다.
It is certified that foregoing equipment has been certificated under the Framework Act on Telecommunications and Radio Waves Act.



김과연-국문

Director General of Radio Research Laboratory

Korea Communications Commission Republic of Korea



전자문서확인번호 JWCS-ASIQ-BFC-1DDT



방송통신기기인증서

Certificate of Broadcasting and Communication Equipment

형식등록(Type Registration)

인증의 종류
Certification Type
상호 또는 성명
Trade Name or Applicant
기기의 명칭
Equipment Name

LEAR CORPORATION
비약 전체장도 부성기기

기본모델명
Basic Model Number
파생모델명
Series Model Number

5B0770237

인증번호
Certification No
제조사/제조국가
Manufacturer/Country of Origin

LER-5B0770237
Lear Valls Automotive Electronics and Electrical/스페인
LPD-R03L0.125TAID

형식기호
Type Identification
인증일월일
Date of Certification

2009년(Year) 09월(Month) 04일(Date)

기타
Others

위 기기는 「전기통신기본법」, 「전파법」에 따라 인증되었음을 증명합니다.
It is certified that foregoing equipment has been certificated under the Framework Act on Telecommunications and Radio Waves Act.



김과연-국문

Director General of Radio Research Laboratory

Korea Communications Commission Republic of Korea





Independent Communications Authority of South Africa

Postal Form, 124 Katherine Street, Sandton
Private Bag, X10022, Sandton, 2146

Radio Equipment Type Approval Certificate

Radio Equipment Type Approval Number

TA-2009/002

The Authority, in the exercise of the powers conferred upon it by section 95 (1) of the Electronic Communications Act, 2005 (Act 36 of 2005), the applicable radio regulations which currently remain in force in terms of section 95 (2) of the Electronic Communications Act and subject to the terms and conditions set out in this document hereby issues a radio equipment type approval certificate to the company whose name and particulars are listed below.

Company Particulars

Name : Jaguar Land Rover SA
Street Address : Simon Vermoeten Road, Silverton
City : Johannesburg
Postal Code : 2091
Facsimile Number : 012 845 1005
Registration Number : 2091027269/07

Description of Apparatus

Category : Remote Function Actuator (RFA)
Model : KOB-BG10B
Frequency Range : 31.5 - 33.75 MHz
ITU Emission Code : 12KGD1
Modulation : BPSK
Channel Spacing : ±37.7 Dsp/Am @ 3m
Features : -

Only the original or a certified copy of the radio equipment type approval certificate shall be considered valid.

Phileas Mphahlele
Phileas Mphahlele
Senior Engineer: Engineering & Technology

09 JUN 2009

P. Mphahlele (Chairperson), NA. Banyi, T.V. Makhabele, R. Nkomo, B.B. Ntombeni, F.K. Shisule, Dr. I.M. Ruzhawa
Prof. J.C.V. van Rooyen SC, M.M. Zolwa (Councillors), BK. Motlana (CEO)



Independent Communications Authority of South Africa

Postal Form, 124 Katherine Street, Sandton
Private Bag, X10022, Sandton, 2146

Radio Equipment Type Approval Certificate

Radio Equipment Type Approval Number

TA-2009/003

The Authority, in the exercise of the powers conferred upon it by section 95 (1) of the Electronic Communications Act, 2005 (Act 36 of 2005), the applicable radio regulations which currently remain in force in terms of section 95 (2) of the Electronic Communications Act and subject to the terms and conditions set out in this document hereby issues a radio equipment type approval certificate to the company whose name and particulars are listed below.

Company Particulars

Name : Jaguar Land Rover SA
Street Address : Simon Vermoeten Road, Silverton
City : Johannesburg
Postal Code : 2091
Facsimile Number : 012 845 1005
Registration Number : 2001027269/07

Description of Apparatus

Category : Remote Function Actuator (RFA)
Model : KOB-BG10B
Frequency Range : 31.5 - 33.75 MHz
ITU Emission Code : 12KGD1
Modulation : BPSK
Channel Spacing : ±40.7 Dsp/Am @ 3m
Features : -

Only the original or a certified copy of the radio equipment type approval certificate shall be considered valid.

Phileas Mphahlele
Phileas Mphahlele
Senior Engineer: Engineering & Technology

09 JUN 2009

P. Mphahlele (Chairperson), NA. Banyi, T.V. Makhabele, R. Nkomo, B.B. Ntombeni, F.K. Shisule, Dr. I.M. Ruzhawa
Prof. J.C.V. van Rooyen SC, M.M. Zolwa (Councillors), BK. Motlana (CEO)

IL1540



Independent Communications Authority of South Africa

Postal Form 154 (Electronic Submission)
 Postal Bag 110025, Sandton, 2146

Radio Equipment Type Approval Certificate

Radio Equipment Type Approval Number

TA-20069304

The Authority, in the exercise of the powers conferred upon it by section 35 (1) of the Electronic Communications Act, 2005 (Act 36 of 2005), the applicable radio regulations which currently remain in force in terms of section 35 (1) of the Electronic Communications Act, 2005, hereby issues a radio equipment type approval certificate to the company whose name and particulars are listed below.

Company Particulars

Name : Jaguar Land Rover SA
 Address : Simon Vermoeten Road, Silverton
 Telephone Number : 012 845 1005
 Facsimile Number :
 Registration Number : 2001/0272680/7

Description of Apparatus

Category : Low Frequency Initiator FET Receiver
 Frequency Range : 850/907/27
 ITU Emission Code : 739KK1D
 Modulation : ASK, FSK
 Channel Spacing :
 Features :

Only the original or a certified copy of the radio equipment type approval certificate shall be considered valid.

Philemon Molele
Philemon Molele
 Senior Manager: Engineering & Technology

09 JUN 2008

P. Molele (Chairperson), NA Bafu, TLV Makabaha, R. Nkomo, BB Nombela, FK Sibandze, Dr LW Sookwa.



Independent Communications Authority of South Africa

Postal Form 154 (Electronic Submission)
 Postal Bag 110025, Sandton, 2146

Radio Equipment Type Approval Certificate

Radio Equipment Type Approval Number

TA-20069305

The Authority, in the exercise of the powers conferred upon it by section 35 (1) of the Electronic Communications Act, 2005 (Act 36 of 2005), the applicable radio regulations which currently remain in force in terms of section 35 (1) of the Electronic Communications Act, 2005, hereby issues a radio equipment type approval certificate to the company whose name and particulars are listed below.

Company Particulars

Name : Jaguar Land Rover SA
 Address : Simon Vermoeten Road, Silverton
 Telephone Number : 012 845 1005
 Facsimile Number :
 Registration Number : 2001/0272680/7

Description of Apparatus

Category : Key Fob Transmitter
 Frequency Range : 433.92 MHz
 ITU Emission Code : 739KK1D
 Modulation : ASK, FSK
 Channel Spacing : -14.8 dbm
 Features :

Only the original or a certified copy of the radio equipment type approval certificate shall be considered valid.

Philemon Molele
Philemon Molele
 Senior Manager: Engineering & Technology

09 JUN 2008

P. Molele (Chairperson), NA Bafu, TLV Makabaha, R. Nkomo, BB Nombela, FK Sibandze, Dr MW Sookwa.
 Prof. JZV van Rooyen SC, MM Zikwe, Councillors: BK Motlana (CEO)



Label to be used on the following products only:

- *citizen band radio equipment*
- *cellular equipment*
- *trunk radio equipment*
- *spread spectrum devices*
- *leased channel radio equipment*
- *cordless telephone*
- *wireless security devices*
- *wireless microphone*
- *radio-control equipment*
- *medical & biology telemetry equipment*

- A**
- ABS (Anti-lock braking system) 89
 - warning lamp 89
 - Access height 87
 - Accessories 195
 - Adaptive front lighting system (AFS) 37
 - Adjusting the headlamps for driving
 - abroad 38
 - AFS 37
 - Air conditioning 59
 - air distribution 60
 - air recirculation 60
 - auto mode 59
 - maximum defrost 60
 - pollution sensor 60
 - rear controls 61
 - rear environment 60
 - Air distribution 59, 60
 - Air recirculation 59, 60
 - pollution sensor 60
 - Air suspension 86
 - access height 87
 - controls 86
 - crawl mode 87
 - extended off-road height 86
 - off-road height 86
 - remote operation 87
 - Airbag service information 35
 - Airbag SRS
 - cleaning airbag covers 198
 - Airbag warning lamp 35
 - Airbags 32, 33
 - components 33
 - deployment 35
 - maintenance 180
 - operation 33
 - Alarm
 - arming 9
 - deactivating when triggered 11
 - disarming 7, 11
 - full arming 9
 - indicator 10
 - perimetric 9
 - Answer telephone call 142
 - Antifreeze 202
 - Arming the alarm 9
 - full alarm 9
 - Armrest 15
 - Audio
 - DAB radio 115
 - iPod 118
 - portable audio 118
 - television controls 122
 - USB devices 118
 - Audio balance setting 110
 - Audio logic 7 110
 - Audio settings 109
 - Audio system
 - adaptive volume control (AVC) 104
 - autostore 104
 - band selection 104
 - CD player 106
 - controls 103
 - DVD 126
 - MP3 playback 107
 - overview 103
 - premium audio overview 103
 - radio data system (RDS) 105
 - radio operation 104
 - radio station presets 105
 - station seek 104
 - tone control 104
 - traffic information 105
 - Audio system (touch screen)
 - controls 108
 - MP3 playback 113
 - overview 108
 - station search 111
 - tone settings 110
 - Auto climate 59
 - Autolamps 36
 - Automatic climate control 59
 - Automatic transmission 80
 - commandshift 81
 - sport mode 80
 - Automatic volume control (AVC) 109

- Autostore 104
- Auxiliary heater 61
- Auxiliary input (AUX IN) socket 118
- Auxiliary input socket 121
- Auxiliary power sockets 66

- B**
- Battery 214
 - care 214
 - charging 217
 - disposal 218
 - effects of disconnecting 218
 - jump starting 215, 216
 - refitting 218
 - removal 217
 - replacement batteries 218
 - safety 214
 - smart key 8
 - using a starting aid 216
 - using booster cables 215
 - warning symbols 214
- Battery warning lamp 77
- Blower control 59
- Bluetooth 140
 - compatibility 141
- Bonnet
 - closing 183
 - opening 183
- Bonnet lock 183
- Booster cables 215
- Booster cushions 31
- Brake fluid
 - check 202
 - topping up 203
- Brakes 89
 - ABS warning lamp 89
 - Electronic Brake Distribution (EBD) 89
 - Emergency Brake Assist (EBA) 89
 - fluid level check 202
 - fluid reservoir 184, 185
 - parking brake 90
 - pedal travel (China only) 212
 - warning lamp 89
- Breakdown recovery 236
 - off-road 236
- Build date plate 240
- Bulb changing 186
 - front fog lamp 192
 - halogen bulbs 188
 - halogen high beam headlamp 190
 - halogen low beam headlamp 189
 - headlamp bulb identification 188
 - headlamp removal 187
 - indicator lamp 191
 - interior lamps 194
 - license plate lamp 193
 - rear lamp removal 192
 - rear lamps 193
 - side lamp 191
 - side repeater lamp 193
 - static bending lamp 190
 - xenon headlamp 189
 - xenon lamps 188
- Bulb specification 211
- Bulb specification chart 211

- C**
- Call register 145
- Camera systems 97
 - automatic proximity view (Japan) 97
 - proximity view 97
 - rear view camera 97
 - reversing 98
 - settings (Japan) 98
 - special views 98
 - surround camera system 97
 - trailer guidance 98
 - trailer setup 98
- Car wash 196
- CD
 - MP3 playback 113

- CD player 106
 - loading a disc 107
 - MP3 playback 107, 113
 - repeat 107
 - shuffle 107
 - track selection 107
 - CD player (touch screen)
 - loading a disc 113
 - Changing a bulb 186
 - Channel options
 - selecting an ensemble 116
 - Charging the vehicle battery 217
 - Child locks 23
 - Child seats 26
 - anchor points 29
 - check list 27
 - Isofix anchor points 29
 - positioning 27
 - safety 27
 - Tether anchorage points 31
 - tether anchorage points 31
 - tether straps 31
 - Chocking the wheels 229
 - Cleaning
 - after off-road driving 196
 - airbag module covers 198
 - audio system 198
 - exterior 196
 - instrument panel 198
 - interior 196
 - leather 197
 - plastic and cloth 197
 - seat belts 197
 - touch screen 198
 - vehicle underside 196
 - Climate control
 - air distribution 60
 - air recirculation 60
 - auto mode 59
 - maximum defrost 60
 - pollution sensor 60
 - rear controls 61
 - rear environment 60
 - timed 62, 63
 - Climate controls 59
 - Clock 52
 - Clutch fluid
 - topping up 203
 - Clutch fluid check 202
 - CO² emissions 179
 - Commandshift 81
 - Compressor 170
 - Conformity 241
 - Connecting auxiliary devices 121
 - Coolant check 201
 - Cornering lamps 37
 - Courtesy delay (headlamps) 36
 - Courtesy lighting 40
 - Crawl mode 87
 - Cruise control 96
 - controls 96
 - engaging 96
 - increasing the cruise speed 96
 - reducing the cruise speed 96
 - suspending 96
 - Cubby box 64
 - Cup holders 64
- D**
- DAB
 - announcements 115
 - autotune 115
 - channel information 115
 - channel list 115
 - channel up/down 115
 - controls 115
 - ensembles 116
 - link DAB 117
 - radio 115
 - radio text 115
 - search 117
 - settings 115
 - station presets 115
 - subchannels 115, 116
 - text 115
 - touch screen operation 115
 - wave band selection 115

- Data recording 239
 - service data 195
 - Date settings 106
 - Deadlocks 9
 - Declarations of conformity 241
 - Defrost 60
 - Defrost mode 59
 - Dialling 142
 - Diesel
 - fuel quality 176
 - misfuel protection device 178
 - particulate filter 181
 - sulphur content 176
 - Diesel Particulate Filter (DPF) 181
 - Diesel particulate filter (DPF)
 - regeneration procedure 182
 - Digital radio 115
 - Dimensions
 - air suspension vehicles 210
 - brake pedal travel (China only) 212
 - coil spring suspension vehicles 209
 - wheel alignment data (China only) 212
 - Dipstick 184
 - Disability modifications 180
 - Disabling the passenger airbag 34
 - Disarming the alarm 7
 - deactivating the alarm when triggered 11
 - disarming when the unlock button fails to work 7
 - Door locks 10
 - Door mirrors 47
 - Door stowage 64
 - Double locking 9
 - DPF (Diesel particulate filter) 181
 - Drive-away locking 10
 - Driver information module 56
 - Driving
 - arduous conditions 181
 - Driving after a collision
 - before starting or driving 239
 - DSC (Dynamic stability control) 84
 - disabling 84
 - enabling 85
 - system fault 85
 - warning lamp 84
 - DVD player 126
 - controls 127
 - formats 129
 - loading a disc 126
 - menu selection 128
 - playback 128
 - screen settings 129
 - special features 129
 - Dynamic stability control (DSC) 84
 - Dynamometers 182
- ## E
- Electric seats 13
 - driving position memory 15
 - Electric windows
 - overriding anti-trap protection 46
 - Electronic Brake Distribution (EBD) 89
 - Electronic Parking Brake (EPB) 90
 - Electronic Traction Control (ETC) 85
 - Emergency Brake Assist (EBA) 89
 - Emergency key access 4
 - Emergency key blade 4
 - Emission control 181
 - Emissions
 - CO² 179
 - Ending a telephone call 142
 - Engine
 - diesel 206
 - petrol 206
 - specifications 206
 - Engine compartment 184, 185
 - underbonnet cover refit 186
 - underbonnet cover removal 186
 - Engine compartment fuses 223

- Engine coolant
 - antifreeze 202
 - level check 201
 - topping up 201
- Engine number 240
- Engine oil 183
 - level check 199
 - specification 201
 - topping up 200
- Ensembles 116
- Entry mode 15, 22
- Ethanol 175
- Event data recording 239
- Exit mode 15, 22
- Extended off-road height 86
- Exterior mirrors 47
 - adjusting and folding 47
 - mirror dip when reversing 48
- External temperature 52

- F**
- Facia 270
- Fan speed control 59
- Fastening the seat belts 23
- Flat spots 220
- Fluids
 - antifreeze 202
 - brake fluid level check 202
 - brake fluid reservoir location 184, 185
 - brake fluid top-up 203
 - capacities 207
 - clutch fluid level check 202
 - clutch fluid top-up 203
 - coolant level check 201
 - coolant level top-up 201
 - coolant reservoir location 184, 185
 - engine oil check 199
 - engine oil filler location 184, 185
 - engine oil specification 201
 - engine oil top-up 200
 - power steering fluid reservoir
 - location 184, 185
 - power steering level check 204
 - power steering top-up 204
 - specifications 206
 - washer fluid reservoir location 184, 185
 - washer fluid top-up 205
 - washer level check 205
- Fog lamps 36
- Fuel
 - consumption 179
 - diesel misfuel protection 178
 - diesel quality 176
 - empty fuel tank 176
 - ethanol 175
 - filler 177
 - filler flap 176
 - maintenance 183
 - methanol 175
 - methyl tertiary butyl ether (MTBE) 175
 - octane rating 175
 - petrol quality 175
 - running out 176
 - safety 175
 - specification 177
 - sulphur content 176
 - tank capacity 177
 - water in fuel 177
- Fuel burning heater 61
- Fuel consumption 179
 - extra-urban cycle 179
 - urban cycle 179
- Fuel consumption display 57
- Fuel gauge 52
- Fuse box locations 222
- Fuses 222
 - access 222
 - changing 222
 - engine compartment fuses 223
 - locations 222
 - passenger compartment fuses 224
 - replacement 222

- G**
- Garage door opener 49
 - Garage door transceiver
 - before programming 49
 - entry gate programming 51
 - information and assistance 51
 - programming 49
 - reprogramming a single garage door
 - opener button 51
 - rolling code device equipment
 - programming 50
 - to erase all programming 50
 - Gear selection 80
 - commandshift 81
 - Gearbox
 - automatic 80
 - Global closing 10
 - keyless 11
 - Global opening 6
 - Glove box 64
 - Grass 99
 - Gravel 99
- H**
- Halogen lamps 188
 - Handbrake 90
 - HDC (Hill Descent Control)
 - controls 101
 - Head restraints
 - front 16
 - rear 21
 - Headlamp adjustment for driving abroad 38
 - Headlamp bulb identification 188
 - Headlamp levelling 39
 - Headlamp removal 187
 - Headlamp washers 44
 - Headlamps 36
 - driving abroad 38
 - low beam 36
 - tourist adjustment 38
 - tourist adjustment - halogen 39
 - tourist adjustment - Xenon 38
 - Headphones 136
 - Heated mirrors 61
 - Heated screens 59, 60
 - Heating 59
 - air distribution 60
 - auto mode 59
 - auxiliary heater 61
 - controls 59
 - defrost 60
 - front seats 59
 - rear controls 61
 - rear environment 60
 - timed 62, 63
 - High range gears 81
 - Hill Descent Control (HDC)
 - climbing steep slopes 102
 - controls 101
 - gradient release control (GRC) 102
 - operation 101
 - warning lamp 101
 - warning messages 102
 - Homelink 49
- I**
- Ignition 77
 - Information messages 56
 - message centre 56
 - messages 56
 - Installing an Isofix child restraint 29
 - Instrument displays 56
 - Instrument panel overview 52
 - instrument panel 52
 - Interior lamps
 - bulb changing 194
 - Interior lights 40
 - front 40
 - rear 40
 - iPod connection 118
 - Isofix anchor points 29
 - installation 29
 - Isofix child seats 29
 - installation 29

J

- Jacking points 231, 232
- Jacking the vehicle 230, 231, 232
- Jump starting 215

K

- Keyless entry 7
 - keyless locking 11
- Keyless global closing 11
- Keyless locking 4, 11
- Keyless start backup 79
- Keyless starting 78
- Keys
 - emergency key blade 4

L

- Labels 240
- Lighting 36
 - adaptive front lighting (AFS) 37
 - cornering lamps 37
 - exterior 36
 - interior 40
- Lighting control 36
 - headlamp courtesy delay 36
 - headlamps 36
 - main switch panel 36
- Lights 36
 - adaptive front lighting (AFS) 37
 - approach lighting 4
 - bulb specification 211
 - cornering lamps 37
 - courtesy lighting 40
 - exterior 36
 - headlamp bulb identification 188
 - headlamp courtesy delay 36
 - headlamp removal 187
 - headlamps 36
 - interior 40
 - low beam 36
 - rear lamp removal 192
 - sidelights 36
- Link DAB 117

- Load carrying 67
 - luggage anchor points 68
- Loadspace
 - access 8
- Loadspace cover 67
- Locking 4, 9, 10
 - child locks 23
 - deadlocks 9
 - double locking 9
 - drive-away locking 10
 - full alarm arming 9
 - global closing 10
 - keyless 4
 - keyless locking 11
 - mislock 10
 - single locking 9
 - valet mode 11
- Locking and unlocking
 - using the emergency key blade 4
- Locking wheel nuts 233
- Locks
 - automatic relocking 6
 - changing the Smart Key battery 8
 - global opening 6
 - internal 10
 - keyless entry 7
 - multi-point entry 6
 - single point entry 6
- Low beam 36
- Low oil pressure 77
- Low range gears 81
- Luggage anchor points 68
- Lumbar support 12, 13

M

- Maintenance 180
 - airbag system 180
 - arduous driving conditions 181
 - bonnet closing 183
 - bonnet opening 183
 - brake fluid level check 202
 - brake fluid top-up 203

- bulb changing 186
- cleaning 196
- coolant level check 201
- coolant level top-up 201
- daily checks 180
- diesel particulate filter (DPF) 181
- DPF regeneration procedure 182
- emission control 181
- engine compartment overview. . . 184, 185
- engine oil check 199
- fluid specifications 206
- fuel system 183
- garage safety 182
- poisonous fluids 183
- power steering level check 204
- power steering top-up 204
- safety 182
- seat belts 197
- service intervals 180
- technical specifications 206
- tyre pressure check 219
- tyre valves 220
- underbody cleaning 196
- used engine oil 183
- washer fluid top-up 205
- washer level check 205
- weekly checks 181
- Manual seats 12
- Manual transmission 81
- Media hub (portable media) 118
- Memory seats 15
- Message centre 56
- Methanol 175
- Methyl tertiary butyl ether (MTBE) 175
- Mirrors
 - exterior 47
 - heated 61
 - operation 47
 - powerfold 47
 - reverse auto-dip. 48
- Mislock 10
- MP3 113
- MP3 playback 107, 113
- Mud 99
- Multi-point entry 6
- N**
- Nametags 146
- Navigation 148
 - accessing a surveillance point. 161
 - activating RDS-TMC 159
 - adding waypoints 154
 - alternative route guidance. 160
 - alternative routes 153
 - area surveillance. 161
 - avoid points 157
 - changing a route 153
 - changing waypoint order 154
 - compass view 149
 - destination address. 150
 - destination coordinates. 152
 - destination entry 150
 - destination map 151
 - destination memory 152
 - destination point of interest (POI) 151
 - destination post code 151
 - home as destination 153
 - license agreements 168
 - memory points 157
 - motorway junction 152
 - off-road edit route 163
 - off-road load route 162
 - off-road navigation 161
 - off-road new route 162
 - off-road route options. 162
 - personal settings. 149
 - POI categories. 158
 - POI icons 158
 - points of interest (POI) 157
 - preview controls 154
 - previous destination 152
 - quick POIs. 158
 - RDS-TMC 159
 - RDS-TMC event icons. 159
 - RDS-TMC voice guidance 160

- recalling an off-road point 153
 - route preferences 153
 - route preview 154
 - route preview and turn list 155
 - route traffic event list 160
 - screen modes 149
 - storing a home location 157
 - storing new locations 155
 - TMC overview 159
 - traffic master channel (TMC) 159
 - traffic on route 160
 - voice control 163
 - voice guidance 149
 - Nose weight 69
 - Notepad 139
 - deleting notes 139
 - playing notes 139
 - recording a note 139
- O**
- Octane rating 175
 - Odometer 57
 - Off-road driving
 - cleaning 196
 - Off-road height 86
 - Off-road navigation 161
 - edit route 163
 - load route 162
 - new route 162
 - route options 162
 - Oil check 199
 - Opening and closing the bonnet 183
- P**
- Parking aid 94
 - sensor 94
 - sensor care 95
 - switch 94
 - system fault 95
 - towing 95
 - Parking brake 90
 - automatic operation 90
 - Parts 195
 - Passenger compartment fuses 224
 - Petrol
 - fuel quality 175
 - Phone 140, 143
 - Phonebook 144
 - Point Of Interest (POI)
 - as a destination 151
 - Poisonous fluids 183
 - Pollution sensor 60
 - Portable audio 118
 - browse 120
 - connecting a device 119
 - connecting multiple devices 119
 - connections 118
 - controls 120
 - playing a device 118
 - repeat 120
 - search 120
 - shuffle 120
 - skip/scan 120
 - source selection 120
 - touch screen operation 120
 - track list 120
 - Portable media 118
 - connections 118
 - Portable media track search 121
 - Power socket 66
 - Power steering fluid level check 204
 - Power steering fluid top-up 204
 - Preset buttons (DAB) 116
 - recalling presets 116
 - storing channels as presets 116
 - Presets (radio) 105
 - PTY (programme type) 112
 - Puddle lamps 40
 - Puncture repair kit 171
 - Puncture repair procedure 172
 - Punctured tyres 220

- R**
- Radio
 - DAB 115
 - manual tuning 112
 - PTY (programme type) 112
 - station search 111
 - Radio data system (RDS) 105, 112
 - Radio operation 110
 - Rain sensor 43
 - Range change 82
 - Range change indicators 82
 - Reading lamps 40
 - Rear lamp removal 192
 - Rear screen heater 60
 - Rear seat audio controls 135
 - Rear Seat Entertainment (RSE) 130
 - audio source selection 134
 - headphones 136
 - on-screen information 135
 - operation 131
 - rear passenger controls 135
 - remote control 132
 - remote control lockout 131
 - screen settings 133
 - selecting a audio source 131
 - selecting a video source 131
 - supervising 131
 - supervisor screen 130
 - turning on 131
 - video signal format 133
 - video source selection 134
 - Rear seats
 - access position (7-seat vehicles) 19
 - erecting (5-seat vehicle) 17
 - erecting (7-seat vehicle) 18
 - folding (5-seat vehicle) 17
 - folding (7-seat vehicle) 18
 - third row (7-seat vehicles) 19
 - third row access (7-seat vehicles) 19
 - third row erecting (7-seat vehicles) 20
 - third row folding (7-seat vehicles) 20
 - Rear view camera 97
 - Rear view mirrors 47
 - Rear window washer 44
 - Rear window wiper 44
 - Recirculation 59
 - Recovery 236
 - after towing 238
 - off-road 236
 - towing on four wheels 237
 - Refuelling
 - diesel misfuel protection 178
 - filler flap 176
 - fuel consumption 179
 - fuel filler 177
 - fuel specification 177
 - tank capacity 177
 - Regeneration procedure (DPF) 182
 - Rejecting telephone call 142
 - Remote
 - changing the battery 8
 - Remote control 4
 - locking and arming the vehicle 9
 - Remote handset 4
 - smart key check 7
 - Repair kit 170
 - Restraints 26
 - Rock crawl 100
 - Rolling roads 182
 - Ruts 99
- S**
- Safety
 - after a collision 239
 - airbags 32
 - battery 214
 - child locks 23
 - child seats 26
 - child seats check list 27
 - fuel safety 175
 - in the garage 182
 - poisonous fluids 183
 - seat belt checks 25
 - seat belts 23
 - tyre pressures 219

- tyre repair information 170
- tyres 219
- using a telephone 140
- wheel changing 229
- Sand 100
- Sat Nav 148
- Satellite navigation 148
- Screen heaters 59, 60
- Seat belt reminder 26
- Seat belts 23, 25
- cleaning 197
- fastening a seat belt 23
- height adjustment 23
- releasing a seat belt 23
- safety 23, 25
- safety checks 25
- use during pregnancy 23
- warning lamp 26
- Seats
- access position (7-seat vehicles) 19
- adjustment when stalled 14
- bolster adjustment 13
- child seats 26
- entry mode 15
- exit mode 15
- front 13
- front head restraints 16
- front (manual) 12
- lumbar support 12, 13
- manual adjustment 12
- memory 15
- power adjustment 13
- programmable 15
- rear seat erecting (5-seat vehicles) 17
- rear seat erecting (7-seat vehicles) 18
- rear seat folding (5-seat vehicles) 17
- rear seat folding (7-seat vehicles) 18
- seat position 14
- sitting correctly 14
- third row (7-seat vehicles) 19
- third row access (7-seat vehicles) 19
- third row erecting (7-seat vehicles) 20
- third row folding (7-seat vehicles) 20
- Service data recording 195
- Service intervals 180
- Settings 58
- time and date 106
- Sidights 36
- Single locking 9
- Single point entry 6
- Sitting correctly 14
- Smart Key 4
- changing the battery 8
- location check 7
- locking and arming the alarm 9
- system transmitters 213
- Smog sensor 60
- Snow 99
- Snow chains 221
- Spare wheel 234
- lowering 227
- Specifications
- accessory wheels and tyres 212
- capacities 207
- engines 206
- lubricants and fluids 206
- tyres 212
- vehicle dimensions 209, 210
- vehicle weights 208
- wheels 212
- Speech activation 138
- Speedometer 52
- Sport mode 80
- SRS (Supplementary restraint system) 32
- Stability control 84
- disabling 84
- enabling 85
- system fault 85
- warning lamp 84
- Starting the engine 78
- Steering column
- entry mode 15
- exit mode 15
- lock 7
- Steering column lock 77
- Steering lock 7

- Steering wheel
 - adjusting the position 22
 - entry and exit mode 22
 - memory settings 22
- Stopping the engine 79
- Storage compartments 64
- Subchannels 116
- Sun blinds 45
- Sun visor lamps 40
- Sunroof 45
 - anti-trap protection 46
 - blinds 45
 - calibration 195
 - operation 45
 - reset 195
- Supplementary restraints system 32
- Surround camera system 97
- Suspension 86

- T**
- Tachometer 52
- Tailgate
 - opening 4, 8
- Technical specifications 206
- Telephone 140
 - answer incoming call 142
 - Bluetooth 140
 - call divert 143
 - call register 145
 - call volume 142
 - calling with the ignition off 144
 - compatibility 141
 - controls 140, 143
 - dialling 142
 - digit dial 143
 - end call 142
 - ending a call 143, 144
 - general information 140
 - incoming calls 144
 - last number redial 144
 - last ten calls 145
 - making a call 143
 - making a phone call 142
 - messages 145
 - missed calls 145
 - pairing and docking using your mobile
 - phone 141
 - phonebook 144
 - previous calls 145
 - rejecting incoming call 142
 - safety 140
 - status 143
 - touch screen operation 143
 - voice commands 146
 - voice control 146
 - voice mail 143
 - voice nametags 146
- Telephone scratchpad 144
- Television
 - changing channel 124
 - channel list 122
 - channel search 123
 - channel selection 122
 - channel store 123
 - controls 122
 - country settings 125
 - electronic programme guide (EPG) 125
 - formats 125
 - menu selection 123
 - preset channels 122
 - seek up/down 122
 - settings 125
 - touch screen operation 122
- Temperature controls
 - front 59
- Temperature gauge 52
- Temporary spare wheel 234
- Terrain response
 - before driving off-road 99
 - controls 99
 - driver override 100
 - general program 99
 - grass 99
 - gravel 99
 - mud 99

- operation 99
- rock crawl 100
- ruts 99
- sand 100
- snow 99
- Tether straps 31
- Time settings 106
- Timed heating control 62, 63
- Tone control 104
- Tone settings 110
- Tool kit 227
- Touch screen
 - cleaning 198
 - controls 111
 - DAB controls 115
 - personalisation 109
 - portable media controls 120
 - rear seat entertainment supervisor
 - screen 130
 - selecting valet mode 11
 - switching off 109
 - switching on 109
 - telephone controls 143
 - television controls 122
 - voice settings 109
- Tourist lever (headlamps) 38
- Tow ball
 - detachable 71
 - dimensions 74, 75
 - fitting 71
 - removal 71, 72
 - stowage 70
- Towing 69
 - electrical connection 69
 - essential checks 70
 - fitting a tow ball 71
 - levelling the trailer 69
 - nose weight 69
 - tow ball dimensions 74, 75
 - tow ball stowage 70
 - trailer guidance 98
 - trailer setup (camera) 98
- Towing a trailer 69
 - electrical connection 69
- Towing eyes 236
- Towing hitch
 - tool kit 227
- Towing points 236
- Towing weights 69
- TPM (Tyre Pressure Monitoring) system . . 92
 - operation 92
 - spare wheel 93
 - vehicle loading 92
 - warning lamp 92
 - wheel changing 93
- Traction control 85
- Traction devices 221
- Traffic announcements 105
- Trailer electrical connection 69
- Trailer levelling 69
- Trailer towing 69
- Transfer gearbox 81
 - range change indicators 82
 - range changing 82
- Transmission
 - automatic 80
 - manual 81
 - transfer gearbox 81
- Transmitters 213
- Trip computer 57
- Trip distance 57
- Trip recorder 52
- Trip recorder memory 57
- TV 122
- Type approvals 241
- Tyre pressure monitoring (TPM) system . . 92
 - vehicle loading 92
- Tyre repair kit 171
- Tyres
 - accessory tyre pressures 212
 - age degradation 220
 - care 219
 - flat spots 220
 - pressure check 219
 - pressure check after repair 173

pressure compensation for
 temperature changes 220
 pressures 173, 219
 puncture repair kit 171
 punctures 220
 repair kit 170
 repair procedure 172
 replacement tyres 220
 safety 219
 TPM (Tyre Pressure Monitoring)
 system 92
 using snow chains 221
 valves 220
 winter tyres 221

U

Unlocking 4, 10
 USB devices 118
 Using seat belts during pregnancy 23
 Using stability control 84
 DSC 84
 Using the remote control
 emergency key blade 4
 Smart Key 4
 Smart Key system transmitters 213
 Using traction control 85

V

Valet mode 11
 deselecting 7, 11
 PIN entry 11
 selecting 11
 Vehicle build date plate 240
 Vehicle identification 240
 Vehicle Identification Number (VIN) 240
 Vehicle information and settings menu 58
 Vehicle recovery 236
 after towing 238
 off-road 236
 towing on four wheels 237
 Vehicle settings 58

Ventilation

air distribution 60
 air recirculation 59, 60
 auto mode 59
 blower control 59
 front controls 59
 front seats 59
 pollution sensor 60
 VIN 240
 Voice control 138
 command list 138
 help mode 138
 navigation 163
 notepad 139
 operating guide 139
 session interruptions 139
 telephone 146
 tutorial 139
 voice button 138
 volume 139
 Voice mail 143

Volume control

automatic volume control (AVC) 104
 Volume control for the voice system 139
 Volume level setting 109

W

Warning labels 240
 Warning lamps 53
 ABS (Anti-lock braking system) 89
 battery warning 77
 brakes 89
 low oil pressure 77
 overview 53
 seat belt 26
 TPM (Tyre Pressure Monitoring)
 system 92
 Warning messages 56
 Washer fluid check 205
 Washer fluid top-up 205

- Washers
 - fluid check 205
 - fluid reservoir 184, 185
 - fluid top-up 205
 - headlamp 44
 - rear 44
 - Washing 196
 - Waveband selection 104
 - Waypoints 154
 - Weights 208
 - Wheel changing
 - jacking points 231, 232
 - jacking the vehicle 231, 232
 - locking wheel nuts 233
 - lowering the spare wheel 227
 - procedure 233
 - raising the vehicle 230
 - safety 229
 - stowing the changed wheel 234
 - temporary spare wheel 234
 - tool kit 227
 - using wheel chocks 229
 - Wheel chocks 229
 - Wheels
 - accessory specifications 212
 - alignment data (China only) 212
 - locking wheel nuts 233
 - safety when changing a wheel 229
 - using snow chains 221
 - Wheels and tyres
 - specifications 212
 - Windows 45
 - anti-trap protection 46
 - global closing 10
 - one-touch operation 46
 - operation 45
 - window isolator 45
 - window reset 195
 - Windscreen heater 59, 60
 - Windscreen washers
 - blocked jets 186
 - fluid check 205
 - fluid reservoir 184, 185
 - fluid top-up 205
 - Windscreen wipers 42
 - rain sensor 43
 - single wipe 42
 - speed-dependent mode 43
 - wiper operation 42
 - Winter tyres 221
 - Wipers 42
 - rain sensor 43
 - rear 44
 - speed-dependent mode 43
- X**
- Xenon lamps 188