

DECLARATIONS OF CONFORMITY



SiemensVDO Automotive AG, #F 02, Box 10 09 43, D-93059 Regensburg

Dagmar Kollar
SV C TS RBG EMC Laboratory
+49(0)9417700-6699
+49(0)9417700-136999
dagmar.kollar@siemens.com
www.siemensvdo.de
Doc_SWV480996.doc
03/08/2005

Name
Department
Tel.
Fax
E-Mail
Internet
Our Ref.
Date.

Declaration of Conformity in accordance with Directive 1999/5/EC (R&TTE Directive)
 Manufacturer: Siemens VDO Automotive AG
 Body & Chassis Electronics

Address: Dep. SV C BC P2 RF TG
 Siemensstrasse 12
 D-93059 Regensburg
 Germany

Product type designation: 5WK4 9096

Intended use: Radio frequency receiver used in vehicle locking/unlocking systems
 The product mentioned above complies with the essential requirements and other relevant provisions of Directive 1999/5/EC, when used for its intended purpose.

Health and safety pursuant to §3.1.a: Applied standard(s): EN 60950:2000

Electromagnetic compatibility pursuant to § 3.1.b: Applied standard(s): EN 301 489-1, -3; V1.4.1 (2002-08)

Efficient use of spectrum pursuant to § 3.2: Applied standard(s): EN 300 220-1; V1.3.1 (2000-09)

The following marking applies to the above mentioned product:



Siemens VDO Automotive AG
 Regensburg, 2005-08-43

Jean Francois Tarabba
 Dr. Martin Fischer
 Vice President
 Wireless Products and Modules

Jean-Francois Tarabba
 Executive Vice President
 Body and Chassis Electronics Operations

SiemensVDO Automotive AG
 Body & Chassis Electronics
 Helmut Metzch
 Klaus Müller
 Postal Address:
 SiemensVDO Automotive AG
 Siemensstrasse 12
 P.O. Box 10 09 43
 D-93059 Regensburg
 Office Address:
 Siemensstrasse 12
 D-93055 Regensburg
 Tel. +49(0)9417700-0

SiemensVDO Automotive AG, Chairman of the Supervisory Board, Edward G. Neuhack, Managing Board, Jörg Stremm, Chairman, Johannes Kiese Egerl, Günter Heidermann, Jürgen Lüthje, Managing Office, Michael Adam, Commercial Registry, Munich, WB 152227

SL1530



SiemensVDO Automotive AG, #F 02, Box 10 09 43, D-93059 Regensburg

Dagmar Kollar
SV C TS RBG EMC Laboratory
+49(0)9417700-6699
+49(0)9417700-136999
dagmar.kollar@siemens.com
www.siemensvdo.de
Doc_SWV480996.doc
03/08/2005

Name
Department
Tel.
Fax
E-Mail
Internet
Our Ref.
Date.

Declaration of Conformity in accordance with Directive 1999/5/EC (R&TTE Directive)
 Manufacturer: Siemens VDO Automotive AG
 Body & Chassis Electronics

Address: Dep. SV C BC P2 RF TG
 Siemensstrasse 12
 D-93059 Regensburg
 Germany

Product type designation: 5WK4 9096

Intended use: Radio frequency transmitter used The Pressure Monitoring system
 The product mentioned above complies with the essential requirements and other relevant provisions of Directive 1999/5/EC, when used for its intended purpose.

Health and safety pursuant to §3.1.a: Applied standard(s): EN 60950:2000

Electromagnetic compatibility pursuant to § 3.1.b: Applied standard(s): EN 301 489-1, -3; V1.4.1 (2002-08)

Efficient use of spectrum pursuant to § 3.2: Applied standard(s): EN 300 220-1; V1.3.1 (2000-09)

The following marking applies to the above mentioned product:



Siemens VDO Automotive AG
 Regensburg, 2005-11-09

Jean Francois Tarabba
 Dr. Martin Fischer
 Vice President
 Wireless Products and Modules

Jean-Francois Tarabba
 Executive Vice President
 Body and Chassis Electronics Operations

SiemensVDO Automotive AG
 Body & Chassis Electronics
 Helmut Metzch
 Klaus Müller
 Postal Address:
 SiemensVDO Automotive AG
 Siemensstrasse 12
 P.O. Box 10 09 43
 D-93059 Regensburg
 Office Address:
 Siemensstrasse 12
 D-93055 Regensburg
 Tel. +49(0)9417700-0

SiemensVDO Automotive AG, Chairman of the Supervisory Board, Edward G. Neuhack, Managing Board, Jörg Stremm, Chairman, Johannes Kiese Egerl, Günter Heidermann, Jürgen Lüthje, Managing Office, Michael Adam, Commercial Registry, Munich, WB 152227

Lear Corporation
Electronic Systems Division
2157 Telegraph Road
Southfield, MI 48033-4288
USA
Phone: (248) 471-1599



Date: February 6, 2009

INFORMATION TO BE INCLUDED IN THE END USER'S MANUAL.

The following information must be included in the end product user's manual to ensure continued FCC and Industry Canada regulatory compliance. The ID numbers must be included in the manual if the device label is not readily accessible to the end user. The compliance paragraphs below must be included in the user's manual.

The following user's manual statements are provided by Lear Corporation to Jaguar Land Rover electronically after certification.

Key fobs

Land Rover, Range Rover,
 FCC ID: KOBJTF10A (Range Rover, Land Rover)
 FCC ID: KOBJTF10B (Jaguar)
 IC: 3521-A-JTF10A (Range Rover, Land Rover)
 IC: 3521-A-JTF10B (Jaguar)
 Model #: AH42-15K001A (Range Rover)
 Model #: AH42-15K001A (Land Rover)
 Model #: AW65-15K601A (Jaguar)

This device complies with Part 15 of the FCC Rules and with RSS-210 of Industry

Canada.
 Operation is subject to the following two conditions:
 (1) This device may not cause harmful interference, and
 (2) This device must accept any interference received, including interference that may cause undesired operation.
WARNING: Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.
 The term "IC:" before the radio certification number only signifies that Industry Canada technical specifications were met.

Lear Corporation
Electronic Systems Division
2157 Telegraph Road
Southfield, MI 48033-4288
USA
Phone: (248) 471-1599



RKE Receiver

Land Rover, Range Rover, Jaguar

 FCC ID: KOBJLR09A
 IC: 3521-JLR09A
 Model #: AH42-15K602-A

This device complies with Part 15 of the FCC Rules and with RSS-210 of Industry

Canada.
 Operation is subject to the following two conditions:
 (1) This device may not cause harmful interference, and
 (2) This device must accept any interference received, including interference that may cause undesired operation.
WARNING: Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.
 The term "IC:" before the radio certification number only signifies that Industry Canada technical specifications were met.

Passive Entry / Passive Start Module

Land Rover, Range Rover, Jaguar

 FCC ID: KOBJBG10A
 Model #: AH22-19H440 (PEPS)
 IC: 3521-JBG10A
 Model #: AH42-19H440 (Passive Start ONLY)

FCC ID: KOBJBG10B
 IC: 3521-JBG10B
 Model #: AH22-19H440 (PEPS)
 Model #: AH42-19H440 (Passive Start ONLY)


This device complies with Part 15 of the FCC Rules and with RSS-210 of Industry

Canada.
 Operation is subject to the following two conditions:
 (1) This device may not cause harmful interference, and
 (2) This device must accept any interference received, including interference that may cause undesired operation.
WARNING: Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.
 The term "IC:" before the radio certification number only signifies that Industry Canada technical specifications were met.

EC Declaration of Conformity

EC Directive: 1999/5/EC
 Manufacturer: Lear Corporation
 Type Designation / FCC ID: KOBJBG10B
 Model Numbers: SE0770337, 19H440, AH22-19H440, AH42-19H440-AD, AH42-19H440-AE
 Description / Intended Use: Remote Function Actuator (RFA), passive keyless entry and start system low frequency initiator
 Trademarks: Land Rover / Range Rover / Jaguar
 Applied Standards: European Commission Directive 2006/28/EC
 ETSI EN 60950
 CEPT/ERC/REC 70-03
 AS/NZS 4288
 FCC Regulations 47 CFR Part 15
 Responsible Person: Kevin Cotton
 Lear Corporation
 21557 Telegraph Road
 Southfield, Michigan 48033
 United States of America


Hereby, Lear Corporation declares that the product referenced above is in compliance with the essential requirements of Directive 1999/5/EC, on the approximation of the laws of the member states relating to Directive 1999/5/EC

Signed: 
 Kevin Cotton, Lear Corporation
 Date: 27 March 2009

EC Declaration of Conformity

EC Directive: 1999/5/EC
 Manufacturer: Lear Corporation
 Type Designation / FCC ID: KOBJBG10A
 Model Numbers: SE0770337, 19H440, AH22-19H440-AC, AH42-19H440-AD, AH22-19H440, AH42-19H440
 Description / Intended Use: Remote Function Actuator (RFA), passive keyless entry and start system low frequency initiator
 Trademarks: Land Rover / Range Rover / Jaguar
 Applied Standards: European Commission Directive 2006/28/EC
 ETSI EN 60950
 ETSI EN 300 330
 CEPT/ERC/REC 70-03
 AS/NZS 4288
 FCC Regulations 47 CFR Part 15
 Responsible Person: Kevin Cotton
 Lear Corporation
 21557 Telegraph Road
 Southfield, Michigan 48033
 United States of America


Hereby, Lear Corporation declares that the product referenced above is in compliance with the essential requirements of Directive 1999/5/EC, on the approximation of the laws of the member states relating to Directive 1999/5/EC

Signed: 
 Kevin Cotton, Lear Corporation
 Date: 27 March 2009

EC Declaration of Conformity

EC Directive: 1999/5/EC
 Manufacturer: Lear Corporation
 Type Designation: SE0760127
 Model Numbers: SE0760127, 15K602, AH42-15K602-B, AH42-15K602-BC
 Description / Intended Use: RF Receiver (RFR), used in passive entry and passive start, remote keyless entry, and tire pressure monitoring systems
 Trademarks: Land Rover / Range Rover / Jaguar
 Applied Standards: European Commission Directive 2006/28/EC
 ETSI EN 60950
 ETSI EN 300 220
 CEPT/ERC/REC 70-03
 AS/NZS 4288
 Responsible Person: Kevin Cotton
 Lear Corporation
 21557 Telegraph Road
 Southfield, Michigan 48033
 United States of America

Hereby, Lear Corporation declares that the product referenced above is in compliance with the essential requirements of Directive 1999/5/EC, on the approximation of the laws of the member states relating to Directive 1999/5/EC.

Signed: 
 Kevin Cotton, Lear Corporation

Date: 27 March 2009

EC Declaration of Conformity

EC Directive: 1999/5/EC
 Manufacturer: Lear Corporation
 Type Designation: 15K601
 Model Numbers: SE0680127, SE0680127, 15K601-BB, AH42-15K601B, AH22-15K601B, AH42-15K601-BC, AH22-15K601-BC
 Description / Intended Use: Passive Key (PK) / Customer Identification Device (CID), passive keyless entry system keyfob
 Trademarks: Land Rover / Range Rover
 Applied Standards: CEPT/ERC/REC 70-03
 ETSI EN 60950
 ETSI EN 300 220
 ETSI EN 301 489
 ECU EN 60950
 AS/NZS 4288
 Responsible Person: Kevin Cotton
 Lear Corporation
 21557 Telegraph Road
 Southfield, Michigan 48033
 United States of America

Hereby, Lear Corporation declares that the product referenced above is in compliance with the essential requirements of Directive 1999/5/EC, on the approximation of the laws of the member states relating to Directive 1999/5/EC.

Signed: 
 Kevin Cotton, Lear Corporation

Date: 26 March 2009

Quietek

快特電波股份有限公司
低功率射頻電機型式認證證明

一、申請者: Lear Corporation
Lear Corporation
Range Rover FOB

二、製造廠商: Range Rover / SE0B60227

三、器材名稱: Range Rover / SE0B60227

四、廠牌/型號: 315MHz

五、發射功率 (電場強度): 315MHz

六、工作頻率: 315MHz

七、發證日期: 98年06月02日

八、審驗合格標識式樣:  CCAH09LP0550T5

說明:

- 請就下列標識式樣自製標籤, 標貼或印鑄於器材本體明顯處, 細得紙張或公同陳列。
- 標識式樣除合格之品外非射頻電機, 其型號、設計、射頻性能如有變更, 應重新申請型式認證。
- 違反此項非電波輻射性電機管理辦法之規定, 擅自使用或變更無線電頻率、電力功率, 除依電信法規文處罰外, 檢控機關(組)並得停止其型式認證證明或型式認證標籤。
- 違章廠商應保留送審樣品供日後核對。
- 本型式認證證明及其合格標籤僅供使用權人備查, 不得轉借他人於同廠牌同型號之器材, 使用其合格標籤。

備註:

- 本器材符合此項非射頻電機技術規範 LP0002.3.4.2節之規定。
- 本認證機構係由國家通訊傳播委員會委託, 根據本型式認證證明。
- 本器材所使用固定式無線電頻型號如下:
Lear Corporation / N/A

Quietek

快特電波股份有限公司
低功率射頻電機型式認證證明

一、申請者: Lear Corporation
Lear Corporation
RFA (Passive Start)

二、製造廠商: LEAR / SE0700337

三、器材名稱: LEAR / SE0700337

四、廠牌/型號: 125KHz

五、發射功率 (電場強度): 125KHz

六、工作頻率: 125KHz

七、發證日期: 98年06月02日

八、審驗合格標識式樣:  CCAH09LP0570T1

說明:

- 請就下列標識式樣自製標籤, 標貼或印鑄於器材本體明顯處, 細得紙張或公同陳列。
- 標識式樣除合格之品外非射頻電機, 其型號、設計、射頻性能如有變更, 應重新申請型式認證。
- 違反此項非電波輻射性電機管理辦法之規定, 擅自使用或變更無線電頻率、電力功率, 除依電信法規文處罰外, 檢控機關(組)並得停止其型式認證證明或型式認證標籤。
- 違章廠商應保留送審樣品供日後核對。
- 本型式認證證明及其合格標籤僅供使用權人備查, 不得轉借他人於同廠牌同型號之器材, 使用其合格標籤。

備註:

- 本器材符合此項非射頻電機技術規範 LP0002.2節之規定。
- 本認證機構係由國家通訊傳播委員會委託, 根據本型式認證證明。
- 本器材所使用固定式無線電頻型號如下:
Lear Corporation / N/A



Continental Automotive GmbH - Postfach 101 55 - 50059 Hagenberg

Kicker Designer
AOL RRG 42
Phone +49 (0)41 700-0099
Fax +49 (0)41 700-136999
diagmar.kicker@continental-corporation.com

Date: July 29, 2008
Your message about: Your reference: QM Reference:

Declaration of Conformity in accordance with Directive 1999/5/EC (R&TTE Directive)

Manufacturer: Continental Automotive GmbH
Address: Siemensstrasse 12
D-93055 Regensburg
Germany
Product type designation: S180 052 020 A
Intended use: Tire Pressure System

The product mentioned above complies with the essential requirements and other relevant provisions of Directive 1999/5/EC, when used for its intended purpose:

- Health and safety pursuant to §3.1.a: Applied standard(s): EN 60950-1; 2006
- Electromagnetic compatibility pursuant to § 3.1.b: Applied standard(s): EN 301 489 -1; V1.6.1 (2005-09)
EN 301 489 -3; V1.4.1 (2002-08)
- Efficient use of spectrum pursuant to § 3.2: Applied standard(s): EN 300 220 -1; V2.1.1 (2006-04)
EN 300 220 -2; V2.1.1 (2006-04)

The following marking applies to the above mentioned product:



Continental Automotive GmbH
Regensburg, 2008-07-29

low
Andreas Wolf
Executive Vice President
Body & Security

low
Northern Miller
Director Product Group 3
Body & Security

Continental Automotive GmbH
Postfach 101 55, D-50059 Hagenberg
Phone +49 (0)41 700-0099
Fax +49 (0)41 700-136999
www.continental-automotive.com

Continental Automotive GmbH
Postfach 101 55, D-50059 Hagenberg
Phone +49 (0)41 700-0099
Fax +49 (0)41 700-136999
www.continental-automotive.com

SL1536

快特電波股份有限公司 低功率射頻電機型式認證證明

申請者: Lear Corporation
製造廠商: Lear Corporation
器材名稱: Jaguar job
廠牌/型號: JAGUAR / SE084P217
發射功率 (電場強度): 315MHz: 83.225dBW/m(Peak)
工作頻率: 315MHz



CCAH09LP0830TI

七、審核日期: 98年07月01日

八、審核合格機號式樣:

說明:

- 請照上列條式樣自行製標籤，標籤及印鑄於器材本體明顯處，並詳細書寫及公開陳列。
- 標籤式認證合格之低功率射頻電機，其型號、設計、射頻性能如有變更，應重新申請型式認證。
- 低功率射頻電機除電機管理辦法之規定，應自使用及電氣無線電頻率、電力非書、除標籤外，應另備有該型號之器材清單，應於機器(機)並提供其型式認證證明及型式認證標籤。
- 這些標籤應保留這些產品自生產日期。
- 本型式認證證明及其合格標籤係由本局發給，僅供本局射頻器材管制委員會使用。本局規定，持有本局發給之合格標籤者應向其他他人於同級牌照申請之電信器材射頻器材使用型式認證標籤，並於次日起30天內，應加貼「電信器材射頻器材管制委員會合格標籤」或符合性聲明標籤(另見使用標籤表)。這本會備查。

備註:

- 本器材符合低功率射頻電機技術規範(LP0002.3.4.2節)之規定。
- 驗收標籤係由國家認證委員會發給，核發本型式認證證明。
- 本器材使用固定式天線，應以型號為 Lear Corporation / N/A。



전자문서확인번호 WISF-31EL-V75G-YVDD

방송통신기기인증서

Certificate of Broadcasting and Communication Equipment

형식등록(Type Registration)

인증의 종류
Certification Type
상호 또는 성명
Trade Name or Applicant
기기의 명칭
Equipment Name

LEAR CORPORATION

특정소용해무선기기(태이더전송용 무선기기)

SE0840

기본모델명
Basic Model Number
파생모델명
Series Model Number

LER-500840

인증번호
Certification No
제조자/제조국
Manufacturer/Country of Origin

LEAR Automotive Electronics and Electrical/중국

LARN2-K0L4S3J9T.0.12580.003F1D1

형식기호
Type Identification
인증연월일
Date of Certification

2009년(Year) 07월(Month) 15일(Date)

기타
Others

위 기기는 「전자통신기본법」, 「전파법」에 따라 인증의임을 증명합니다.
It is certified that foregoing equipment has been certified under the Framework Act on Telecommunications and Radio Waves Act.



전파연구

Director General of Radio Research Laboratory
Korea Communications Commission Republic of Korea



전자문서확인번호 NC49-1219-RTV-1KEED

방송통신기기인증서

Certificate of Broadcasting and Communication Equipment

형식등록(Type Registration)

인증의 종류
Certification Type
상호 또는 성명
Trade Name or Applicant
기기의 명칭
Equipment Name

LEAR CORPORATION

태이더전송용 무선기기

SE085P127

기본모델명
Basic Model Number
파생모델명
Series Model Number

LER-50085P127

인증번호
Certification No
제조자/제조국
Manufacturer/Country of Origin

LEAR Automotive Electronics and Electrical/중국

LARN2-K0L4S3J9T.0.12580.003F1D1

형식기호
Type Identification
인증연월일
Date of Certification

2009년(Year) 05월(Month) 29일(Date)

기타
Others

위 기기는 「전자통신기본법」, 「전파법」에 따라 인증의임을 증명합니다.
It is certified that foregoing equipment has been certified under the Framework Act on Telecommunications and Radio Waves Act.



전파연구

Director General of Radio Research Laboratory
Korea Communications Commission Republic of Korea



SL1538



전자통신위원회 7N7N-CFN-3R001-SUJX

방송통신기기인증서

Certificate of Broadcasting and Communication Equipment

통신등록(Type Registration)

인증의 종류
Certification Type
상호 또는 성명
Trade Name or Applicant
기기의 명칭
Equipment Name

LEAR CORPORATION
태아 텔레콤도 부속기기

기본모델명
Basic Model Number
파생모델명
Series Model Number

5B0770237

인증번호
Certification No.

LER-5B0770237

제조자/제조국가
Manufacturer/Country of Origin

LEAR Valls Automotive Electronics and Electrical/스페인

형식기호
Type Identification

LPD-R08L0.12BTALD

인증유효일
Date of Certification

2009년(Year) 09월(Month) 04일(Date)

기타
Others

위 기기는 「전기통신기본법」, 「전자법」, 「전파법」에 따라 인증되었음을 증명합니다.
It is certified that foregoing equipment has been certificated under the Framework Act on Telecommunications and Radio Waves Act.



전자연구실장

Director General of Radio Research Laboratory

Korea Communications Commission Republic of Korea



전자통신위원회 JTC5-A31Q-8P4C-10BT

방송통신기기인증서

Certificate of Broadcasting and Communication Equipment

통신등록(Type Registration)

인증의 종류
Certification Type
상호 또는 성명
Trade Name or Applicant
기기의 명칭
Equipment Name

LEAR CORPORATION
태아 텔레콤도 부속기기

5B0770237

5B0770337

인증번호
Certification No.

LER-5B0770237

제조자/제조국가
Manufacturer/Country of Origin

LEAR Valls Automotive Electronics and Electrical/스페인

형식기호
Type Identification

LPD-R08L0.12BTALD

인증유효일
Date of Certification

2009년(Year) 09월(Month) 04일(Date)

기타
Others

위 기기는 「전기통신기본법」, 「전자법」, 「전파법」에 따라 인증되었음을 증명합니다.
It is certified that foregoing equipment has been certificated under the Framework Act on Telecommunications and Radio Waves Act.



전자연구실장

Director General of Radio Research Laboratory

Korea Communications Commission Republic of Korea





Independent Communications Authority of South Africa
 Private Team, 164 Kafelane Street, Sandton
 Private Bag 110002, Sandton, 2146

Radio Equipment Type Approval Certificate

Radio Equipment Type Approval Number

TA-2009/002

The Authority, in the exercise of the powers conferred upon it by section 35 (1) of the Electronic Communications Act, 2005 (Act 36 of 2005), the applicable radio regulations which currently remain in force in terms of section 35 (7) of the Electronic Communications Act and subject to the terms and conditions set out in this document (hereinafter referred to as the "Conditions"), hereby issues a radio equipment type approval certificate to the company whose name and particulars are listed below.

Company Particulars

Name : Jaguar Land Rover SA
 Street Address : Simon Vermoeten Road, Silverton
 Postal Code : 2195
 Telephone Number : 012 845 1005
 Facsimile Number : 209 102726907
 Registration Number :

Description of Apparatus

Category : Remote Function Actuator (RFA)
 Model : K08-B010B
 Frequency Range : 119-135 MHz
 ITU Emission Code : 12K1D
 Modulation : BPSK
 Power Output : 400mW
 Channel Spacing : ±37.7 kHz @ 3m
 Features :

Only the original or a certified copy of the radio equipment type approval certificate shall be considered valid.

P. Masheke
P. Masheke
 Senior Manager: Engineering & Technology

0 9 JUN 2009
 P. Masheke (Chairperson), M. Balyi, T. V. Makhwaho, K. Nkomo, B. D. Nkomo, P. K. Sibusiso, Dr. AM. Sibusiso,
 Prof. JCV van Rooyen SC, IMI Zokwe (Councillors), BK Motswagole (CEO)



Independent Communications Authority of South Africa
 Private Team, 164 Kafelane Street, Sandton
 Private Bag 110002, Sandton, 2146

Radio Equipment Type Approval Certificate

Radio Equipment Type Approval Number

TA-2009/003

The Authority, in the exercise of the powers conferred upon it by section 35 (1) of the Electronic Communications Act, 2005 (Act 36 of 2005), the applicable radio regulations which currently remain in force in terms of section 35 (7) of the Electronic Communications Act and subject to the terms and conditions set out in this document (hereinafter referred to as the "Conditions"), hereby issues a radio equipment type approval certificate to the company whose name and particulars are listed below.

Company Particulars

Name : Jaguar Land Rover SA
 Street Address : Simon Vermoeten Road, Silverton
 Postal Code : 2195
 Telephone Number : 012 845 1005
 Facsimile Number : 209 102726907
 Registration Number :

Description of Apparatus

Category : Remote Function Actuator (RFA)
 Model : K08-B010B
 Frequency Range : 119-135 MHz
 ITU Emission Code : 12K1D
 Modulation : BPSK
 Power Output : 400mW
 Channel Spacing : ±47.7 kHz @ 3m
 Features :

Only the original or a certified copy of the radio equipment type approval certificate shall be considered valid.

P. Masheke
P. Masheke
 Senior Manager: Engineering & Technology

0 9 JUN 2009
 P. Masheke (Chairperson), M. Balyi, T. V. Makhwaho, K. Nkomo, B. D. Nkomo, P. K. Sibusiso, Dr. AM. Sibusiso,
 Prof. JCV van Rooyen SC, IMI Zokwe (Councillors), BK Motswagole (CEO)

3L1540



Independent Communications Authority of South Africa

Postal Form 104 (October 2008) - Please do not write on this form
 16th Floor, 134 Water Street, Sandton
 Johannesburg 2009, South Africa

Radio Equipment Type Approval Certificate

Radio Equipment Type Approval Number

TA-20080304

The Authority, in the exercise of the powers conferred upon it by section 35 (1) of the Electronic Communications Act, 2005 (Act 36 of 2005), the applicable radio regulations which currently remain in force in terms of section 35 (1) of the Act, and the applicable technical specifications which currently remain in force in terms of section 35 (1) of the Act, hereby issues a radio equipment type approval certificate to the company whose name and particulars are listed below.

Company Particulars

Name : Jaguar Land Rover SA
 Address : Simon Vermooten Road, Silverton
 Telephone Number : 012 845 1005
 Facsimile Number : 012 845 1005
 Registration Number : 2001022726807

Description of Apparatus

Category : Low Frequency Initiator FET Receiver
 Frequency Range : 857060727
 ITU Emission Code : 3E2-10A-19 MHz
 Modulation : 739K11D
 Channel Spacing : ASK, FSK
 Features : -

Only the original or a certified copy of the radio equipment type approval certificate shall be considered valid.

Philimon Mphahlele
Philimon Mphahlele
 Senior Manager: Engineering & Technology

09 JUN 2008

P. Mphahlele (Chairperson), NA Balo, TLV Makhahle, R. Mkhun, BB Nkomoela, FK Sibanda, De LW Sockava



Independent Communications Authority of South Africa

Postal Form 104 (October 2008) - Please do not write on this form
 16th Floor, 134 Water Street, Sandton
 Johannesburg 2009, South Africa

Radio Equipment Type Approval Certificate

Radio Equipment Type Approval Number

TA-20080305

The Authority, in the exercise of the powers conferred upon it by section 35 (1) of the Electronic Communications Act, 2005 (Act 36 of 2005), the applicable radio regulations which currently remain in force in terms of section 35 (1) of the Act, and the applicable technical specifications which currently remain in force in terms of section 35 (1) of the Act, hereby issues a radio equipment type approval certificate to the company whose name and particulars are listed below.

Company Particulars

Name : Jaguar Land Rover SA
 Address : Simon Vermooten Road, Silverton
 Telephone Number : 012 845 1005
 Facsimile Number : 012 845 1005
 Registration Number : 2001022726807

Description of Apparatus

Category : Key Fob Transmitter
 Frequency Range : 433.92 MHz
 ITU Emission Code : 739K11D
 Modulation : ASK, FSK
 Channel Spacing : -14.6 dbm
 Features : -

Only the original or a certified copy of the radio equipment type approval certificate shall be considered valid.

Philimon Mphahlele
Philimon Mphahlele
 Senior Manager: Engineering & Technology

09 JUN 2008

P. Mphahlele (Chairperson), NA Balo, TLV Makhahle, R. Mkhun, DD Nkomoela, FK Sibanda, De LW Sockava
 Post: P.O. van Rooyen, S.T. MM 2144, Grahamstown, B.K. Mottana (CEO)



ALPINE ELECTRONICS, INC.
 204 Yonkers Roadstead, Suite 200
 Yonkers, NY 10551-1111
 Phone: +1 (914) 942-3841 Fax: +1 (914) 942-3842

DECLARATION OF CONFORMITY

We, Alpine Electronics, Inc. of the above address, hereby declare, at our sole responsibility, that the following product conforms to the Essential Requirements of the Radio and Telecommunications Terminal Equipment Directive 1990/270/EEC in accordance with the tests conducted in the appropriate requirements of the relevant standards, as listed hereafter.

Product : Bluetooth Module
 Model Type Number : IAM.L11BT.FWB.EU
 Directive used Standard used : Radio: EN 300 213 V1.7.1; 2006-10
 EMC: EN 301 489-1 V1.3.1; 2006-04
 EN 301 489-1 V1.3.1; 2006-04
 ISO 9001:2004
 Safety: IEC 60468 Ed.7; 2001 + Amend.1; 2005
 EN 60468; 2002 + Amend.1; 2006

Year of affixing CE marking : 2009

Signature : *S. Abebe*
 Name : Shimichi Abebe
 Date : November 12, 2009



Label to be used on the following products only:

- citizen band radio equipment
- cellular equipment
- trunk radio equipment
- spread spectrum devices
- leased channel radio equipment
- cordless telephone
- wireless security devices
- wireless microphone
- radio-control equipment
- medical & biology telemetry equipment

- A**
- ABS warning indicator 85
 - Accessories 165
 - Adaptive dynamics 92
 - Adaptive front lighting system (AFS) 40
 - AFS 40
 - Airbag label locations 220
 - Airbag service information 37
 - Airbag warning lamp 37
 - Airbags 34
 - components 34
 - deployment 37
 - maintenance 165
 - operation 34
 - Alarm
 - arming 12
 - arming confirmation 12
 - deactivating when triggered 8
 - disarming 8
 - Alarm deactivation 7
 - Alarm system 15
 - tilt sensor 15
 - Ambient lighting 42, 107
 - Audio
 - balance 113
 - CD 113
 - CD eject 111
 - CD load 111
 - DAB radio 119
 - fade 113
 - mode button 111
 - portable audio 124
 - seek up/down 111
 - settings 113
 - television controls 128
 - tone 113
 - touch screen operation 105
 - volume control 111
 - Audio overview 111
 - controls 111
 - Auto lamps
 - windscreen wiper detection 39
 - Autolamps 38
 - Automatic climate control 64
 - controls 64
 - Automatic transmission
 - automatic mode 82
 - Auxiliary heater 66
 - remote control 67
 - Auxiliary input socket 125
 - Auxiliary power sockets 70
- B**
- Battery care 183
 - Battery changing 186
 - Battery disconnection 186
 - Battery warning symbols 183
 - Beltminder 27
 - Blind spot monitor 51
 - sensor blockage 52
 - system fault 52
 - Bluetooth 141
 - audio devices 124
 - compatibility 141
 - connecting a media device 126
 - connecting a phone 143
 - pairing a media device 126
 - pairing a phone 143
 - Bonnet lock 176
 - Booster cables 184
 - Booster cushions 31
 - Brake and clutch fluid check 180
 - Brake fluid
 - topping up 182
 - Brakes
 - pedal travel (China only) 197
 - principle of operation 85
 - Bulb changing 167
 - Bulb specification chart 199
 - Bulbs
 - xenon lamp replacement 167

C

- Camera systems
 - surround cameras 109
 - tow assist 109
- Capacities 196
- Car wash 172
- CD 113
 - controls 122
 - eject 111
 - load 111
 - loading 113
 - MP3 playback 123
 - playback 122
 - repeat 122
 - shuffle 122
 - skip/scan 122
 - supported formats 113
 - touch screen operation 122
 - track list 122
 - virtual player 113
 - virtual store 122
- Changing a bulb 167
 - general information 167
- Changing a fuse 188
- Changing a road wheel 208
 - locking wheel nuts 210
 - temporary spare wheel 209
 - wheel changing safety 209
 - wheel chocks 209
- Changing a wheel 210
- Changing the vehicle battery 186
 - disconnecting 186
 - effects of disconnecting 186
 - replacement batteries 186
- Child locks 24
- Child seats 28
 - anchor points 30
 - attaching tether straps 33
 - check list 29
 - Isofix anchor points 30
 - Isofix installation 32
 - positioning 29
 - recommended seats 29
 - safety 29
 - tether anchorage points 32
 - tether straps 32
- Cleaning
 - carpets 174
 - cloth and fabric 173
 - glass surfaces 172
 - mats 174
 - rear screen 173
 - wheels 172
- Cleaning stubborn stains 172
- Cleaning the exterior 172
 - Cleaning after off-road driving 172
- Cleaning the interior 173
 - airbag module covers 174
 - audio system 174
 - instrument panel 174
 - leather care 173
 - seat belts 174
 - touch screen 174
- Climate control 64
 - water deposits 65
- Clock 56, 106
- Clutch
 - pedal travel (China only) 197
- Clutch fluid
 - topping up 182
- CO2 emissions 90
- Connecting a phone 143
- Connecting a portable media device 125
- Connecting auxiliary devices 125
- Coolant check 179
- Courtesy delay (headlamps) 39

- Cruise control 89
 - auto switch off 90
 - cancelling 89
 - setting the speed 89
- Cruise eco data 90
- Cup holders 69

- D**
- DAB
 - announcements 119
 - autotune 119
 - channel information 119
 - channel list 119
 - channel up/down 119
 - controls 119
 - ensembles 121
 - radio 119
 - reception 121
 - settings 119
 - station presets 119
 - subchannels 119
 - text 119
 - touch screen operation 119
 - wave band selection 119
- DAB radio
 - settings 120
- Data recording 166, 219
- Daytime running lamps 38
- Diesel misfuel protection device 161
- Diesel particulate filter regeneration 80
- Digital radio 119
- Dimensions 198
 - brake pedal travel (China only) 197
 - pedal travel (China only) 197
 - wheel alignment data (China only) 197
- Disability modifications 165
 - occupant safety 37
- Disabling the passenger airbag 36
- Disarming the alarm
 - deactivating the alarm when triggered 8
 - smart key failure 7
- Display icons 105

- Door locks 15
 - global entry 6
 - keyless entry 7
 - multi point entry 6
 - single point entry 6
 - unlocking 4
- Door mirrors 48
- Double locking 13
- Drawbar dimensions 75
- Drive selector 82
- Drive-away locking 14
- Driver information centre 56, 58
- Driving after a collision 219
 - before starting or driving 219
- Dual view display selection 132
- Dual view screen
 - control menu 133
- Dual view touch screen 132
- DVD
 - controls 130
 - supported formats 113
- DVD discs 113
- DVD operation in dual view display 134

- E**
- Easy entry and exit 19
- Easy route 150
- Eco button 79
- Electric seats 17
 - seatback tilt 20
- Electric windows
 - overriding anti-trap protection 47
 - window reset 47
- Electronic Brake Distribution (EBD) 86
- Emergency Brake Assist (EBA) 85
- Emission control system 80
- Engine
 - rolling re-start 78
- Engine compartment overview 177
- Engine coolant check
 - checking the coolant level 179
 - topping up 179

- Engine fails to start 78
 - Engine oil check 178
 - checking the oil level 178
 - oil specification 179
 - topping up 178
 - Engine specifications 195
 - Engine stall 80
 - Engine starting 77
 - no engine cranking 77
 - Engine switch off
 - with the vehicle moving 78
 - Essential towing checks 73
 - Event data recording 219
 - Exterior mirrors 48
 - adjusting and folding 48
 - mirror dip when reversing 49
 - External temperature 56
- F**
- Facia 248
 - Fastening the seat belts 24
 - Flat spots 214
 - Fluids
 - brake fluid top-up 182
 - clutch fluid top-up 182
 - engine coolant top-up 179
 - engine oil top-up 178
 - washer fluid top-up 182
 - Front seats
 - correct adjustment 18
 - electric 17
 - head restraints 19
 - manual 16
 - memory seats 19
 - Fuel burning heater 66
 - remote control 67
 - Fuel consumption 163
 - Fuel filler flap 161
 - Fuel gauge 56
 - Fuel quality 159
 - diesel engines 160
 - ethanol 159
 - methanol 159
 - MTBE 160
 - octane rating 159
 - petrol engines 159
 - reformulated gasoline 160
 - sulphur content 160
 - Fuel specification 162
 - Fuel tank capacity 162
 - Fuse box locations 187
 - Fuse specification chart
 - engine compartment fuse box 189
 - luggage compartment fuse box 194
 - passenger compartment fuse box 191
 - Fuses 187
 - access 187
 - changing 188
 - engine compartment 189
 - locations 187
 - luggage compartment fuses 194
 - passenger compartment fuses 191
 - replacement 188
- G**
- Garage door opener 53
 - Garage door transceiver
 - before programming 53
 - entry gate programming 54
 - erase all programming 54
 - information and assistance 55
 - programming 53
 - reprogramming a single garage
 - door opener button 54
 - rolling code devices 54

- Gearbox
 - CommandShift mode 83
 - drive mode 83
 - drive selector 83
 - drive selector fails to elevate 84
 - kick-down 83
 - neutral 83
 - reverse 83
 - reverse gear 83
 - sport mode 83
- Gearbox fault 84
- Gearshift indicator 84
- Global closing 13
 - keyless locking 14
- Gradient acceleration control 94
- Gradient release control 97

- H**
- Hazard warning flashers 40
- HDC 96
- Head restraints
 - front seats 19
 - integrated 20
 - rear seats 21
- Headlamp levelling 40
 - halogen headlamps 40
- Headlamp washers 44
- Headlamps 38
 - adaptive front lighting (AFS) 40
 - auto lamps 38
 - condensation inside the lens 40
 - courtesy delay 39
 - driving abroad 40
 - exit delay 38
 - high beam assist 39
 - low beam 38
- Heated mirrors 65
- Heated steering wheel 23
- Heating 64
- High beam assist 39
- Hill descent control 96
 - operation 96
- Hill start assist 94
- Hill start brake hold 97
- Home menu 104
- Homelink 53
 - before programming 53
 - entry gate programming 54
 - erase all programming 54
 - information and assistance 55
 - programming 53
 - reprogramming a single garage
 - door opener button 54
 - rolling code devices 54

- I**
- Ignition
 - rolling re-start 78
 - switching off with the vehicle moving . . . 78
- Ignition on 77
- Information messages 58
- Installing an Isofix child restraint 32
- Instrument panel overview 56
- Interior lamps 41
 - rear interior lighting 41
- Interior mirror 49
 - auto dimming 49
 - manual dimming 49
- iPod connection 124
- Isofix anchor points 30
 - installation 32
- Isofix child seat
 - installation 32
- Isofix child seats 30

- J**
- Jump starting 184

- K**
- Keyless entry 7
- Keyless locking 13

- L**
- Label locations 220
 - Lashing eyes 72
 - LED interior lights 42
 - Licensing information
 - DivX 114
 - Dolby 114
 - dts 114
 - gracenote 114
 - Lighting 38
 - exterior 38
 - Lighting control
 - fog lamps 38
 - headlamp courtesy delay 39
 - headlamps 38
 - Lights 38
 - adaptive front lighting (AFS) 40
 - auto lamps 38
 - exterior 38
 - headlamp courtesy delay 39
 - headlamps 38
 - headlamps exit delay 38
 - high beam assist 39
 - low beam 38
 - sidelights 38
 - Load carrying 71
 - Locking
 - child locks 24
 - drive-away locking 14
 - global closing 13
 - keyless global closing 14
 - keyless locking 13
 - mislock 13
 - valet mode 107
 - Locking and unlocking
 - confirmation 12
 - from inside the vehicle 15
 - valet mode deselecting 8
 - valet mode selecting 14
 - Locking wheel nuts 210
 - Locks
 - changing the smart key battery 11
 - Low beam 38
 - Lubricants and fluids 195
 - Luggage anchor points 72
 - Luggage area 71
- M**
- Maintenance
 - airbag system 165
 - arduous conditions 164
 - brake fluid top-up 182
 - clutch fluid top-up 182
 - dynamometer testing 165
 - engine coolant top-up 179
 - engine oil top-up 178
 - general information 164
 - owner 164
 - regular checks 164
 - rolling road testing 165
 - technical specifications 195
 - washer fluid top-up 182
 - Manual seats 16
 - Manual transmission 84
 - Mapping data 146
 - Memory seats
 - easy entry and exit 19
 - front seats positions 19
 - Menu
 - touch screen 104
 - Message centre 56, 58
 - Messages 58
 - Mirrors
 - automatic powerfold 49
 - blind spot monitor 51
 - exterior 48
 - operation 48
 - powerfold 48
 - reverse auto-dip 49
 - MP3 123
 - Multi point entry 6

N

Navigation

cancel voice guidance	150
controls	147
coordinates	151
digitised area	146
easy route	150
emergency search	151
learn route	150
main menu	147
mapping data	146
memory points	150, 151
points of interest	150
postcode search	151
screen modes	149
search area	149
setting a destination	149
split screen map	148
starting guidance	149
stop route guidance	150
things you need to know	146
traffic message channel (TMC)	153
traffic message channel (TMC) icons	153
turning on	146
vehicle position error	146
News announcements	118

O

Occupant safety

disability modifications	37
Off road recovery	217
Off-road driving	
Wading	94
Off-road driving guidance	93
Oil check	178
Oil specification	179
Opening and closing the bonnet	176

P

Paint

damage repair	173
Pairing a phone	143

Panoramic roof blind	46
Park assist	
principle of operation	101
Park slot detection	
system fault	103
Parking aid	
cleaning the sensors	99
principle of operation	98
rear view camera	99
sensor care	99
towing	74, 99
Parking brake	
applying	86
releasing	86
Phone	141, 142
Phonebook	145
POI voice commands	140
Portable audio	124
connections	124
playing a device	124
Portable media	124
bluetooth	126
connecting a bluetooth device	126
connections	124
playing a bluetooth device	126
Powered tailgate	
opening clearance	74
opening height	10
operation	9
while towing	74

R

Radio	
alternative frequencies (AF)	118
autostore	117
channel up/down	117
controls	117
DAB	119
enhanced other networks (EON)	118
news announcements	118
Radio Data System (RDS)	118
regionalisation (REG)	118
settings	117
station list	117
station presets	117
text	117
touch screen operation	117
traffic announcements	117, 118
wave band selection	117
Rain sensor	44
Rear loadspace	71
Rear media	135
head phones	138
remote control	137
Rear seat entertainment	
remote control	137
Rear seat entertainment (RSE)	135
Rear seats	
folding	21
head restraints	21
Rear view camera	99
Rear view mirrors	48
Rear window washer	45
Rear window wiper	45
Recommended towing weights	73
Recovery by towing	217
Recovery by transporter	216
Refuelling	161
diesel misfuel protection	161
fuel filler	161
fuel specification	162
tank capacity	162

Remote control	
changing the battery	11
unlocking	4
Replacing wiper blades	175
Restraints	28
Rolling re-start	78
Roof blind	46
Roof racks	71
maximum load	71
vehicle stability	71
RSE	
introduction	135
remote control	137
settings	136
supervisor screen	135
Running out of fuel	160

S

Safety	
airbags	34
child locks	24
child seats	28
child seats check list	29
seat belt checks	26
using a telephone	141
Safety precautions	159
Say what you see	139
Seat belt reminder	27
Seat belts	24
beltminder	27
fastening a seat belt	24
height adjustment	24
releasing a seat belt	24
safety	26
safety checks	26
use during pregnancy	24
warning lamp	27
Seats	
child seats	28
Selecting dual view display	132
Service interval indicator	58

- interval indicator 58
 - Settings 56
 - Sidelights 38
 - Single locking 12
 - Single point entry 6
 - Sitting in the correct position 18
 - Smart key
 - changing the battery 11
 - unlocking 4
 - Snow chains 214
 - TPMS inflation compensation 215
 - Spare wheel removal 208
 - Speech activation 139
 - Speedometer 56
 - SRS (Supplementary restraint system) 34
 - Stability control 91
 - adaptive dynamics 92
 - Stalling the engine 80
 - Starting a diesel engine 77
 - manual transmission 77
 - Starting a petrol engine 77
 - starting 77
 - Starting navigation guidance 149
 - Starting problems 78
 - Starting the engine 77
 - no engine cranking 77
 - Steering column lock 8
 - Steering wheel
 - adjusting position 23
 - heated 23
 - telephone controls 144
 - Stop/Start 79
 - disabling 79
 - problems 79
 - Storage areas 69
 - Supplementary restraints system 34
 - Switching off the engine
 - with the vehicle moving 78
 - Switching the ignition on 77
- T**
- Tachometer 56
 - Tailgate
 - manual 8
 - opening height 10
 - operating 8
 - powered 8
 - programmed opening height 10
 - Technical specifications
 - capacities 196
 - engine data 195
 - fuel consumption 163
 - fuel specification 162
 - lubricants and fluids 195
 - Telephone 141
 - bluetooth 141
 - call divert 142
 - call volume 144
 - changing phone 144
 - compatibility 141
 - connecting 143
 - controls 142, 144
 - digit dial 142, 144
 - ending a call 142
 - general information 141
 - last 10 option 145
 - making a call 142
 - pairing 143
 - phonebook 145
 - safety 141
 - status 142
 - touch screen icons 144
 - touch screen operation 142
 - voice mail 142
 - Television
 - channel list 128
 - channel selection 128
 - controls 128
 - digital/analogue selection 128
 - full screen controls 129, 131
 - preset channels 128
 - seek up/down 128
 - touch screen operation 128

- Temperature gauge 56
- Terrain response
 - controls 93
- Tether straps 32
- Tilt sensor 15
- Timed climate 65
 - remote control 67
- Touch screen 104
 - ambient lighting 104
 - audio controls 105
 - care 107
 - CD controls 122
 - connecting a phone 143
 - DAB controls 119
 - deselecting valet mode 8, 107
 - display icons 105
 - extra features 107
 - home menu 104, 105
 - language settings 106
 - pairing a phone 143
 - pop-ups 105
 - radio controls 117
 - screen settings 106
 - selecting valet mode 14, 107
 - set-up 106
 - system settings 106
 - telephone controls 142
 - telephone icons 144
 - television controls 128
 - touch screen use 105
 - video media controls 130
 - voice settings 106
- Tow assist camera 109
- Tow ball options 75
- Tow recovery 217
- Towing
 - advice 73
 - electrical connections 74
 - essential checks 73
 - tailgate clearance 74
 - tow ball options 75
 - trailer levelling 73
 - weights 73
- Towing a trailer 73
- Towing for recovery 216
- Towing points
 - front and rear towing eyes 216
- TPM (Tyre Pressure Monitoring) system
 - replacement sensor 202
- TPMS
 - Inflation compensation with
 - snow chains 215
- TPMS messages 201
- Traction control 92
- Traction devices 214
- Traffic announcements 118
- Trailer hitch 75
- Trailer levelling 73
- Trailer stability assist 74
- Trailer target sticker 109
- Transmission
 - CommandShift mode 83
 - drive mode 83
 - drive selector 83
 - drive selector fails to elevate 84
 - kick-down 83
 - neutral 83
 - reverse 83
 - reverse gear 83
 - sport mode 83
- Transmission fault 84
- Transmitter locations 200
- Transporter recovery 216
- Trip computer 58
 - average fuel consumption 58
 - average speed 58
 - changing the display 58
 - ML-km (also Miles-litre) 58
 - range 58
 - service interval indicator 58
 - trip distance 58
- Trip recorder 56
- Turning on the ignition 77
- TV 128
- TV operation in dual view display 134

- Type approvals 221
 - declarations of conformity 221
 - Tyre care 212
 - Tyre changing
 - TPMS valve 202
 - Tyre pressure label location 220
 - Tyre pressure monitoring system (TPMS) 201
 - Tyre pressures 212
 - Tyre repair kit 203
 - checking the tyre pressure
 - after a repair 206
 - Land Rover tyre repair kit 204
 - Land Rover tyre repair kit
 - safety information 203
 - using the Land Rover tyre repair kit. . . 205
 - Tyres
 - age degradation 214
 - flat spots 214
 - pressure compensation chart 213
 - temperature changes 213
 - replacing 213
 - TPMS inflation compensation 215
 - using snow chains 214
 - using traction devices 214
 - winter use 214
- U**
- Unlocking with keyless entry 7
 - Upholstery care 173
 - USB devices 124
 - USB video files 113
 - Using booster cables 184
 - Using cruise control
 - engaging 89
 - increasing speed 89
 - reducing speed 89
 - resuming a set speed 89
 - suspending 89
 - Using HDC 96
 - selecting HDC 96
 - Using seat belts during pregnancy 24
 - Using stability control 91
 - deactivating 91
 - DSC 91
 - reactivating 91
 - Using terrain response 93
 - before driving off-road 93
 - override options 94
 - Using the parking aid
 - sensor care 103
 - system fault 99
 - Using the remote control
 - locking 12
 - Using the smart key
 - locking 12
 - Using traction control 92
 - Electronic Traction Control (ETC) 92
- V**
- Valet mode 107
 - deselecting 8, 107
 - PIN entry 107
 - selecting 14, 107
 - Vehicle battery changing 186
 - Vehicle battery disconnection 186
 - Vehicle build date plate 220
 - Vehicle build plate location 220
 - Vehicle information and settings menu. . . 56
 - Vehicle recovery 216
 - off road 217
 - Vehicle settings 56
 - Ventilation 64
 - Video media player
 - angle 130
 - controls 130
 - GOTO 130
 - settings 130
 - subtitles 130
 - tools 130
 - VIN label locations 220
 - Voice commands
 - POI 140

- Voice control 139
 - command list 139
 - help mode 139
 - operating guide 139
 - training 140
 - tutorial 139
 - user recognition 140
 - voice button 139
 - voice recognition 140
 - voicetags 140
- Voice mail 142
- Voice settings 106
 - recognising a particular accent 106
 - recognising a particular voice 106
 - teaching the system 106
- Voicetags 140
- Volume control 111
- Volume presets 106

- W**
- Wading depth 94
- Warning lamps 60
 - primary warnings 60
 - seat belt 27
 - secondary warnings 60
 - status check at ignition on 60
 - system status 60
- Warning messages 58
- Washer fluid check 182
 - topping up 182
- Washer jets
 - cleaning 182
- Washers
 - drip wipe 44
 - headlamp 44
 - rear 45
- Washing 172
 - cloth and fabric 173
 - glass surfaces 172
 - rear screen 173
 - wheels 172
- Weights 197

- Wheel changing 210
- Wheel chocks 209
- Wheel nuts
 - locking 210
- Wheels
 - alignment data (China only) 197
 - cleaning 172
- Wheels and tyres
 - technical specifications 199
- Windows 46
 - anti-trap protection 47
 - operation 46
 - resonance 47
 - roof blind 46
 - window isolator 46
- Windscreen washer jets
 - blocked jets 182
- Windscreen wiper detection 39
- Windscreen wipers 43
 - drip wipe 44
 - rain sensor 44
 - single wipe 43
 - speed sensitive 44
 - winter park position 44
 - wiper operation 43
- Winter tyres 214
- Wiper blade replacement 175
- Wiper detection 39
- Wipers
 - rear 45

