

## DECLARATIONS OF CONFORMITY

SIEMENS VDO  
AUTOMOTIVE

Siemens VDO Automotive AG, P.O. Box 10 09 43, D-93055 Regensburg

Name  
Department  
Tel.  
Fax  
E-Mail  
Internet  
Our Ref.  
Date

Dagmar Kolar  
SV C TS 860 EMC Laboratory  
+49(0)941790-0699  
+49(0)941790-136999  
dgkolar@siemens.com  
www.siemensvdo.de  
Doc\_S122780002.doc  
09/11/2005

## Declaration of Conformity in accordance with Directive 1999/5/EC (R&amp;TTE Directive)

Manufacturer:  
Siemens VDO Automotive AG  
Body & Chassis Electronics

Address:  
Siemenstrasse 12  
D-93055 Regensburg  
Germany

Product type designation:  
S122780002

Intended use:  
Radio frequency transmitter used Tire Pressure Monitoring system

The product mentioned above complies with the essential requirements and other relevant provisions of Directive 1999/5/EC, when used for its intended purpose:

Health and safety pursuant to §3.1.a:  
Applied standard(s):  
EN 60950: 2000

Electromagnetic compatibility pursuant to § 3.1.b:  
Applied standard(s):  
EN 301 489 -1,-3; V1.4.1 (2002-08)

Efficient use of spectrum pursuant to § 3.2:  
Applied standard(s):  
EN 300 220 -1; V1.3.1 (2000-09)

The following marking applies to the above mentioned product:



Siemens VDO Automotive AG  
Regensburg, 2005-11-09

*J. V. J. Fischer*  
Jean-François Tarabilla  
Executive Vice President  
Body and Chassis Electronics Operations

Siemens VDO Automotive AG Body & Chassis Electronics

Heinrich Mascher  
Fachschrift

Postal Address:  
Siemens VDO Automotive AG  
P.O. Box 10 09 43  
D-93055 Regensburg  
Office Address:  
Siemenstrasse 12  
D-93055 Regensburg  
Tel. +49(0)941790-0  
Fax +49(0)941790-6

Siemens VDO Automotive AG, Chairman of the Supervisory Board, General S. Müller, Managing Board, Franz Wenzel, Chairman, Johannes Kolar, Chairman, Klaus Eger, Chairman, Regensburg, Germany, 2005-11-09, 13:00h

Page 1 of 1

SIEMENS VDO  
AUTOMOTIVE

Siemens VDO Automotive AG, P.O. Box 10 09 43, D-93055 Regensburg

Name  
Department  
Tel.  
Fax  
E-Mail  
Internet  
Our Ref.  
Date

Dagmar Kolar  
SV C TS 860 EMC Laboratory  
+49(0)941790-0699  
+49(0)941790-136999  
dgkolar@siemens.com  
www.siemensvdo.de  
Doc\_S122780002.doc  
09/11/2005

## Declaration of Conformity in accordance with Directive 1999/5/EC (R&amp;TTE Directive)

Manufacturer:  
Siemens VDO Automotive AG  
Body & Chassis Electronics

Address:  
Dep. SV C BC P2 RF TG  
Siemenstrasse 12  
D-93049 Regensburg  
Germany

Product type designation:  
5WK2 9096

Intended use:  
Radio frequency receiver used in vehicle locking/unlocking systems  
The product mentioned above complies with the essential requirements and other relevant provisions of Directive 1999/5/EC, when used for its intended purpose:

Health and safety pursuant to §3.1.a:  
Applied standard(s):  
EN 60950:2000

Electromagnetic compatibility pursuant to § 3.1.b:  
Applied standard(s):  
EN 301 489-1,-3; V1.4.1 (2002-08)

Efficient use of spectrum pursuant to § 3.2:  
Applied standard(s):  
EN 300 220-1; V1.3.1 (2000-09)

The following marking applies to the above mentioned product:



Siemens VDO Automotive AG  
Regensburg, 2005-09-03

*J. V. J. Fischer*  
Jean-François Tarabilla  
Executive Vice President  
Body and Chassis Electronics Operations

Siemens VDO Automotive AG Body & Chassis Electronics

Heinrich Mascher  
Fachschrift

Postal Address:  
Siemens VDO Automotive AG  
P.O. Box 10 09 43  
D-93055 Regensburg  
Office Address:  
Siemenstrasse 12  
D-93055 Regensburg  
Tel. +49(0)941790-0  
Fax +49(0)941790-6

Siemens VDO Automotive AG, Chairman of the Supervisory Board, General S. Müller, Managing Board, Franz Wenzel, Chairman, Johannes Kolar, Chairman, Klaus Eger, Chairman, Regensburg, Germany, 2005-11-09, 13:00h

Page 1 of 1



Lear Corporation  
Electronic Systems Division  
21517 Howard Road  
Southfield, MI 48033-4248  
USA  
Phone (248) 447-1549

Date: February 6, 2009

## INFORMATION TO BE INCLUDED IN THE END USER'S MANUAL

The following information must be included in the end product user's manual to ensure continued FCC and Industry Canada regulatory compliance. The ID numbers must be included in the manual if the device label is not readily accessible to the end user. The compliance paragraphs below must be included in the user's manual.

The following user's manual statements are provided by Lear Corporation to Jaguar Land Rover electronically after certification.

### Key facts

Land Rover, Range Rover, Jaguar

FCC ID: KOBUTJF10A (Range Rover, Land Rover)

IC: 3521A-JTF10A (Jaguar)

IC: 3521A-JTF10B (Range Rover, Land Rover)

IC: 3521A-JTF10B (Jaguar)

Model #: AH42-15K601A (Range Rover)

Model #: AH22-15K601A (Land Rover)

Model #: AW53-15K601A (Jaguar)

This device complies with Part 15 of the FCC Rules and with RSS-210 of Industry Canada.

Operation is subject to the following two conditions:

- (1) This device may not cause harmful interference, and
  - (2) This device must accept any interference received, including interference that may cause undesired operation.
- WARNING: Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.
- The term "IC" before the radio certification number only signifies that Industry Canada technical specifications were met.



Lear Corporation  
Electronic Systems Division  
21517 Howard Road  
Southfield, MI 48033-4248  
USA  
Phone (248) 447-1549

### RKE Receiver

Land Rover, Range Rover, Jaguar

FCC ID: KOBULR09A

IC: 3521-JLR09A

Model #: AH42-15K602-A

This device complies with Part 15 of the FCC Rules and with RSS-210 of Industry Canada.

Operation is subject to the following two conditions:

- (1) This device may not cause harmful interference, and
  - (2) This device must accept any interference received, including interference that may cause undesired operation.
- WARNING: Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.
- The term "IC" before the radio certification number only signifies that Industry Canada technical specifications were met.

### Passive Entry / Passive Start Module

Land Rover, Range Rover, Jaguar

FCC ID: KOBUBG10A

IC: 3521-JBG10A

Model #: AH22-19H440 (PEPS)

Model #: AH42-19H440 (Passive Start ONLY)

FCC ID: KOBUBG10B

IC: 3521-JBG10B

Model #: AH22-19H440 (PEPS)

Model #: AH42-19H440 (Passive Start ONLY)

This device complies with Part 15 of the FCC Rules and with RSS-210 of Industry Canada.

Operation is subject to the following two conditions:

- (1) This device may not cause harmful interference, and
  - (2) This device must accept any interference received, including interference that may cause undesired operation.
- WARNING: Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.
- The term "IC" before the radio certification number only signifies that Industry Canada technical specifications were met.

E134684

## EC Declaration of Conformity

EC Directive: 1999/5/EC  
 Manufacturer: Lear Corporation  
 Type Designation / FCC ID: KOBJBG108  
 Model Numbers: 5E0770257, 5E0770357, 19H440, AH22-19H440, AH42-19H440-AD, AH42-19H440-AE  
 Description / Intended Use: Remote Function Actuator (RFA), passive keyless entry and start system low frequency initiator  
 Trademarks: Land Rover / Range Rover / Jaguar  
 Applied Standards: European Commission Directive 2006/28/EC  
 ETSI EN 300 330  
 CEPT/ERC/REC 70-03  
 AS/NZS 4268  
 FCC Regulations 47 CFR Part 15  
 Responsible Person: Kevin Cotton  
 Lear Corporation  
 21557 Telegraph Road  
 Southfield, Michigan 48033  
 United States of America

Hereby, Lear Corporation declares that the product referenced above is in compliance with the essential requirements of Directive 1999/5/EC, on the approximation of the laws of the member states relating to Directive 1999/5/EC.

Signed: *Kevin Cotton*  
 Kevin Cotton, Lear Corporation

Date: 27 March 2009

## EC Declaration of Conformity

EC Directive: 1999/5/EC  
 Manufacturer: Lear Corporation  
 Type Designation / FCC ID: KOBJBG10A  
 Model Numbers: 5E0770237, 5E0770337, 19H440, AH22-19H440-AC, AH42-19H440-AD, AH42-19H440, AH42-19H440  
 Description / Intended Use: Remote Function Actuator (RFA), passive keyless entry and start system low frequency initiator  
 Trademarks: Land Rover / Range Rover / Jaguar  
 Applied Standards: European Commission Directive 2006/28/EC  
 ETSI EN 300 330  
 CEPT/ERC/REC 70-03  
 AS/NZS 4268  
 FCC Regulations 47 CFR Part 15  
 Responsible Person: Kevin Cotton  
 Lear Corporation  
 21557 Telegraph Road  
 Southfield, Michigan 48033  
 United States of America

Hereby, Lear Corporation declares that the product referenced above is in compliance with the essential requirements of Directive 1999/5/EC, on the approximation of the laws of the member states relating to Directive 1999/5/EC.

Signed: *Kevin Cotton*  
 Kevin Cotton, Lear Corporation

Date: 27 March 2009

## EC Declaration of Conformity

EC Directive: 1999/5/EC  
 Manufacturer: Lear Corporation  
 Type Designation: 5E0760127  
 Model Numbers: 5E0760127, 15K602, AH42-15K602-B, AH42-15K602-BC  
 Description / Intended Use: RF Receiver (RFR), used in passive entry and passive start, remote keyless entry, and tire pressure monitoring systems  
 Trademarks: Land Rover / Range Rover / Jaguar  
 Applied Standards: European Commission Directive 2006/28/EC  
 ETSI EN 60950  
 ETSI EN 300 328  
 CEPT/ERC/REC 70-03  
 AS/NZS 4268  
 Responsible Person: Kevin Cotton  
 Lear Corporation  
 21557 Telegraph Road  
 Southfield, Michigan 48033  
 United States of America

Hereby, Lear Corporation declares that the product referenced above is in compliance with the essential requirements of Directive 1999/5/EC, on the approximation of the laws of the member states relating to Directive 1999/5/EC.

Signed: *Kevin Cotton*  
 Kevin Cotton, Lear Corporation

Date: 27 March 2009

## EC Declaration of Conformity

EC Directive: 1999/5/EC  
 Manufacturer: Lear Corporation  
 Type Designation: 15K601  
 Model Numbers: 5E0860127, 5E0860127, 15K601-BB, AH42-15K601B, AH42-15K601B, AH42-15K601-BC, AH42-15K601-CC  
 Description / Intended Use: Passive Key (PK) / Customer Identification Device (CID), passive keyless entry system keyfob  
 Trademarks: Land Rover / Range Rover  
 Applied Standards: CEPT/ERC/REC 70-03  
 ETSI EN 60950  
 ETSI EN 300 328  
 ETSI EN 301 489  
 IEC EN 60950  
 AS/NZS 4268  
 Responsible Person: Kevin Cotton  
 Lear Corporation  
 21557 Telegraph Road  
 Southfield, Michigan 48033  
 United States of America

Hereby, Lear Corporation declares that the product referenced above is in compliance with the essential requirements of Directive 1999/5/EC, on the approximation of the laws of the member states relating to Directive 1999/5/EC.

Signed: *Kevin Cotton*  
 Kevin Cotton, Lear Corporation

Date: 25 March 2009

**快特電波股份有限公司**  
**低功率射頻電機型式認證證明**

Lear Corporation  
Lear Corporation  
Range Rover FOB  
Range Rover / SE00B60227  
發射功率 (電場強度): 315MHz; 84.195dBuV/m(Peak)  
315MHz

一、申請者: Lear Corporation  
二、製造廠商: Lear Corporation  
三、器材名稱: Range Rover FOB  
四、廠牌/型號: Range Rover / SE00B60227  
五、發射功率 (電場強度): 315MHz; 84.195dBuV/m(Peak)  
六、工作頻率: 315MHz

七、發證日期: 98年06月02日  
八、審驗合格標識式樣:

CCAI09LP0550T5

說明:

- 請就上列標識式樣自製標籤，黏貼於申請器材本體明顯處，如標籤處有變更，應重新申請型式認證。
- 標型式認證合格之低功率射頻電機，其型號、設計、射頻性能如有變更，應重新申請型式認證。
- 違反低功率電波射頻性質管理辦法之規定，擅自使用或變更無線電頻率、電功率者，除依電信法規定處罰外，驗證機關(構)並得停止其型式認證證明或型式認證標籤。
- 違章廠商應自製註銷標籤之示例圖供列。
- 本型式認證證明及其合格標籤使用應遵守國家取得本證明者，本證明持有入驗所同意審驗機關審驗合格後發給審驗合格標籤，得授權他人於同廠牌同型號之器材，使用其合格標籤。

備註:

- 本器材符合低功率射頻電機技術規範 LP0002.3.4.2節之規定。
- 本驗證機構係由國家通訊傳播委員會委託，核發本型式認證證明。
- 本器材所使用固定式無線電頻率如下:  
Lear Corporation / N/A

**快特電波股份有限公司**  
**低功率射頻電機型式認證證明**

Lear Corporation  
Lear Corporation  
RFA (Passive Start)  
LEAR / SE0770337  
發射功率 (電場強度): 125KHz; 61.5dBuV/m(Average)  
125KHz

一、申請者: Lear Corporation  
二、製造廠商: Lear Corporation  
三、器材名稱: RFA (Passive Start)  
四、廠牌/型號: LEAR / SE0770337  
五、發射功率 (電場強度): 125KHz; 61.5dBuV/m(Average)  
六、工作頻率: 125KHz

七、發證日期: 98年06月02日  
八、審驗合格標識式樣:

CCAI09LP0570T1

說明:

- 請就上列標識式樣自製標籤，黏貼於申請器材本體明顯處，如標籤處有變更，應重新申請型式認證。
- 標型式認證合格之低功率射頻電機，其型號、設計、射頻性能如有變更，應重新申請型式認證。
- 違反低功率電波射頻性質管理辦法之規定，擅自使用或變更無線電頻率、電功率者，除依電信法規定處罰外，驗證機關(構)並得停止其型式認證證明或型式認證標籤。
- 違章廠商應自製註銷標籤之示例圖供列。
- 本型式認證證明及其合格標籤使用應遵守國家取得本證明者，本證明持有入驗所同意審驗機關審驗合格後發給審驗合格標籤，得授權他人於同廠牌同型號之器材，使用其合格標籤。

備註:

- 本器材符合低功率射頻電機技術規範 LP0002.3.4.2節之規定。
- 本驗證機構係由國家通訊傳播委員會委託，核發本型式認證證明。
- 本器材所使用固定式無線電頻率如下:  
Lear Corporation / N/A



QuietTek

# 快特電波股份有限公司 低功率射頻電機型式認證證明

- 一、申請者：  
Lear Corporation  
Lear Corporation  
Range Rover F08  
Range Rover / SE03-50227
- 二、製造廠商：  
Lear Corporation
- 三、器材名稱：  
Range Rover / SE03-50227
- 四、廠牌/型號：  
LEAK / SE0770237
- 五、發射功率（電場強度）：  
31.5MHz; 84.195dBuV/m(Peak)
- 六、工作頻率：  
31.5MHz

七、發證日期：  
98年06月02日

八、審驗合格標識式樣：

CCAIH09LP0551T7



- 說明：
- 請依上列標識式樣自行製標籤，標貼於印刷於器材本體明顯處，如標籤會受合併標列。
  - 標型之認證合格之低功率射頻電機，其型號、設計、射頻性能如有變更，應重新申請型式認證。
  - 違反低功率電波射頻技術管理辦法之規定，擅自使用或變更無線電頻率、電功率者，除依電信法規定處罰外，並須撤銷(廢止)該證書止其型式認證證明或型式認證標籤。
  - 該審驗合格標識以審驗合格之標識之例日後註銷。
  - 本型式認證證明及其合格標識應使用審驗合格取得本證明書，本證明持有入檢時同應審驗機關審驗合格標識委員會備查後，得授權他人於同廠牌同型號之器材，使用其合格標識。

備註：

- 本器材符合低功率射頻電機技術規範 LP0002 3.4.2 節之規定。
- 本驗合格標識係由國家通訊傳播委員會委託，核發本型式認證證明。
- 本器材所使用固定式無線電型式認證證明如下：  
Lear Corporation / N/A

QuietTek

# 快特電波股份有限公司 低功率射頻電機型式認證證明

- 一、申請者：  
Lear Corporation  
Lear Corporation  
RFA (Passive Start & Start Module)  
LEAK / SE0770237
- 二、製造廠商：  
Lear Corporation
- 三、器材名稱：  
RFA (Passive Start & Start Module)
- 四、廠牌/型號：  
LEAK / SE0770237
- 五、發射功率（電場強度）：  
123KHz; 63.34dBuV/m(Average)
- 六、工作頻率：  
123KHz

七、發證日期：  
98年06月02日

八、審驗合格標識式樣：

CCAIH09LP0560T8



- 說明：
- 請依上列標識式樣自行製標籤，標貼於印刷於器材本體明顯處，如標籤會受合併標列。
  - 標型之認證合格之低功率射頻電機，其型號、設計、射頻性能如有變更，應重新申請型式認證。
  - 違反低功率電波射頻技術管理辦法之規定，擅自使用或變更無線電頻率、電功率者，除依電信法規定處罰外，並須撤銷(廢止)該證書止其型式認證證明或型式認證標籤。
  - 該審驗合格標識以審驗合格之標識之例日後註銷。
  - 本型式認證證明及其合格標識應使用審驗合格取得本證明書，本證明持有入檢時同應審驗機關審驗合格標識委員會備查後，得授權他人於同廠牌同型號之器材，使用其合格標識。

備註：

- 本器材符合低功率射頻電機技術規範 LP0002 2.8 節之規定。
- 本驗合格標識係由國家通訊傳播委員會委託，核發本型式認證證明。
- 本器材所使用固定式無線電型式認證證明如下：  
Lear Corporation / N/A



Continental Automotive Group - Product 101 001 - 0000 Registration

Klaus Diermer  
AZL R80 42  
Phone +49 (041) 790-6069  
Fax +49 (041) 790-130699  
klaus.diermer@continental-corporation.com

Date July 29, 2008 Your message Ref: Our reference Your reference

# Declaration of Conformity in accordance with Directive 1999/5/EC (R&TE Directive)

Manufacturer: Continental Automotive GmbH  
Address: Siemensstrasse 12  
D-90056 Regensburg  
Germany

Product type designation: S160 002 020 A  
Intended use: The Pressure System

The product mentioned above complies with the essential requirements and other relevant provisions of Directive 1999/5/EC, when used for its intended purpose.

Health and safety pursuant to §3.1. a: Applied standard(s): EN 60950-1: 2006

Electromagnetic compatibility pursuant to § 3.1. b: Applied standard(s): EN 301 489 -1: V1.6.1 (2005-09)  
EN 301 489 -3: V1.4.1 (2002-09)

Efficient use of spectrum pursuant to § 3.2: Applied standard(s): EN 300 220 -1: V2.1.1 (2008-04)  
EN 300 220 -2: V2.1.1 (2008-04)

The following marking applies to the above mentioned product:



Continental Automotive GmbH

Regensburg, 2008-07-29

Signature: *Low*  
Name: Andreas Wölz  
Title: Executive Vice President  
Body: R&TE Security

Continental Automotive Group  
Siemensstr. 12  
D-90056 Regensburg  
Germany  
Phone +49 (041) 790-6069  
Fax +49 (041) 790-130699  
klaus.diermer@continental-corporation.com

Signature: *Adli*  
Name: Norbert Müller  
Title: Director Product Group 3  
Body: R&TE Security

## 快特電波股份有限公司 低功率射頻電機型式認證證明

一、申請者: Lear Corporation  
二、製造商: Lear Corporation  
三、器材名稱: Jaguar fsh  
四、廠牌/型號: JAGUAR / SED047P17  
五、發射功率 (電場強度): 31.5MHz: 83.225dBuV/m(Peak)  
六、工作頻率: 31.5MHz

七、審驗日期: 98年07月01日

八、審驗合格標識樣本:

CCAH09LP0830T1



### 說明:

- 請依上列標識樣本製成標籤, 標貼或印鑄於器材本體明顯處, 並得照表式公開陳列。
- 經型式認證合格之低功率射頻電機, 其型號、設計、封裝型態如有變更, 應重新申請型式認證。
- 該器材若需射頻電機之其他功能, 應符合該功能之規定, 標貼或印鑄於器材本體明顯處, 並得照表式公開陳列。
- 該器材若需射頻電機之其他功能, 應符合該功能之規定, 標貼或印鑄於器材本體明顯處, 並得照表式公開陳列。
- 本型之認證係指該器材在符合本型之規定下, 於電磁干擾試驗中, 其電磁干擾之電位射頻電機器材之型式認證標識, 應於公告日起 30 天內, 應於其「電信器材檢驗合格證書」或「電信器材檢驗合格證書」之附件中, 註明該器材之型式認證標識, 並應於公告日起 30 天內, 應於其「電信器材檢驗合格證書」或「電信器材檢驗合格證書」之附件中, 註明該器材之型式認證標識。

### 備註:

- 本器材符合低功率射頻電機技術規範 (LP0002.3.4.2) 之規定。
- 該器材應符合國家通訊傳播委員會公告, 核發本型式認證證明。
- 本器材之使用應符合電機、電磁型別為 Lear Corporation / N/A。



전자통신위원회 NC19-1210-0141-1030

# 방송통신기기인증서

## Certificate of Broadcasting and Communication Equipment

인증의 종류  
Certification Type

상호 또는 식별  
Trade Name or Applicant

기기의 명칭  
Equipment Name

기본모델명  
Basic Model Number

파생모델명  
Series Model Number

인증번호  
Certification No.

제조자/제조국가  
Manufacturer/Country of Origin

형식기호  
Type Identification

인증연월일  
Date of Certification

기타  
Others

형식등록(Type Registration)

LEAR CORPORATION

주요소통매체무선기기(대역외전송용 무선기기)

SE0340

LE01-SE0340

LEAR Automotive Electronics and Electrical/한국

LA032-K01.433.927.0.1280.000F1D1

2009년(Year) 07월(Month) 15일(Date)

위 기기는 「전기통신기본법」, 「전파법」에 따라 인증의 효력을 증명합니다.  
It is certified that foregoing equipment has been certified under the Framework Act on Telecommunications and Radio Waves Act.

2009년(Year) 07월(Month) 15일(Date)



전파연구소장

Director General of Radio Research Laboratory  
Korea Communications Commission Republic of Korea



전자통신위원회 W038-3102-VTSC-VV3D

# 방송통신기기인증서

## Certificate of Broadcasting and Communication Equipment

인증의 종류  
Certification Type

상호 또는 식별  
Trade Name or Applicant

기기의 명칭  
Equipment Name

기본모델명  
Basic Model Number

파생모델명  
Series Model Number

인증번호  
Certification No.

제조자/제조국가  
Manufacturer/Country of Origin

형식기호  
Type Identification

인증연월일  
Date of Certification

기타  
Others

위 기기는 「전기통신기본법」, 「전파법」에 따라 인증의 효력을 증명합니다.  
It is certified that foregoing equipment has been certified under the Framework Act on Telecommunications and Radio Waves Act.

2009년(Year) 05월(Month) 28일(Date)



전파연구소장

Director General of Radio Research Laboratory  
Korea Communications Commission Republic of Korea



E134890

전자통신위원회 7N7H-CFNU-R001-SU1X

## 방송통신기기인증서

Certificate of Broadcasting and Communication Equipment

형식등록(Type Registration)

인증의 종류  
Certification Type  
상호 또는 식별  
Trade Name or Applicant  
기기의 명칭  
Equipment Name

LEAR CORPORATION

미국 연세강도 부원가

550770237

기본모델명  
Basic Model Number  
파생모델명  
Derivative Model Number

LER-550770237

Low Voltage Automotive Electronics and Electrical/소배전

LPD-K05LA1257A1D

형식기호  
Type Identification

2009년(Year) 09월(Month) 04일(Date)

인증연월일  
Date of Certification기타  
Others

위 기기는 「전기통신기본법」, 「전파법」에 따라 인증되었음을 증명합니다.  
It is certified that foregoing equipment has been certified under the Framework Act on Telecommunications and Radio Waves Act.



전파연구

Director General of Radio Research Laboratory

Korea Communications Commission Republic of Korea

전자통신위원회 JVC-ASNU-R04C-100T

## 방송통신기기인증서

Certificate of Broadcasting and Communication Equipment

형식등록(Type Registration)

인증의 종류  
Certification Type  
상호 또는 식별  
Trade Name or Applicant  
기기의 명칭  
Equipment Name

LEAR CORPORATION

미국 연세강도 부원가

550770237

기본모델명  
Basic Model Number  
파생모델명  
Derivative Model Number

LER-550770237

Low Voltage Automotive Electronics and Electrical/소배전

LPD-K05LA1257A1D

형식기호  
Type Identification

2009년(Year) 09월(Month) 04일(Date)

인증연월일  
Date of Certification기타  
Others

위 기기는 「전기통신기본법」, 「전파법」에 따라 인증되었음을 증명합니다.  
It is certified that foregoing equipment has been certified under the Framework Act on Telecommunications and Radio Waves Act.



전파연구

Director General of Radio Research Laboratory

Korea Communications Commission Republic of Korea



Independent Communications Authority of South Africa

Pretorius Farm, 144 Kalkbrenner Street, Sandton  
Private Bag 210022, Sandton, 2146

## Radio Equipment Type Approval Certificate

Radio Equipment Type Approval Number

TA-2009/292

The Authority, in the exercise of the powers conferred upon it by section 35 (1) of the Electronic Communications Act, 2005 (Act 36 of 2005), the applicable radio regulations which currently remain in force in terms of section 35 (2) of the Act, has issued this certificate of approval for the radio equipment type approval certificate to the company whose name and particulars are listed below:

### Company Particulars

Name: Jaguar Land Rover SA  
Street Address: Simon Vermoeren Road, Silverton  
Telephone Number: 012 842 3274  
Facsimile Number: 012 845 1005  
Registration Number: 2001027208/07

### Description of Apparatus

Category: Remote Function Actuator (RFA)  
Model: KOB-JBG10A  
Frequency Range: 119 - 135 MHz  
ITU Emission Code: 12G2D  
Modulation: BPSK  
Power Output: +37.7 dBm @ 3m  
Channel Spacing: -  
Features: -

Only the original or a certified copy of the radio equipment type approval certificate shall be considered valid.

*Pravin Mookerjee*  
Pravin Mookerjee  
Senior Manager: Engineering & Technology

09 JUN 2009

Pravin Mookerjee (Chairperson), Mr. Buren, TVJ Mahalingam, H. Buren, BB. Nirmala, P.K. Suresh, Dr. KM. Suresh  
Prof. JCV van Rooyen SC, MR. Zibane (Consultants), BR. Mofatane (CEO)



Independent Communications Authority of South Africa

Pretorius Farm, 144 Kalkbrenner Street, Sandton  
Private Bag 210022, Sandton, 2146

## Radio Equipment Type Approval Certificate

Radio Equipment Type Approval Number

TA-2009/303

The Authority, in the exercise of the powers conferred upon it by section 35 (1) of the Electronic Communications Act, 2005 (Act 36 of 2005), the applicable radio regulations which currently remain in force in terms of section 35 (2) of the Act, has issued this certificate of approval for the radio equipment type approval certificate to the company whose name and particulars are listed below:

### Company Particulars

Name: Jaguar Land Rover SA  
Street Address: Simon Vermoeren Road, Silverton  
Telephone Number: 012 842 3274  
Facsimile Number: 012 845 1005  
Registration Number: 2001027208/07

### Description of Apparatus

Category: Remote Function Actuator (RFA)  
Model: KOB-JBG10A  
Frequency Range: 119 - 135 MHz  
ITU Emission Code: 12G2D  
Modulation: BPSK  
Power Output: +37.7 dBm @ 3m  
Channel Spacing: -  
Features: -

Only the original or a certified copy of the radio equipment type approval certificate shall be considered valid.

*Pravin Mookerjee*  
Pravin Mookerjee  
Senior Manager: Engineering & Technology

09 JUN 2009

Pravin Mookerjee (Chairperson), Mr. Buren, TVJ Mahalingam, H. Buren, BB. Nirmala, P.K. Suresh, Dr. KM. Suresh  
Prof. JCV van Rooyen SC, MR. Zibane (Consultants), BR. Mofatane (CEO)

E134892



Independent Communications Authority of South Africa

 Postal Mail Bag 10000, Pretoria 0001  
 Phone: Reg 3110022, Section 21.44

## Radio Equipment Type Approval Certificate

Radio Equipment Type Approval Number

TA-3069364

The Authority, in the exercise of the powers conferred upon it by section 35 (1) of the Electronic Communications Act 36 of 2005, has issued this certificate of approval for the radio equipment described in section 95 (2) of the Electronic Communications Act and subject to the terms and conditions set out in this document. The equipment is issued as a radio equipment type approval certificate to the company whose name and particulars are listed below.

## Company Particulars

|                     |                                 |
|---------------------|---------------------------------|
| Name                | Jaguar Land Rover SA            |
| Street Address      | Simon Vermooten Road, Silverton |
| Telephone Number    | 012 842 3274                    |
| Facsimile Number    | 012 842 3274                    |
| Registration Number | 200102726907                    |

## Description of Apparatus

|                   |                                      |
|-------------------|--------------------------------------|
| Category          | Low Frequency Initiator FET Receiver |
| Model             | SE0769127                            |
| Frequency Range   | 150 kHz to 171 MHz                   |
| ITU Emission Code | 3A2E1D                               |
| Modulation        | ASK, FSK                             |
| Power Output      | -                                    |
| Channel Spacing   | -                                    |
| Features          | -                                    |

Only the original or a certified copy of the radio equipment type approval certificate shall be considered valid.

 Philimon Mphahle  
 Senior Manager: Engineering & Technology

09 JUN 2008

P. Mphahle (Chairperson), Nk. Bhele, T.V. Makhabe, R. Murolo, B.B. Hordobele, F.C. Seneke, O. M.M. Seneke



Independent Communications Authority of South Africa

 Postal Mail Bag 10000, Pretoria 0001  
 Phone: Reg 3110022, Section 21.44

## Radio Equipment Type Approval Certificate

Radio Equipment Type Approval Number

TA-3069365

The Authority, in the exercise of the powers conferred upon it by section 35 (1) of the Electronic Communications Act 36 of 2005, has issued this certificate of approval for the radio equipment described in section 95 (2) of the Electronic Communications Act and subject to the terms and conditions set out in this document. The equipment is issued as a radio equipment type approval certificate to the company whose name and particulars are listed below.

## Company Particulars

|                     |                                 |
|---------------------|---------------------------------|
| Name                | Jaguar Land Rover SA            |
| Street Address      | Simon Vermooten Road, Silverton |
| Telephone Number    | 012 842 3274                    |
| Facsimile Number    | 012 842 3274                    |
| Registration Number | 200102726907                    |

## Description of Apparatus

|                   |                     |
|-------------------|---------------------|
| Category          | Key Fob Transmitter |
| Model             | 1550691             |
| Frequency Range   | 433 MHz             |
| ITU Emission Code | 738K1D              |
| Modulation        | ASK, FSK            |
| Power Output      | -14.5 dBm           |
| Channel Spacing   | -                   |
| Features          | -                   |

Only the original or a certified copy of the radio equipment type approval certificate shall be considered valid.

 Philimon Mphahle  
 Senior Manager: Engineering & Technology

09 JUN 2008

P. Mphahle (Chairperson), Nk. Bhele, T.V. Makhabe, R. Murolo, B.B. Hordobele, F.C. Seneke, O. M.M. Seneke  
Philimon Mphahle (Chairperson), Nk. Bhele, T.V. Makhabe, R. Murolo, B.B. Hordobele, F.C. Seneke, O. M.M. Seneke



*Label to be used on the following  
products only:*

- *citizen band radio equipment*
- *cellular equipment*
- *trunk radio equipment*
- *spread spectrum devices*
- *leased channel radio equipment*
- *cordless telephone*
- *wireless security devices*
- *wireless microphone*
- *radio-control equipment*
- *medical & biology telemetry equipment*

**A**

- ABS (Anti-lock braking system)
  - warning lamp. . . . . 55
- ACC (Adaptive cruise control) . . . . . 96
  - automatic switch-off . . . . . 98
  - driving hints . . . . . 98
  - fault . . . . . 99
  - follow mode. . . . . 96
  - gap change . . . . . 97
  - low speed switch-off . . . . . 98
  - malfunction . . . . . 99
  - override . . . . . 97
  - resume follow mode . . . . . 98
  - resume set speed . . . . . 98
  - warning lamp. . . . . 55
- ACC (adaptive cruise control)
  - operating . . . . . 96
- Adaptive dynamics . . . . . 86
- Adaptive front lighting system (AFS)
  - warning lamp. . . . . 55
- AFS (Adaptive front lighting system) . . . . 38
- Age degradation (tyres) . . . . . 201
- Air conditioning
  - air quality sensor . . . . . 60
  - auto . . . . . 59
- Air quality sensor . . . . . 60
- Airbags
  - deployment . . . . . 34, 36
  - module covers . . . . . 180
  - service information . . . . . 36
  - SRS (Supplementary restraint system) . . . . . 165
  - warning lamps . . . . . 36, 55
- Alarm. . . . . 12, 165
  - deactivating . . . . . 14
  - perimeter . . . . . 12
- Anchor points (ISOFIX) . . . . . 30
- Antifreeze level check . . . . . 182
- Anti-theft system . . . . . 165
- Anti-trap protection
  - windows . . . . . 45
- Arduous driving conditions . . . . . 165
- ASL (Automatic speed limiter)
  - gap change . . . . . 97
- Audio
  - Settings. . . . . 112
- Audio/video
  - CD
    - controls. . . . . 121
  - controls. . . . . 112
  - DAB
    - reception . . . . . 119
  - Dual view controls . . . . . 134
  - dual view screen . . . . . 133
  - headphones . . . . . 137
  - loading CDs . . . . . 120
  - loading DVDs . . . . . 132
  - MP3 . . . . . 120
  - portable media
    - connections. . . . . 123
    - controls. . . . . 125
    - pairing. . . . . 127
    - play . . . . . 126
  - television
    - controls. . . . . 129
    - full screen . . . . . 130
    - full screen controls . . . . . 130
  - touch screen controls . . . . . 135
  - video media player
    - controls. . . . . 131
- Auto high beam . . . . . 38
- Auto mode (climate) . . . . . 59
- Automatic gearbox . . . . . 79
- Automatic locking . . . . . 8
- Automatic reconnection (portable audio) . 128
- Automatic switch off (ACC) . . . . . 98
- Auxiliary devices
  - connecting multiple devices . . . . . 127

**B**

- Battery
  - boost starting . . . . . 196
  - care . . . . . 195
  - changing



|                                                     |        |
|-----------------------------------------------------|--------|
| timed climate remote . . . . .                      | 198    |
| charging . . . . .                                  | 198    |
| jump starting                                       |        |
| connecting cables . . . . .                         | 196    |
| vehicle                                             |        |
| removing . . . . .                                  | 197    |
| warning symbols . . . . .                           | 195    |
| Beltminder                                          |        |
| warning lamp . . . . .                              | 26, 54 |
| Belts . . . . .                                     | 180    |
| safety . . . . .                                    | 26     |
| seatbelt warning lamp . . . . .                     | 26, 54 |
| Bluetooth . . . . .                                 | 142    |
| audio                                               |        |
| automatic reconnection . . . . .                    | 128    |
| pairing . . . . .                                   | 127    |
| media                                               |        |
| pairing . . . . .                                   | 127    |
| telephone                                           |        |
| compatibility . . . . .                             | 143    |
| icons . . . . .                                     | 144    |
| overview . . . . .                                  | 141    |
| pairing . . . . .                                   | 143    |
| phonebook . . . . .                                 | 145    |
| safety . . . . .                                    | 142    |
| Bonnet                                              |        |
| closing . . . . .                                   | 167    |
| opening . . . . .                                   | 167    |
| Boost starting . . . . .                            | 196    |
| Brakes                                              |        |
| ABS warning lamp . . . . .                          | 55     |
| advanced emergency assist . . . . .                 | 100    |
| EBA (Emergency brake assist) . . . . .              | 87     |
| EBD (Electronic brake force distribution) . . . . . | 87     |
| fluid                                               |        |
| check . . . . .                                     | 184    |
| specification . . . . .                             | 184    |
| top up . . . . .                                    | 184    |
| handbrake . . . . .                                 | 88     |
| parking brake                                       |        |
| warning lamp . . . . .                              | 53     |
| pedal travel . . . . .                              | 193    |

|                                             |     |
|---------------------------------------------|-----|
| warning lamp . . . . .                      | 53  |
| warning lamps . . . . .                     | 87  |
| BSM (Blind spot monitor)                    |     |
| detection beam issues . . . . .             | 99  |
| Bulb replacement - interior lamps . . . . . | 177 |
| Bulbs                                       |     |
| changing                                    |     |
| rear lamps . . . . .                        | 175 |
| license plate . . . . .                     | 176 |
| number plate . . . . .                      | 176 |
| specification . . . . .                     | 192 |

## C

|                                                |        |
|------------------------------------------------|--------|
| Call volume . . . . .                          | 145    |
| Cameras                                        |        |
| rear view . . . . .                            | 93     |
| Capacities . . . . .                           | 189    |
| CD player                                      |        |
| controls . . . . .                             | 121    |
| loading discs . . . . .                        | 120    |
| Chairs                                         |        |
| child seats                                    |        |
| tether straps . . . . .                        | 32     |
| restricted seat travel . . . . .               | 16     |
| seatbelts . . . . .                            | 180    |
| seatbelt safety . . . . .                      | 26     |
| warning lamp . . . . .                         | 26, 54 |
| sitting correctly . . . . .                    | 16     |
| Changing a bulb . . . . .                      | 170    |
| Changing a fuse . . . . .                      | 203    |
| Changing the battery (timed climate) . . . . . | 198    |
| Charging the vehicle battery . . . . .         | 198    |
| Chassis number . . . . .                       | 219    |
| Child restraints . . . . .                     | 27     |
| check list . . . . .                           | 28     |
| positioning . . . . .                          | 28     |
| Child seats . . . . .                          | 27     |
| check list . . . . .                           | 28     |
| ISOFIX anchor points . . . . .                 | 30     |
| positioning . . . . .                          | 28     |
| tether straps . . . . .                        | 32     |

- Cleaning
  - exterior ..... 178
  - interior..... 179
  - leather..... 179
  - parking sensors..... 93
- Climate control
  - auto..... 59
  - recirculation..... 60
- Closing
  - single locking..... 12
- Closing the bonnet ..... 167
- Column lock ..... 76
- Condensation (headlamps) ..... 40
- Conformity declarations ..... 158, 221
- Consumption
  - fuel
    - urban cycle ..... 164
- Consumption (fuel) ..... 164
- Controls
  - headlamps..... 37
  - steering wheel
    - set cruise speed..... 94
- Coolant
  - checking the level ..... 182
  - specification ..... 183
  - top up ..... 183
- Critical warning messages..... 53
- Cruise control
  - ACC (Adaptive cruise control) ..... 96
    - low speed switch-off ..... 98
    - malfunction ..... 99
    - operating ..... 96
    - override ..... 97
    - resume follow mode ..... 98
    - resume set speed..... 98
  - change speed..... 94
  - follow mode..... 96
  - operating..... 94
  - setting vehicle speed ..... 94
- D**
  - DAB
    - ensembles..... 119
    - reception..... 119
  - DAB radio
    - controls..... 118
  - Daily checks ..... 165
  - Data recording ..... 218
  - Daylight running lamps..... 37
  - Dealer locations ..... 154
  - Declarations of conformity ..... 221
    - navigation system..... 158
  - Derv
    - sulphur content..... 160
  - Deselecting valet mode..... 110
  - Destination entry ..... 151
    - postcode..... 153
    - search area..... 151
    - town..... 154
  - Detection beam issues ..... 99
  - Dialling a number ..... 145
  - Diesel
    - engine..... 160
      - starting ..... 76
      - switching off..... 78
    - filler flap ..... 161
    - fuel consumption ..... 164
    - misfuel device..... 163
    - specification ..... 162
    - sulphur content..... 160
    - water in fuel ..... 162
  - Diesel particulate filter (DPF) ..... 166
  - Dimensions..... 191
  - Direction indicators
    - warning lamp ..... 56
  - Disability modifications ..... 165
  - Door transceiver
    - entry gate ..... 50
    - garage door opener..... 48
    - programming ..... 48
    - programming a single button ..... 49
    - rolling code device programming ..... 49
  - Double locking ..... 12

|                                           |        |
|-------------------------------------------|--------|
| DPF (Diesel particulate filter) . . . . . | 166    |
| Drive away locking . . . . .              | 8      |
| Driver controls . . . . .                 | 252    |
| Driver information module                 |        |
| information messages . . . . .            | 57     |
| trip computer . . . . .                   | 57     |
| warning lamps . . . . .                   | 53     |
| warning messages . . . . .                | 57     |
| Driving                                   |        |
| ACC (Adaptive cruise control) . . . . .   | 96, 98 |
| override . . . . .                        | 97     |
| adaptive cruise control                   |        |
| automatic switch off . . . . .            | 98     |
| arduous conditions . . . . .              | 165    |
| before starting . . . . .                 | 218    |
| controls . . . . .                        | 252    |
| cruise control                            |        |
| change speed . . . . .                    | 94     |
| set speed . . . . .                       | 94     |
| daily checks . . . . .                    | 165    |
| DSC warning lamp                          |        |
| active . . . . .                          | 54     |
| off . . . . .                             | 54     |
| EBA (Emergency brake assist) . . . . .    | 87     |
| EBD (Electronic brake force               |        |
| distribution) . . . . .                   | 87     |
| forward alert . . . . .                   | 99     |
| warning lamp . . . . .                    | 56     |
| mirror dip when reversing . . . . .       | 47     |
| Position memory . . . . .                 | 17     |
| sitting correctly . . . . .               | 16     |
| wipers                                    |        |
| rain sensor . . . . .                     | 43     |
| Driving abroad                            |        |
| headlamps . . . . .                       | 39     |
| Driving position memory . . . . .         | 17     |
| DSC (Dynamic stability control)           |        |
| switching off . . . . .                   | 83     |
| switching on . . . . .                    | 83     |
| warning lamp                              |        |
| active . . . . .                          | 54     |
| off . . . . .                             | 54     |
| warning lamps . . . . .                   | 83     |

|                                              |     |
|----------------------------------------------|-----|
| Dual view controls . . . . .                 | 134 |
| Dual view screen . . . . .                   | 133 |
| DVDs                                         |     |
| loading . . . . .                            | 132 |
| Dynamic response . . . . .                   | 86  |
| Dynamic response fluid level check . . . . . | 186 |
| Dynamic response fluid top-up . . . . .      | 186 |

## E

|                                                     |     |
|-----------------------------------------------------|-----|
| EBA (Emergency brake assist) . . . . .              | 87  |
| EBD (Electronic brake force distribution) . . . . . | 87  |
| Electric seats                                      |     |
| front . . . . .                                     | 15  |
| Electronic brake force distribution (EBD) . . . . . | 87  |
| Electronic data . . . . .                           | 218 |
| Electronic parking brake (EPB) . . . . .            | 88  |
| Emergency brake assist (EBA) . . . . .              | 100 |
| Engine                                              |     |
| compartment                                         |     |
| fuse box . . . . .                                  | 204 |
| opening . . . . .                                   | 167 |
| overview . . . . .                                  | 168 |
| coolant level checking . . . . .                    | 182 |
| diesel . . . . .                                    | 160 |
| starting the engine . . . . .                       | 76  |
| DPF (Diesel particulate filter) . . . . .           | 166 |
| engine compartment . . . . .                        | 168 |
| failure to start . . . . .                          | 77  |
| oil level check . . . . .                           | 181 |
| oil specification . . . . .                         | 182 |
| petrol                                              |     |
| starting the engine . . . . .                       | 76  |
| specifications . . . . .                            | 188 |
| switching off . . . . .                             | 78  |
| Ensembles (DAB radio) . . . . .                     | 119 |
| Entering a destination . . . . .                    | 151 |
| by town . . . . .                                   | 154 |
| Entering the vehicle                                |     |
| entry and exit mode . . . . .                       | 22  |
| keyless entry . . . . .                             | 8   |

- Entertainment
  - CD
    - controls ..... 121
  - DAB radio
    - controls ..... 118
  - navigation
    - all softkey ..... 155
    - coordinates ..... 153
    - list ..... 155
    - menu ..... 148
    - motorway ..... 154
    - POI categories ..... 155
    - POI (Points of interest) ..... 152, 154
    - postcode ..... 153
    - previous ..... 154
    - restore defaults ..... 153
    - TMC ..... 155
    - TMC display ..... 155
    - TMC icons ..... 156
  - portable media
    - automatic reconnection ..... 128
    - changing device ..... 128
    - connecting devices ..... 123
    - connecting multiple devices ..... 127
    - connections ..... 123
    - controls ..... 125
    - lost connection ..... 128
    - pairing ..... 127
    - playing ..... 126
  - radio
    - controls ..... 116
    - RDS (Radio data system) ..... 117
  - RSE (Rear screen entertainment)
    - screen settings ..... 109
  - RSE (Rear seat entertainment)
    - settings ..... 135
    - touch screen controls ..... 135
  - telephone
    - last 10 ..... 146
    - pairing ..... 143
    - phonebook ..... 145
    - settings ..... 146
  - television
    - analogue/digital option ..... 130
    - controls ..... 129
    - full screen ..... 130
    - full screen controls ..... 130
    - touch screen ..... 180
    - display icons ..... 109
    - home menu ..... 108
    - operating ..... 109
    - setup ..... 109
    - system settings ..... 109
    - touch screen care ..... 109
    - video media player
      - controls ..... 131
  - Entry and exit mode ..... 22
  - EPB (Electric parking brake) ..... 88
  - Ethanol ..... 159
  - EU conformity (navigation system) ..... 158
  - Event data recording ..... 218
  - Exiting the vehicle
    - door locks and release levers ..... 14
    - global closing ..... 13
    - keyless locking ..... 13
  - Exterior cleaning ..... 178
  - Exterior lamps
    - bulb changing ..... 170
    - bulb specification ..... 192
  - Exterior mirrors ..... 46
  - F**
    - Flat spots ..... 201
    - Fluids
      - brake
        - check ..... 184
        - specification ..... 184
        - top up ..... 184
      - capacities ..... 189
      - coolant
        - specification ..... 183
        - top up ..... 183
      - dynamic response level check ..... 186
      - dynamic response top-up ..... 186

|                                                |     |  |
|------------------------------------------------|-----|--|
| engine oil                                     |     |  |
| check . . . . .                                | 181 |  |
| specification . . . . .                        | 182 |  |
| fuel tank capacity . . . . .                   | 162 |  |
| power steering                                 |     |  |
| check . . . . .                                | 185 |  |
| specification . . . . .                        | 185 |  |
| specifications . . . . .                       | 188 |  |
| washer                                         |     |  |
| specification . . . . .                        | 187 |  |
| top up . . . . .                               | 187 |  |
| Fog lamps                                      |     |  |
| warning lamp . . . . .                         | 55  |  |
| Follow mode                                    |     |  |
| entering . . . . .                             | 96  |  |
| gap change . . . . .                           | 97  |  |
| override . . . . .                             | 97  |  |
| resume . . . . .                               | 98  |  |
| Forward alert . . . . .                        | 99  |  |
| Forward alert warning lamp . . . . .           | 56  |  |
| Front parking aid . . . . .                    | 92  |  |
| system fault . . . . .                         | 93  |  |
| Fuel and refuelling                            |     |  |
| consumption . . . . .                          | 164 |  |
| extra-urban cycle . . . . .                    | 164 |  |
| urban cycle . . . . .                          | 164 |  |
| diesel . . . . .                               | 160 |  |
| sulphur content . . . . .                      | 160 |  |
| ethanol . . . . .                              | 159 |  |
| Filler flap . . . . .                          | 161 |  |
| filler flap . . . . .                          | 161 |  |
| fuel consumption                               |     |  |
| urban cycle . . . . .                          | 164 |  |
| fuel specification . . . . .                   | 162 |  |
| fuel system . . . . .                          | 167 |  |
| methanol . . . . .                             | 159 |  |
| misfuel device . . . . .                       | 163 |  |
| MTBE (Methyl tertiary butyl ether) . . . . .   | 159 |  |
| octane rating . . . . .                        | 159 |  |
| reformulate gasoline . . . . .                 | 159 |  |
| running out . . . . .                          | 160 |  |
| safety precautions . . . . .                   | 159 |  |
| tank capacity . . . . .                        | 162 |  |
| water in fuel . . . . .                        | 162 |  |
| Full screen (television) . . . . .             | 130 |  |
| controls . . . . .                             | 130 |  |
| Fuses                                          |     |  |
| changing . . . . .                             | 203 |  |
| engine compartment fuse box . . . . .          | 204 |  |
| locations . . . . .                            | 203 |  |
| Passenger compartment fuse box . . . . .       | 205 |  |
| <b>G</b>                                       |     |  |
| Garage door opener . . . . .                   | 48  |  |
| entry gate . . . . .                           | 50  |  |
| erase all programming . . . . .                | 49  |  |
| programming . . . . .                          | 48  |  |
| a single button . . . . .                      | 49  |  |
| rolling code device . . . . .                  | 49  |  |
| Gearbox                                        |     |  |
| automatic . . . . .                            | 79  |  |
| temporary manual selection . . . . .           | 81  |  |
| Global closing . . . . .                       | 13  |  |
| Global opening . . . . .                       | 8   |  |
| <b>H</b>                                       |     |  |
| Hand brake                                     |     |  |
| warning lamp . . . . .                         | 53  |  |
| Handbrake . . . . .                            | 88  |  |
| Handling                                       |     |  |
| DSC warning lamp                               |     |  |
| active . . . . .                               | 54  |  |
| off . . . . .                                  | 54  |  |
| EBD (Electronic brake force                    |     |  |
| distribution) . . . . .                        | 87  |  |
| Head restraints . . . . .                      | 20  |  |
| manual . . . . .                               | 21  |  |
| Headlamps                                      |     |  |
| adaptive . . . . .                             | 38  |  |
| AFS (Adaptive front lighting system) . . . . . | 38  |  |
| auto high beam . . . . .                       | 38  |  |
| bulb changing . . . . .                        | 170 |  |
| bulb specification . . . . .                   | 192 |  |
| condensation . . . . .                         | 40  |  |
| controls . . . . .                             | 37  |  |

- daylight running lamps ..... 37
- driving abroad ..... 39
- high beam warning lamp ..... 55
- warning lamp (AFS) ..... 55
- washers ..... 43
- xenon ..... 172
- Headphones ..... 137
- Heated screens ..... 60
- Heating and ventilation
  - auto ..... 59
  - recirculation ..... 60
- High beam
  - automatic ..... 38
  - warning lamp ..... 55
- Homelink ..... 48
  - programming a single button ..... 49
  - rolling code device programming ..... 49
- I**
- Ignition
  - switching on ..... 76
- Indicators
  - warning lamp ..... 56
- Information messages ..... 57
- Infotainment
  - CD
    - controls ..... 121
  - DAB radio
    - controls ..... 118
  - navigation
    - all softkey ..... 155
    - coordinates ..... 153
    - list ..... 155
    - menu ..... 148
    - motorway ..... 154
    - POI categories ..... 155
    - POI (Points of interest) ..... 152, 154
    - postcode ..... 153
    - previous ..... 154
    - restore defaults ..... 153
    - TMC ..... 155
    - TMC display ..... 155
  - TMC icons ..... 156
  - portable media
    - automatic reconnection ..... 128
    - changing device ..... 128
    - connecting devices ..... 123
    - connecting multiple devices ..... 127
    - connections ..... 123
    - controls ..... 125
    - lost connection ..... 128
    - pairing ..... 127
    - playing ..... 126
  - radio
    - controls ..... 116
    - RDS (Radio data system) ..... 117
  - RSE (Rear seat entertainment)
    - screen settings ..... 109
    - settings ..... 135
    - touch screen controls ..... 135
  - telephone
    - last 10 ..... 146
    - pairing ..... 143
    - phonebook ..... 145
    - settings ..... 146
  - television
    - analogue/digital option ..... 130
    - controls ..... 129
    - full screen ..... 130
    - full screen controls ..... 130
  - touch screen ..... 180
    - display icons ..... 109
    - home menu ..... 108
    - operating ..... 109
    - setup ..... 109
    - system settings ..... 109
    - touch screen care ..... 109
  - video media player
    - controls ..... 131
- Inhibited media playback ..... 132
- Instrument panel
  - information messages ..... 57
  - lamp test ..... 53
  - trip computer ..... 57
  - warning lamps ..... 53



|                      |     |
|----------------------|-----|
| side lights          | 56  |
| warning messages     | 57  |
| Interior cleaning    | 179 |
| Interior lamps       |     |
| bulb changing        | 170 |
| bulb specification   | 192 |
| Interval indicator   | 58  |
| ISOFIX anchor points | 30  |

## J

|                   |     |
|-------------------|-----|
| Jump starting     |     |
| connecting cables | 196 |

## K

|                 |    |
|-----------------|----|
| Keyless entry   | 8  |
| Keyless locking | 13 |
| Keys            |    |
| single locking  | 12 |

## L

|                                        |     |
|----------------------------------------|-----|
| Label locations                        | 219 |
| Lamp test                              | 53  |
| Lamps                                  |     |
| bulb changing                          | 170 |
| bulb specification                     | 192 |
| condensation                           | 40  |
| controls                               | 37  |
| removal                                |     |
| rear lamp                              | 175 |
| warning                                |     |
| parking brake                          | 53  |
| warning lamps                          | 53  |
| side lights                            | 56  |
| TPMS (Tyre pressure monitoring system) | 55  |
| xenon headlamps                        | 172 |
| Leather cleaning                       | 179 |
| License plate bulb                     | 176 |
| Lights                                 |     |
| bulb changing                          | 170 |
| bulb specification                     | 192 |
| condensation                           | 40  |

|                               |     |
|-------------------------------|-----|
| controls                      | 37  |
| List soft key (navigation)    | 155 |
| Loading DVDs                  | 132 |
| Locking                       |     |
| door locks and release levers | 14  |
| double locking                | 12  |
| drive away                    | 8   |
| global closing                | 13  |
| keyless                       | 13  |
| mislock                       | 14  |
| Locking and unlocking         |     |
| alarm                         |     |
| perimeter                     | 12  |
| single locking                | 12  |
| unlocking                     | 5   |
| Locking column                | 76  |
| Lubricants                    |     |
| specifications                | 188 |

## M

|                              |     |
|------------------------------|-----|
| Main beam (auto)             | 38  |
| Maintenance                  |     |
| blocked washer jets          | 170 |
| boost starting               |     |
| connecting cables            | 196 |
| brake fluid check            | 184 |
| bulb changing                | 170 |
| rear lamp                    | 175 |
| bulb specification           | 192 |
| capacities                   | 189 |
| changing a fuse              | 203 |
| checking the tyre pressures  | 200 |
| cleaning parking sensors     | 93  |
| closing the bonnet           | 167 |
| coolant level checking       | 182 |
| daily checks                 | 165 |
| DPF                          | 166 |
| dynamic response level check | 186 |
| dynamic response top-up      | 186 |
| engine compartment           | 168 |
| exterior cleaning            | 178 |
| interior cleaning            | 179 |

|                                                |     |
|------------------------------------------------|-----|
| jump starting . . . . .                        | 196 |
| label locations . . . . .                      | 219 |
| leather cleaning . . . . .                     | 179 |
| lubricants and fluid specifications . . . . .  | 188 |
| number plate bulb . . . . .                    | 176 |
| smart key battery changing . . . . .           | 11  |
| weekly checks . . . . .                        | 165 |
| Manual head restraints . . . . .               | 21  |
| Map (navigation system) . . . . .              | 153 |
| Map split screen (navigation system) . . . . . | 150 |
| Media . . . . .                                | 132 |
| inhibited . . . . .                            | 132 |
| portable                                       |     |
| lost connection . . . . .                      | 128 |
| play . . . . .                                 | 126 |
| portable media                                 |     |
| connections . . . . .                          | 123 |
| Memory points (navigation system) . . . . .    | 153 |
| Message centre                                 |     |
| trip computer . . . . .                        | 57  |
| change display . . . . .                       | 57  |
| range . . . . .                                | 58  |
| Methanol . . . . .                             | 159 |
| Mirrors                                        |     |
| dip when reversing . . . . .                   | 47  |
| Mirrors and windows                            |     |
| BSM (Blind spot monitor)                       |     |
| detection beam issues . . . . .                | 99  |
| exterior mirrors . . . . .                     | 46  |
| sunroof                                        |     |
| reset . . . . .                                | 178 |
| Misfuel device . . . . .                       | 163 |
| Modifications for disabilities . . . . .       | 165 |
| Moon roof                                      |     |
| reset . . . . .                                | 178 |
| MP3 . . . . .                                  | 120 |
| mpg . . . . .                                  | 164 |
| MTBE (Methyl tertiary butyl ether) . . . . .   | 159 |

## N

|                                       |     |
|---------------------------------------|-----|
| Navigation                            |     |
| all softkey . . . . .                 | 155 |
| cancel guidance . . . . .             | 152 |
| destination entry . . . . .           | 151 |
| coordinates . . . . .                 | 153 |
| emergency . . . . .                   | 153 |
| motorway . . . . .                    | 154 |
| postcode . . . . .                    | 153 |
| previous . . . . .                    | 154 |
| search area . . . . .                 | 151 |
| start guidance . . . . .              | 152 |
| entering a destination town . . . . . | 154 |
| list . . . . .                        | 155 |
| map . . . . .                         | 153 |
| map split screen . . . . .            | 150 |
| memory points . . . . .               | 153 |
| menu . . . . .                        | 148 |
| operating . . . . .                   | 147 |
| overview . . . . .                    | 147 |
| POI (Points of interest) . . . . .    | 154 |
| categories/sub-categories . . . . .   | 155 |
| quick POI selection . . . . .         | 152 |
| POI search . . . . .                  | 155 |
| restore defaults . . . . .            | 153 |
| screen modes . . . . .                | 150 |
| TMC . . . . .                         | 155 |
| display . . . . .                     | 155 |
| icons . . . . .                       | 156 |
| using TMC . . . . .                   | 157 |
| touch screen controls . . . . .       | 135 |
| traffic event icons . . . . .         | 156 |
| voice commands (POI) . . . . .        | 139 |
| voice guidance . . . . .              | 152 |
| Number plate bulb . . . . .           | 176 |

## O

|                           |     |
|---------------------------|-----|
| Occupant safety           |     |
| child seats               |     |
| tether straps . . . . .   | 32  |
| seatbelts . . . . .       | 180 |
| seatbelt safety . . . . . | 26  |

|                                           |        |
|-------------------------------------------|--------|
| warning lamp                              | 26, 54 |
| <b>Oil</b>                                |        |
| engine                                    |        |
| level check                               | 181    |
| engine oil specification                  | 182    |
| engine oil specifications                 | 182    |
| used engine oil                           | 167    |
| One-touch operation (windows)             | 45     |
| Opening                                   |        |
| bonnet                                    | 167    |
| Overriding speed and follow mode (cruise) | 97     |

## P

|                                       |     |
|---------------------------------------|-----|
| <b>Paddle shift</b>                   |     |
| temporary manual selection            | 81  |
| <b>Parking aid</b>                    |     |
| operating                             | 92  |
| rear view camera                      | 93  |
| sensor cleaning                       | 93  |
| system fault                          | 93  |
| <b>Parking brake</b>                  | 88  |
| warning lamp                          | 53  |
| <b>Passenger compartment fuse box</b> | 205 |
| <b>Perimeter alarm</b>                | 12  |
| <b>Petrol</b>                         |     |
| consumption                           | 164 |
| engine                                |     |
| starting                              | 76  |
| switching off                         | 78  |
| octane rating                         | 159 |
| reformulated gasoline                 | 159 |
| specification                         | 162 |
| <b>Petrol filler flap</b>             | 161 |
| <b>Phone</b>                          |     |
| bluetooth                             | 142 |
| call volume                           | 145 |
| changing connected phone              | 144 |
| compatibility                         | 143 |
| controls                              |     |
| steering wheel                        | 145 |
| dialling                              | 145 |

|                                                 |     |
|-------------------------------------------------|-----|
| icons                                           | 144 |
| last 10                                         | 146 |
| overview                                        | 141 |
| pairing using mobile phone                      | 143 |
| pairing using touch screen                      | 143 |
| phonebook                                       | 145 |
| safety                                          | 142 |
| settings                                        | 146 |
| <b>POI (Points of interest)</b>                 | 154 |
| search                                          | 155 |
| <b>Portable media</b>                           |     |
| automatic reconnection                          | 128 |
| changing device                                 | 128 |
| connecting devices                              | 123 |
| connecting multiple devices                     | 127 |
| connections                                     | 123 |
| controls                                        | 125 |
| lost connection                                 | 128 |
| pairing                                         | 127 |
| playing                                         | 126 |
| <b>Positioning child restraints</b>             | 28  |
| <b>Power steering</b>                           |     |
| fluid                                           |     |
| check                                           | 185 |
| specification                                   | 185 |
| <b>Pressure</b>                                 |     |
| checking                                        | 200 |
| <b>Pressures</b>                                |     |
| tyres                                           | 200 |
| <b>Previous destination (navigation system)</b> | 154 |
| <b>Programming</b>                              |     |
| garage door opener                              | 48  |
| erase all                                       | 49  |
| <b>Punctured tyres</b>                          | 201 |

## R

|                         |     |
|-------------------------|-----|
| <b>Radio</b>            |     |
| controls                | 116 |
| DAB ensembles           | 119 |
| DAB reception           | 119 |
| RDS (Radio data system) | 117 |
| <b>Rain sensor</b>      | 43  |

- RDS (Radio data system) . . . . . 117
  - RDS-TMC . . . . . 155, 157
    - display . . . . . 155
    - icons . . . . . 156
  - Rear lamp
    - bulb changing . . . . . 175
    - removal . . . . . 175
  - Rear media
    - remote control . . . . . 136
    - screen settings . . . . . 109
    - settings . . . . . 135
    - touch screen controls . . . . . 135
  - Reception (DAB) . . . . . 119
  - Recirculation . . . . . 60
  - Reconnection (portable audio) . . . . . 128
  - Recording
    - service data . . . . . 218
  - Recovery
    - towing eyes . . . . . 215
  - Reformulated gasoline . . . . . 159
  - Refuelling
    - diesel . . . . . 160
      - sulphur content . . . . . 160
    - octane rating . . . . . 159
    - reformulated gasoline . . . . . 159
    - running out of fuel . . . . . 160
    - safety precautions . . . . . 159
  - Remote control
    - battery changing . . . . . 11
    - Driving position memory . . . . . 17
    - system transmitters . . . . . 194
  - Removing vehicle battery . . . . . 197
  - Replacement tyres . . . . . 201
  - Resetting the windows . . . . . 178
  - Restore default settings (navigation system) . . . . . 153
  - Restraints (child) . . . . . 27, 28
    - positioning . . . . . 28
  - Restricted seat travel . . . . . 16
  - Resume speed and follow mode (ACC) . . . . . 98
  - Reverse parking aid . . . . . 92
    - rear view camera . . . . . 93
    - system fault . . . . . 93
  - RSE (Rear seat entertainment)
    - operating . . . . . 136
    - remote control . . . . . 136
    - screen settings . . . . . 109
    - settings . . . . . 135
    - touch screen controls . . . . . 135
  - Running out of fuel . . . . . 160
- ## S
- Safety
    - fuel and refuelling . . . . . 159
    - in the garage . . . . . 166
    - seatbelts . . . . . 26, 180
      - warning lamp . . . . . 26, 54
    - sitting correctly . . . . . 16
    - tyre care . . . . . 200
    - used engine oil . . . . . 167
    - using the telephone . . . . . 142
  - Satellite navigation
    - all softkey . . . . . 155
    - cancel guidance . . . . . 152
    - destination entry . . . . . 151
      - coordinates . . . . . 153
      - postcode . . . . . 153
      - previous . . . . . 154
      - search area . . . . . 151
      - start guidance . . . . . 152
    - emergency . . . . . 153
    - entering a destination town . . . . . 154
    - list . . . . . 155
    - map . . . . . 153
    - map split screen . . . . . 150
    - memory points . . . . . 153
    - menu . . . . . 148
    - motorway . . . . . 154
    - operating . . . . . 147
    - overview . . . . . 147
    - POI (Points of interest) . . . . . 154
      - categories . . . . . 155
      - quick POI selection . . . . . 152
    - POI search . . . . . 155
    - restore defaults . . . . . 153

|                                          |        |                                          |        |
|------------------------------------------|--------|------------------------------------------|--------|
| screen modes .....                       | 150    | Settings                                 |        |
| TMC .....                                | 155    | rear media .....                         | 109    |
| display .....                            | 155    | telephone .....                          | 146    |
| icons .....                              | 156    | Side lights                              |        |
| traffic event icons .....                | 156    | warning lamp .....                       | 56     |
| using TMC .....                          | 157    | Silencing the alarm .....                | 14     |
| voice commands (POI) .....               | 139    | Sitting correctly .....                  | 16     |
| voice guidance .....                     | 152    | Smart key                                |        |
| Screen modes (navigation system) .....   | 150    | battery changing .....                   | 11     |
| Screens (heated) .....                   | 60     | Driving position memory .....            | 17     |
| Search area (navigation system) .....    | 151    | single locking .....                     | 12     |
| Seatbelts .....                          | 180    | transmitters .....                       | 194    |
| beltminder warning lamp .....            | 54     | Snow chains .....                        | 202    |
| checks .....                             | 26     | Specifications                           |        |
| safety .....                             | 26     | brake pedal travel .....                 | 193    |
| warning lamp .....                       | 26, 54 | dimensions .....                         | 191    |
| Seats                                    |        | engine .....                             | 188    |
| child seats                              |        | engine oil .....                         | 182    |
| tether straps .....                      | 32     | ethanol .....                            | 159    |
| Driving position memory .....            | 17     | fluids .....                             | 188    |
| electric                                 |        | washer .....                             | 187    |
| front .....                              | 15     | fuel .....                               | 162    |
| head restraints .....                    | 20     | Fuel tank capacity .....                 | 162    |
| manual head restraints .....             | 21     | label locations .....                    | 219    |
| restricted seat travel .....             | 16     | lubricants .....                         | 188    |
| seatbelts .....                          | 180    | methanol .....                           | 159    |
| safety .....                             | 26     | weight .....                             | 190    |
| warning lamp .....                       | 26, 54 | wheel alignment .....                    | 193    |
| sitting correctly .....                  | 16     | Speed-dependent wipers .....             | 43     |
| Security .....                           | 12     | Split screen map .....                   | 150    |
| alarm .....                              | 165    | SRS                                      |        |
| perimeter .....                          | 12     | Airbags .....                            | 165    |
| deactivating the alarm .....             | 14     | SRS (Supplementary restraint system)     |        |
| steering column lock .....               | 76     | airbag covers .....                      | 180    |
| Selecting valet mode .....               | 110    | airbag deployment .....                  | 36     |
| Service information                      |        | airbag warning lamp .....                | 36, 55 |
| airbags .....                            | 36     | child seat check list .....              | 28     |
| Service interval indicator .....         | 58     | child seat positioning .....             | 28     |
| Servicing                                |        | child seats .....                        | 27     |
| data recording .....                     | 218    | ISOFIX Anchor points .....               | 30     |
| interval indicator .....                 | 58     | seatbelts (beltminder) warning lamp. ... | 54     |
| Setting a destination (navigation) ..... | 151    | Stability control                        |        |
| Setting cruise speed .....               | 94     | switching off .....                      | 83     |

- switching on ..... 83
- warning lamps ..... 83
- Starting
  - preparation ..... 218
- Starting navigation guidance ..... 152
- Starting the engine
  - diesel engine ..... 76
  - petrol engine ..... 76
- Steering column lock ..... 76
- Steering wheel
  - adjusting ..... 22
  - column lock ..... 76
  - controls
    - connect phone call ..... 145
    - decrease volume ..... 145
    - disconnect phone call ..... 145
    - increase volume ..... 145
    - scroll/search down ..... 145
    - set cruise speed ..... 94
    - voice control talk ..... 145
- Steering wheel controls ..... 145
- Storage compartments ..... 63
  - cup holders ..... 63
  - front cubby box ..... 63
  - glove box ..... 63
  - rear armrest ..... 63
- Sunroof
  - reset ..... 178
- Switching off the engine ..... 78
- Switching on the engine
  - diesel engine ..... 76
  - petrol engine ..... 76
- Switching on the ignition ..... 76
- T**
- Technical specifications
  - weights ..... 190
  - wheel alignment ..... 193
- Telephone
  - bluetooth ..... 142
  - call volume ..... 145
  - changing the connected telephone ... 144
  - compatibility ..... 143
  - controls
    - steering wheel ..... 145
  - dialling ..... 145
  - icons ..... 144
  - last 10 ..... 146
  - overview ..... 141
  - pairing ..... 143
  - phonebook ..... 145
  - safety ..... 142
  - settings ..... 146
- Television
  - analogue/digital option ..... 130
  - controls ..... 129
  - full screen ..... 130
    - controls ..... 130
- TMC (Traffic message channel) ..... 157
  - display ..... 155
  - overview ..... 155
- TMC (Traffic message channel)
  - icons ..... 156
- Touch screen ..... 180
  - CD
    - controls ..... 121
  - controls ..... 135
  - display icons ..... 109
  - home menu ..... 108
  - navigation
    - all softkey ..... 155
    - coordinates ..... 153
    - list ..... 155
    - menu ..... 148
    - motorway ..... 154
    - POI categories ..... 155
    - POI (Points of interest) ..... 152, 154
    - postcode ..... 153
    - screen modes ..... 150
    - search area ..... 151
    - TMC ..... 155
    - TMC display ..... 155
    - TMC icons ..... 156
  - operating ..... 109

U



- Using rear seat entertainment . . . . . 136
- Using the parking aid. . . . . 92

## V

- Valet mode . . . . . 110
  - deselecting . . . . . 110
- Vehicle alarm . . . . . 165
- Vehicle battery
  - removing . . . . . 197
- Vehicle battery care . . . . . 195
- Vehicle cleaning
  - exterior . . . . . 178
  - interior . . . . . 179
  - parking sensors . . . . . 93
- Vehicle data recording . . . . . 218
- Vehicle recovery
  - attaching the front tow eye . . . . . 215
  - towing eyes . . . . . 215
- Vehicle settings
  - valet mode . . . . . 110
- Video
  - Dual view controls . . . . . 134
  - dual view screen . . . . . 133
  - headphones . . . . . 137
  - loading DVDs . . . . . 132
  - touch screen controls . . . . . 135
- Video media player
  - controls . . . . . 131
  - inhibited playback . . . . . 132
- VIN number . . . . . 219
- Voice control . . . . . 138
  - navigation POI . . . . . 139
  - training . . . . . 139
  - tutorial . . . . . 139
  - voicetags . . . . . 139
- Voice guidance . . . . . 152
- Volume
  - telephone . . . . . 145

## W

- Warning lamps . . . . . 53
  - ABS . . . . . 55
  - ACC . . . . . 55
  - adaptive cruise control . . . . . 55
  - adaptive front lighting system . . . . . 55
  - AFS . . . . . 55
  - airbags . . . . . 36, 55
  - beltminder . . . . . 54
  - brake . . . . . 53
  - brakes . . . . . 87
  - Critical warning message . . . . . 53
  - DSC . . . . . 54
  - fog lamps . . . . . 55
  - forward alert . . . . . 56
  - headlamp high beam . . . . . 55
  - indicators . . . . . 56
  - lamp test . . . . . 53
  - parking brake . . . . . 53
  - seatbelt . . . . . 26, 54
  - side lights . . . . . 56
  - TPMS (Tyre pressure monitoring system) . . . . . 55
- warning lamps
  - stability control . . . . . 83
- Warning messages . . . . . 57
- Warning symbols (battery) . . . . . 195
- Warranty . . . . . 158
- Washer jets
  - blockages . . . . . 170
- Washers
  - operating . . . . . 42
- Washers (headlamps) . . . . . 43
- Water in fuel . . . . . 162
- Weekly checks . . . . . 165
- Weights . . . . . 190
- Wheels and tyres
  - accessory . . . . . 193
  - age degradation . . . . . 201
  - checking the pressures . . . . . 200
  - flat spots . . . . . 201
  - pressures . . . . . 200
  - punctured . . . . . 201

|                                                  |     |
|--------------------------------------------------|-----|
| replacements . . . . .                           | 201 |
| snow chains . . . . .                            | 202 |
| TPMS (Tyre pressure monitoring system) . . . . . | 90  |
| warning lamp . . . . .                           | 55  |
| tyre care . . . . .                              | 200 |
| tyre label . . . . .                             | 219 |
| valves . . . . .                                 | 201 |
| wheel alignment . . . . .                        | 193 |
| winter tyres . . . . .                           | 201 |
| Windows . . . . .                                | 44  |
| anti-trap protection . . . . .                   | 45  |
| one-touch operation . . . . .                    | 45  |
| reset . . . . .                                  | 178 |
| sunroof                                          |     |
| reset . . . . .                                  | 178 |
| Windscreen wipers                                |     |
| speed-dependent mode . . . . .                   | 43  |
| Windscreens (heated) . . . . .                   | 60  |
| Wipers                                           |     |
| operating . . . . .                              | 42  |
| Wipers and washers                               |     |
| fluid                                            |     |
| specification . . . . .                          | 187 |
| top up . . . . .                                 | 187 |
| operating . . . . .                              | 42  |
| rain sensor . . . . .                            | 43  |
| wipers                                           |     |
| speed-dependent mode . . . . .                   | 43  |

## X

|                           |     |
|---------------------------|-----|
| Xenon headlamps . . . . . | 172 |
|---------------------------|-----|

