

KONFORMITÄTSERKLÄRUNGEN



SiemensVDO Automotive AG, P.O. Box 10 09 43, D-93055 Regensburg

Name
Department
Tel.
Fax
E-Mail
Internet
Our Ref.
Date.

Dagmar Kolar
SVC TS RBG EMC Laboratory
+48(0)941790-6999
www.siemensvdo.de
www.siemensvdo.de
Doc.S122780002.doc
09/11/2005

Declaration of Conformity in accordance with Directive 1999/5/EC (R&TTE Directive)

Manufacturer: Siemens VDO Automotive AG
Body & Chassis Electronics

Address: Siemensstrasse 12
D-93055 Regensburg
Germany

Product type designation: S122780002

Intended use: Radio frequency transmitter used Tire Pressure Monitoring system

The product mentioned above complies with the essential requirements and other relevant provisions of Directive 1999/5/EC, when used for its intended purpose:

Health and safety pursuant to §3.1.a:
Applied standard(s):
EN 60950: 2000

Electromagnetic compatibility pursuant to § 3.1.b: Applied standard(s):
EN 301 489 -1,-3; V1.4.1 (2002-08)

Efficient use of spectrum pursuant to § 3.2:
Applied standard(s):
EN 300 220 -1; V1.3.1 (2000-09)

The following marking applies to the above mentioned product:



Siemens VDO Automotive AG
Regensburg, 2005-11-09

Jacob
Jean-Francois Tarabba
Executive Vice President

Body and Chassis Electronics Operations

Martin Fischer
Dr. Martin Fischer
Vice President
Wireless Products and Modules

SiemensVDO Automotive AG Body & Chassis Electronics

Helmuth Mazon
R&D Manager
P.O. Box 10 09 43
D-93055 Regensburg

Office Address:
SiemensVDO Automotive AG
D-93055 Regensburg
Tel. +48(0)941790-0

SiemensVDO Automotive AG, Chairman of the Supervisory Board: Edward G. Hubbs, Chairman: Michael E. Harty, Chairman: Christian-Albrecht von Spreti, Chairman: Alexander von Spreti, Chairman: Axel Eggert, Chairman: Jochen Lohrer, Chairperson (Public Relations/External Affairs): Michael Hubbs



SiemensVDO Automotive AG, P.O. Box 10 09 43, D-93055 Regensburg

Name
Department
Tel.
Fax
E-Mail
Internet
Our Ref.
Date.

Dagmar Kolar
SVC TS RBG EMC Laboratory
+48(0)941790-6999
www.siemensvdo.de
www.siemensvdo.de
Doc_S1WV49096.doc
03/06/2005

Declaration of Conformity in accordance with Directive 1999/5/EC (R&TTE Directive)

Manufacturer: Siemens VDO Automotive AG
Body & Chassis Electronics

Address: Dep. SVC BC PS RF TG
Strasse 12
D-93049 Regensburg
Germany

Product type designation: 5WK4 0096

Intended use: Radio frequency receiver used in vehicle locking/unlocking systems

The product mentioned above complies with the essential requirements and other relevant provisions of Directive 1999/5/EC, when used for its intended purpose:

Health and safety pursuant to §3.1.a:
Applied standard(s):
EN 60950:2000

Electromagnetic compatibility pursuant to § 3.1.b: Applied standard(s):
EN 301 489-1,-3; V1.4.1 (2002-08)

Efficient use of spectrum pursuant to § 3.2:
Applied standard(s):
EN 300 220-1; V1.3.1 (2000-09)

The following marking applies to the above mentioned product:



Siemens VDO Automotive AG
Regensburg, 2005-09-03

Jacob
Jean-Francois Tarabba
Executive Vice President

Body and Chassis Electronics Operations

Martin Fischer
Dr. Martin Fischer
Vice President
Wireless Products and Modules

SiemensVDO Automotive AG Body & Chassis Electronics
Helmuth Mazon
R&D Manager
P.O. Box 10 09 43
D-93055 Regensburg

Office Address:
SiemensVDO Automotive AG
D-93055 Regensburg
Tel. +48(0)941790-0

SiemensVDO Automotive AG, Chairman of the Supervisory Board: Edward G. Hubbs, Chairman: Michael E. Harty, Chairman: Christian-Albrecht von Spreti, Chairman: Alexander von Spreti, Chairman: Axel Eggert, Chairman: Jochen Lohrer, Chairperson (Public Relations/External Affairs): Michael Hubbs



Lear Corporation
 Advanced Systems Division
 2157 The Parkway
 Southfield, MI 48033-4248
 USA
 Phone (248) 447-1599

Date: February 6, 2009

INFORMATION TO BE INCLUDED IN THE END USER'S MANUAL.

The following information must be included in the end product user's manual to ensure continued FCC and Industry Canada regulatory compliance. The ID numbers must be included in the manual if the device label is not readily accessible to the end user. The compliance paragraphs below must be included in the user's manual.

The following user's manual statements are provided by Lear Corporation to Jaguar Land Rover electronically after certification.

Key fobs

Land Rover, Range Rover,

 FCC ID: KOBJTF10A (Range Rover, Land Rover)
 FCC ID: KOBJTF10B (Jaguar)
 IC: 3521A-JTF10A (Range Rover, Land Rover)
 IC: 3521A-JTF10B (Jaguar)
 Model #: AH42-15K601A (Range Rover)
 Model #: AH22-15K601A (Land Rover)
 Model #: AW65-15K601A (Jaguar)

This device complies with Part 15 of the FCC Rules and with RSS-210 of Industry Canada.

- Operation is subject to the following two conditions:
 (1) This device may not cause harmful interference, and
 (2) This device must accept any interference received, including interference that may cause undesired operation.

WARNING: Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment. The term "IC," before the radio certification number only signifies that Industry Canada technical specifications were met.



Lear Corporation
 Advanced Systems Division
 2157 The Parkway
 Southfield, MI 48033-4248
 USA
 Phone (248) 447-1599

RKE Receiver

Land Rover, Range Rover, Jaguar

FCC ID: KOBJLR09A
 IC: 3521-JLR09A
 Model #: AH42-15K602-A

This device complies with Part 15 of the FCC Rules and with RSS-210 of Industry Canada.

Operation is subject to the following two conditions:

- (1) This device may not cause harmful interference, and
 (2) This device must accept any interference received, including interference that may cause undesired operation.

WARNING: Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment. The term "IC," before the radio certification number only signifies that Industry Canada technical specifications were met.

Passive Entry / Passive Start Module

Land Rover, Range Rover, Jaguar

FCC ID: KOBJBG10A
 IC: 3521-JBG10A
 Model #: AH22-19H440 (PEPS)
 Model #: AH42-19H440 (Passive Start ONLY)

FCC ID: KOBJBG10B

IC: 3521-JBG10B
 Model #: AH22-19H440 (PEPS)
 Model #: AH42-19H440 (Passive Start ONLY)

This device complies with Part 15 of the FCC Rules and with RSS-210 of Industry Canada.

Operation is subject to the following two conditions:

- (1) This device may not cause harmful interference, and
 (2) This device must accept any interference received, including interference that may cause undesired operation.

WARNING: Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment. The term "IC," before the radio certification number only signifies that Industry Canada technical specifications were met.

EC Declaration of Conformity

EC Directive: 1999/5/EC
 Manufacturer: Lear Corporation
 Type Designation / FCC ID: KOB/JBG108
 Model Numbers: SE0770357, 19H440, AH22-19H440, AH42-19H440, AH22-19H440-AD, AH42-19H440-AE
 Description / Intended Use: Remote Function Actuator (RFA), passive keyless entry and start system low frequency initiator
 Trademarks: Land Rover / Range Rover / Jaguar
 Applied Standards: European Commission Directive 2006/28/EC
 ETSI EN 300 330
 CEPT/ERC/REC 70-03
 ASINZS 4288
 FCC Regulations 47 CFR Part 15
 Responsible Person: Kevin Cotton
 Lear Corporation
 21557 Telegraph Road
 Southfield, Michigan 48033
 United States of America

Hereby, Lear Corporation declares that the product referenced above is in compliance with the essential requirements of Directive 1999/5/EC, on the approximation of the laws of the member states relating to Directive 1999/5/EC

Signed: *Kevin Cotton*
 Kevin Cotton, Lear Corporation

Date: 27 March 2009

EC Declaration of Conformity

EC Directive: 1999/5/EC
 Manufacturer: Lear Corporation
 Type Designation / FCC ID: KOB/JBG10A
 Model Numbers: SE0770337, 19H440, AH22-19H440-AC, AH42-19H440-AD, AH22-19H440, AH42-19H440
 Description / Intended Use: Remote Function Actuator (RFA), passive keyless entry and start system low frequency initiator
 Trademarks: Land Rover / Range Rover / Jaguar
 Applied Standards: European Commission Directive 2006/28/EC
 ETSI EN 300 330
 CEPT/ERC/REC 70-03
 ASINZS 4288
 FCC Regulations 47 CFR Part 15
 Responsible Person: Kevin Cotton
 Lear Corporation
 21557 Telegraph Road
 Southfield, Michigan 48033
 United States of America

Hereby, Lear Corporation declares that the product referenced above is in compliance with the essential requirements of Directive 1999/5/EC, on the approximation of the laws of the member states relating to Directive 1999/5/EC

Signed: *Kevin Cotton*
 Kevin Cotton, Lear Corporation

Date: 27 March 2009

EC Declaration of Conformity

EC Directive: 1999/5/EC
Manufacturer: Lear Corporation
Type Designation: SE0760127
Model Numbers: SE0760127, 15K602, AH42-15K602-B, AH42-15K602-BC
Description / Intended Use: RF Receiver (RRF), used in passive entry and passive start, remote keyless entry, and tire pressure monitoring systems
Trademarks: Land Rover / Range Rover / Jaguar
Applied Standards: European Commission Directive 2006/28/EC
 ETSI EN 60950
 ETSI EN 300 220
 CEPT/ERC/REC 70-03
 ASINZS 4288
Responsible Person: Kevin Cotton
 Lear Corporation
 21557 Telegraph Road
 Southfield, Michigan 48033
 United States of America

Hereby, Lear Corporation declares that the product referenced above is in compliance with the essential requirements of Directive 1999/5/EC, on the approximation of the laws of the member states relating to Directive 1999/5/EC.

Signed: 
 Kevin Cotton, Lear Corporation

Date: 27 March 2009

EC Declaration of Conformity

EC Directive: 1999/5/EC
Manufacturer: Lear Corporation
Type Designation: 15K601
Model Numbers: 5E0B60127, 5E0B60127, 15K601-BB, AH42-15K601B, AH22-15K601B, AH42-15K601-BC, AH22-15K601-BC
Description / Intended Use: Passive Key (PK) / Customer Identification Device (CID), passive keyless entry system keyfob
Trademarks: Land Rover / Range Rover
Applied Standards: CEPT/ERC/REC 70-03
 ETSI EN 60950
 ETSI EN 300 220
 ETSI EN 301 489
 IEC EN 60950
 ASINZS 4288
Responsible Person: Kevin Cotton
 Lear Corporation
 21557 Telegraph Road
 Southfield, Michigan 48033
 United States of America

Hereby, Lear Corporation declares that the product referenced above is in compliance with the essential requirements of Directive 1999/5/EC, on the approximation of the laws of the member states relating to Directive 1999/5/EC.

Signed: 
 Kevin Cotton, Lear Corporation

Date: 26 March 2009

QuietTek 低功率射頻電機型式認證證明

快特電波股份有限公司
低功率射頻電機型式認證證明

一、申請者：Lear Corporation
 二、製造廠商：Lear Corporation
 三、器材名稱：Range Rover FOB
 四、廠牌/型號：LEAR/ 5E0700327
 五、發射功率（電場強度）：84.195dBuV/m(Peak)
 315MHz
 六、工作頻率：

七、發證日期：98年06月02日
 八、審驗合格標籤式樣：

說明：

- 請就下列標籤式樣自製標籤，標貼或印鑄於器材本體明顯處，始得販售或公開陳列。
- 經型式認證合格之低功率射頻電機，其型號、設計、射頻性能如有變更，應重新申請型式認證。
- 違反低功率電波輻射性電機管理辦法之規定，擅自使用或變更無線電頻率、電力功率，除依電信法規之處罰外，檢附機關(構)並存廢止其型式認證證明或型式認證標籤。
- 送審廠商應保留送審樣品到日後核對。
- 本型式認證證明及不合格標籤使用權專屬申請人所有，本證明持有入檢附同意簽署授權圖章以授權委員會備查後，得授權他人於同意範圍內型號之器材，使用其合格標籤。

備註：

- 本器材符合低功率射頻電機技術規範 LP0002.3.4.2節之規定。
- 本認證機構係由國家通訊傳播委員會委託，依據本型式認證證明。
- 本器材所使用型別及式樣與申請型號如下：
Lear Corporation / N/A

QuietTek 低功率射頻電機型式認證證明

快特電波股份有限公司
低功率射頻電機型式認證證明

一、申請者：Lear Corporation
 二、製造廠商：Lear Corporation
 三、器材名稱：RFA (Passive Start)
 四、廠牌/型號：LEAR/ 5E0700337
 五、發射功率（電場強度）：125KHz; 61.5dBuV/m(Average)
 125KHz
 六、工作頻率：

七、發證日期：98年06月02日
 八、審驗合格標籤式樣：

說明：

- 請就下列標籤式樣自製標籤，標貼或印鑄於器材本體明顯處，始得販售或公開陳列。
- 經型式認證合格之低功率射頻電機，其型號、設計、射頻性能如有變更，應重新申請型式認證。
- 違反低功率電波輻射性電機管理辦法之規定，擅自使用或變更無線電頻率、電力功率，除依電信法規之處罰外，檢附機關(構)並存廢止其型式認證證明或型式認證標籤。
- 送審廠商應保留送審樣品到日後核對。
- 本型式認證證明及不合格標籤使用權專屬申請人所有，本證明持有入檢附同意簽署授權圖章以授權委員會備查後，得授權他人於同意範圍內型號之器材，使用其合格標籤。

備註：

- 本器材符合低功率射頻電機技術規範 LP0002.2節之規定。
- 本認證機構係由國家通訊傳播委員會委託，依據本型式認證證明。
- 本器材所使用型別及式樣與申請型號如下：
Lear Corporation / N/A



Continental Automotive GmbH - Postfach 101550 - 92033 Regensburg

Kolar, Dominik
ADL 8936_42
Phone +49 (0)41 790-0699
Fax +49 (0)41 790-136999
dominik.kolar@continental-corporation.com

Date: July 29, 2008
Your message about: Your reference: Our Reference:

Declaration of Conformity in accordance with Directive 1999/5/EC (RATTE Directive)

Manufacturer: Continental Automotive GmbH
Address: Siemensstrasse 12
D-93055 Regensburg
Germany
Product type designation: S180 052 020 A
Intended use: Tire Pressure System

The product mentioned above complies with the essential requirements and other relevant provisions of Directive 1999/5/EC, when used for its intended purpose.

- Health and safety pursuant to §3.1.a: Applied standard(s): EN 60950-1: 2006
- Electromagnetic compatibility pursuant to § 3.1.b: Applied standard(s): EN 301 489 -1; V1.6.1 (2005-09)
EN 301 489 -3; V1.4.1 (2002-08)
- Efficient use of spectrum pursuant to § 3.2: Applied standard(s): EN 300 220 -1; V2.1.1 (2006-04)
EN 300 220 -2; V2.1.1 (2006-04)

The following marking applies to the above mentioned product:



Continental Automotive GmbH
Regensburg, 2008-07-29

Address: Woy
Executive Vice President
Body & Security

Signature: *Woy*

Signature: *Apeli*
Norbert Müller
Director Product Group 3
Body & Security

Continental Automotive GmbH
Postfach 101550
Regensburg, 92033
Phone +49 (0)41 790-0699
Fax +49 (0)41 790-136999
www.continental-corporation.com

Continental Office
Regensburg / Chair
Product Development
Postfach 101550
92033 Regensburg

QuietTek

快特電波股份有限公司
低功率射頻電機型式認證證明

一、申請者: Lear Corporation
二、製造廠商: Lear Corporation
三、器材名稱: Jaguar fob
四、廠牌/型號: JAGUAR / SE08A4P217
五、發射功率 (電場強度): 315mWHz; 83.225dBuV/m(Peak)
六、工作頻率: 315MHz

七、審核日期: 98年07月01日
八、審核合格標識式樣:

說明:

- 請依下列標識式樣自製標籤, 標貼或印鑄於器材本體明顯處, 尚得註會及公司標列。
- 除法規規定之範圍外, 驗證機關(構)並得停止其型別認證證明或型式認證標籤。
- 違反此的非電磁輻射性電機管理辦法之規定, 擅自使用或更改無線電機非、電力非者, 除依電機管理監督管理辦法外, 驗證機關(構)並得停止其型別認證證明或型式認證標籤。
- 這些標籤應自製造管理產品前自製標貼。
- 本型式認證證明及其合格標識證明應由申請者取得本證明者, 依電信管制射頻器材審驗辦法第15條規定, 持有人得經由國際網路申請向其他人員或團體申請同型之電信管制射頻器材使用型式認證標籤, 並於本日起30天內, 應檢齊「電信管制射頻器材審驗合格標籤或符合性聲明標籤」向使用機關呈表。這本會備查。

備註:

- 本器材符合低功率射頻電機技術規範(LP0002.3.4.2節)之規定。
- 驗證機關係經國家通訊傳播委員會委託, 核發本型式認證證明。
- 本器材未用固定式天線, 廠牌型號為: Lear Corporation / N/A。



전자문서확인번호 NC19-1219-RF14-1E80

방송통신기기인증서

Certificate of Broadcasting and Communication Equipment

형식등록(Type Registration)

인증의 종류
Certification Type
LEAR CORPORATION
상호 또는 성명
Trade Name or Applicant
기기의 명칭
Equipment Name
데이터전송용 부속기

기본모델명
Basic Model Number
SERESP127
파생모델명
Series Model Number
SERES0.SER0960

인증번호
Certification No
LER-SE086FP127
제조자/제조국가
Manufacturer/Country of Origin
Lear Automotive Electronics and Electrical/미국

형식기호
Type Identification
LA092-K0L433.9ZT.Δ.12SR0.008FID1
인증연월일
Date of Certification
2009년(Year) 05월(Month) 29일(Date)

기타
Others

위 기기는 「전기통신기기법」, 「전파법」에 따라 인증되었음을 증명합니다.
It is certified that foregoing equipment has been certificated under the Framework Act on Telecommunications and Radio Waves Act.



권파연구

Director General of Radio Research
Korea Communications Commission Republic of Korea



전자문서확인번호 WESR-31E1-475G-XX10

방송통신기기인증서

Certificate of Broadcasting and Communication Equipment

형식등록(Type Registration)

인증의 종류
Certification Type
LEAR CORPORATION
상호 또는 성명
Trade Name or Applicant
기기의 명칭
Equipment Name
복합소용해부신기기(데이터전송용 부속기)

기본모델명
Basic Model Number
SE0840
파생모델명
Series Model Number

인증번호
Certification No
LER-SE0840
제조자/제조국가
Manufacturer/Country of Origin
Lear Automotive Electronics and Electrical/미국

형식기호
Type Identification
LA092-K0L433.9ZT.Δ.12SR0.008FID1
인증연월일
Date of Certification
2009년(Year) 07월(Month) 15일(Date)

기타
Others

위 기기는 「전기통신기기법」, 「전파법」에 따라 인증되었음을 증명합니다.
It is certified that foregoing equipment has been certificated under the Framework Act on Telecommunications and Radio Waves Act.



권파연구

Director General of Radio Research
Korea Communications Commission Republic of Korea



전자통신위원회 7N78-CFN-1001-511X

방송통신기기인증서

Certificate of Broadcasting and Communication Equipment

형식등록(Trade Registration)

인증의 종류
Certification Type
LEAR CORPORATION
상호 또는 성명
Trade Name or Applicant
의학 원격상담 부선기기
기기의 명칭
Equipment Name

기본모델명
Basic Model Number
580770237
파생모델명
Series Model Number

인증번호
Certification No
LER-580770237

제조자/제조국가
Manufacturer/Country of Origin
Lear Valls Automotive Electronics and Electrical/스페인

형식호
Type Identification
LPD-R03L0.125TAID

인증유효일
Date of Certification
2009년(Year) 09월(Month) 04일(Date)

기타
Others

위 기기는 「전기통신기본법」, 「전파법」에 따라 인증의 여부를 증명합니다.
It is certified that foregoing equipment has been certificated under the Framework Act on Telecommunications and Radio Waves Act.

2009년(Year) 09월(Month) 04일(Date)



진과연구
Director General of Radio Research Laboratory
Korea Communications Commission Republic of Korea

전자통신위원회 JWC5-ASTQ-106-C-10BT

방송통신기기인증서

Certificate of Broadcasting and Communication Equipment

형식등록(Trade Registration)

인증의 종류
Certification Type
LEAR CORPORATION
상호 또는 성명
Trade Name or Applicant
의학 원격상담 부선기기
기기의 명칭
Equipment Name

기본모델명
Basic Model Number
580770237
파생모델명
Series Model Number

인증번호
Certification No
LER-580770237

제조자/제조국가
Manufacturer/Country of Origin
Lear Valls Automotive Electronics and Electrical/스페인

형식호
Type Identification
LPD-R03L0.125TAID

인증유효일
Date of Certification
2009년(Year) 09월(Month) 04일(Date)

기타
Others

위 기기는 「전기통신기본법」, 「전파법」에 따라 인증의 여부를 증명합니다.
It is certified that foregoing equipment has been certificated under the Framework Act on Telecommunications and Radio Waves Act.

2009년(Year) 09월(Month) 04일(Date)



진과연구
Director General of Radio Research Laboratory
Korea Communications Commission Republic of Korea



Independent Communications Authority of South Africa
 Postal Form, 144 Kalkbrenner Street, Sandton
 Private Bag 110022, Sandton, 2146

Radio Equipment Type Approval Certificate

Radio Equipment Type Approval Number

TA-20080402

The Authority, in the exercise of the powers conferred upon it by section 55 (1) of the Electronic Communications Act, 2005 (Act 36 of 2005), the applicable radio regulations which currently remain in force in terms of section 55 (2) of the Electronic Communications Act and subject to the terms and conditions set out in this document hereby issues a radio equipment type approval certificate to the company whose name and particulars are listed below.

Company Particulars

Name : Jaguar Land Rover SA
 Street Address : Simon Vermooten Road, Silverton
 Postal Code : 2195
 Facsimile Number : 012 845 1005
 Registration Number : 20019327268/07

Description of Apparatus

Category : Remote Function Actuator (RFA)
 Model : K08-BG108
 Frequency Range : 868-869 MHz
 ITU Emission Code : 12KGD1
 Modulation : BPSK
 Channel Spacing : +37.7 DspAim @ 3m
 Features : -

Only the original or a certified copy of the radio equipment type approval certificate shall be considered valid.

Senior Manager: Engineering & Technology

09 JUN 2008

P. Moshiri (Chairperson), M. Buys, T.V. Makobane, R. Nkomo, B.B. Ntombeni, P.F. Gwanzu, Dr M.M. Sook-Pha
 Prof. J.C.W. van Roooyen SC, BM Zokwa (Councillors), BK Boratani (CEO)



Independent Communications Authority of South Africa
 Postal Form, 144 Kalkbrenner Street, Sandton
 Private Bag 110022, Sandton, 2146

Radio Equipment Type Approval Certificate

Radio Equipment Type Approval Number

TA-20080303

The Authority, in the exercise of the powers conferred upon it by section 55 (1) of the Electronic Communications Act, 2005 (Act 36 of 2005), the applicable radio regulations which currently remain in force in terms of section 55 (2) of the Electronic Communications Act and subject to the terms and conditions set out in this document hereby issues a radio equipment type approval certificate to the company whose name and particulars are listed below.

Company Particulars

Name : Jaguar Land Rover SA
 Street Address : Simon Vermooten Road, Silverton
 Postal Code : 2195
 Facsimile Number : 012 845 1005
 Registration Number : 20019327268/07

Description of Apparatus

Category : Remote Function Actuator (RFA)
 Model : K08-BG108
 Frequency Range : 118-153 MHz
 ITU Emission Code : 12KGD1
 Modulation : BPSK
 Channel Spacing : +40.7 DspAim @ 3m
 Features : -

Only the original or a certified copy of the radio equipment type approval certificate shall be considered valid.

Senior Manager: Engineering & Technology

09 JUN 2008

P. Moshiri (Chairperson), M. Buys, T.V. Makobane, R. Nkomo, B.B. Ntombeni, P.F. Gwanzu, Dr M.M. Sook-Pha
 Prof. J.C.W. van Roooyen SC, BM Zokwa (Councillors), BK Boratani (CEO)

136850



Independent Communications Authority of South Africa
 Postal Box 164, Edendale-District, Sandton
 Private Bag 110327, Sandton, 2146

Radio Equipment Type Approval Certificate

Radio Equipment Type Approval Number

TA-20060304

The Authority, in the exercise of the powers conferred upon it by section 35 (1) of the Electronic Communications Act, 2005 (Act 36 of 2005), the applicable radio regulations which currently remain in force in terms of section 35 (1) of the Electronic Communications Act, 2005, hereby issues a radio equipment type approval certificate to the company whose name and particulars are listed below.

Company Particulars

Name : Jaguar Land Rover SA
 Address : Siton Verwoerd Road, Silverton
 Telephone Number : 012 845 1005
 Facsimile Number : 012 845 1005
 Registration Number : 209102726967

Description of Apparatus

Category : Low Frequency Initiator FET Receiver
 Frequency Range : 433.00 - 434.79 MHz
 ITU Emission Code : 739K1D
 Modulation : ASK, FSK
 Channel Spacing :
 Features :

Only the original or a certified copy of the radio equipment type approval certificate shall be considered valid.

Philemon Mphahlele
Philemon Mphahlele
 Senior Manager: Engineering & Technology

09 JUN 2008

P. Mphahlele (Chairperson), NA BANYI, TLV Mahabane, R. Mkhomo, BB Nkombele, FK Sibanda, DA IMI Sookhai.



Independent Communications Authority of South Africa
 Postal Box 164, Edendale-District, Sandton
 Private Bag 110327, Sandton, 2146

Radio Equipment Type Approval Certificate

Radio Equipment Type Approval Number

TA-20060305

The Authority, in the exercise of the powers conferred upon it by section 35 (1) of the Electronic Communications Act, 2005 (Act 36 of 2005), the applicable radio regulations which currently remain in force in terms of section 35 (1) of the Electronic Communications Act, 2005, hereby issues a radio equipment type approval certificate to the company whose name and particulars are listed below.

Company Particulars

Name : Jaguar Land Rover SA
 Address : Siton Verwoerd Road, Silverton
 Telephone Number : 012 845 1005
 Facsimile Number : 012 845 1005
 Registration Number : 209102726967

Description of Apparatus

Category : Key Fob Transmitter
 Frequency Range : 433.00 MHz
 ITU Emission Code : 739K1D
 Modulation : ASK, FSK
 Channel Spacing : -14.6 dbm
 Features :

Only the original or a certified copy of the radio equipment type approval certificate shall be considered valid.

Philemon Mphahlele
Philemon Mphahlele
 Senior Manager: Engineering & Technology

09 JUN 2008

P. Mphahlele (Chairperson), NA BANYI, TLV Mahabane, R. Mkhomo, DD Nkombele, FK Sibanda, DA IMI Sookhai.
 P. J. van Rooyen SC, MM Zwaen/Councillors, BK Molteni (CEO)



ALPINE ELECTRONICS, INC.
20-1 Yoshima-Kogyodanchi, Ina-City, Nagano
Phone: (81) 248-58-4111 Fax: (81) 248-58-8000

DECLARATION OF CONFORMITY For



Product: Bluetooth Module
Model: HAMZ1 BT PWB EU4

Supplied by
ALPINE Electronics, Inc.
20-1, Yoshima-Kogyodanchi, Ina-shi
Fukushima 970-1192, Japan

Technical Consultation Etc. held by
ALPINE Electronics, Inc.
20-1, Yoshima-Kogyodanchi, Ina-shi
Fukushima 970-1192, Japan

Notified Body - R&TTE Directive N/A

Standard used for comply
EN60955:2002+Amnd.1:2006+Amnd.2:2010

R&TTE Directive
(Article 3.1(a) Safety)

R&TTE Directive
(Article 3.1(b) EMC)

R&TTE Directive
(Article 3.2 Spectrum)

EN301-489-1 V1.8.1:2008-04

EN301-489-17 V2.1.1:2009-05

EN300 328 V1.7.1:2006-10

Means of Conformity

We declare under our sole responsibility that the Product (s) is conformity with the essential requirements and other relevant requirements of this

Radio and Telecommunication Terminal Equipment (R&TTE) Directive (1999/5/EC).

Date of Issue: 08 July 2011

Signature of Responsible Person:

1507WA TOKAOKA

Isamu Takaba
Global Engineering Strategy Office



Label to be used on the following products only:

- citizen band radio equipment
- cellular equipment
- trunk radio equipment
- spread spectrum devices
- leased channel radio equipment
- cordless telephone
- wireless security devices
- wireless microphone
- radio-control equipment
- medical or biology telemetry equipment



ALPINE ELECTRONICS, INC.
20-1 Yoshima-Kogyodanchi, Iwaki-City, Iwaki-Pref. 970-1192, JAPAN
Phone: (+81) 248-26-1111 Fax: (+81) 248-26-6660

DECLARATION OF CONFORMITY For



Product: Bluetooth Module
Model: PANZ11BT-PWB-EU3

Supplied by
ALPINE Electronics, Inc.
20-1, Yoshima-Kogyodanchi, Iwaki-shi
Fukushima 970-1192, Japan

Technical Construction File held by
ALPINE Electronics, Inc.
20-1, Yoshima-Kogyodanchi, Iwaki-shi
Fukushima 970-1192, Japan

Notified Body - R&TTE Directive N/A

Standard used for comply
EN60955:2002+Am1.1:2006+Am1.2:2010

R&TTE Directive
(Article 3.1(a) Safety) EN301-489-1 V1.8.1:2008-04

R&TTE Directive
(Article 3.1(b) EMC) EN301-489-17 V2.1.1:2009-05

R&TTE Directive
(Article 3.2 Spectrum) EN300 328 V1.7.1:2006-10

Means of Conformity

We declare under our sole responsibility that the Product (s) is conformity with the essential requirements and other relevant requirements of the Radio and Telecommunication Terminal Equipment (R&TTE) Directive (1999/5/EC).

Date of issue: 08 July 2011

Signature of Responsible Person:

Isamu Takahara
Global Engineering Strategy Office

Isamu Takahara
Takahara

A

Abmessungen	164
ABS (Antiblockiersystem)	
Warnleuchte	48
Abschleppösen	74
Abstellen des Motors	61
Airbags	
Modulabdeckungen	156
SRS (Zusätzliches Rückhalte- system)	142
Warnleuchten	48
Aktivieren des Sperrmodus	83
Alarm	
Perimeter	9
Alarmanlage	9, 142
Altöl	144
Anlassen	
Vorbereitung	188
Anzeigen	
Warnleuchte	49
Audio/Video	
Bedienelemente	84
Tragbare Geräte	
Anmelden	97
Anschlüsse	96
Bedienelemente	94
Wiedergabe	97
Video-Mediaplayer	
Bedienelemente	99
Audiosystem	
Einstellungen	85
Aufzeichnen	
Servicedaten	188
Aufzeichnung von Daten	188
Aufzeichnung von Ereignisdaten	188
Auslandsreisen	
Scheinwerfer	32
Ausschaltverzögerung (Scheinwerfer) ...	32
Aussteigen aus dem Fahrzeug	
Komfortschließung	9
Türschlösser und Entriegelungshebel	10

Außenleuchten	
Glühlampenspezifikation	165
Glühlampenwechsel	146
Außenspiegel	36
Äußere Reinigung	154
Automatikgetriebe	64
Automatische Verriegelung	7
Auto-Modus (Klimaregelung)	51

B

Batterie	
Laden	170
Pflege	168
Starthilfe	
Anschließen von Kabeln	169
Warnsymbole	168
Wechseln	
Fernbedienung der Klimaanlage- Zeitsteuerung	170
Batteriewechsel (zeitgesteuerte Klimaregelung)	170
Bedienelemente	
Scheinwerfer	31
Beginn der Routenführung	112
Beleuchtung	
Bedienelemente	31
Glühlampenspezifikation	165
Glühlampenwechsel	146
Scheinwerfer	148
Kondenswasserbildung	32
Beleuchtungssteuerung	
Scheinwerfer-Ausschaltverzögerung ...	32
Benzin	
Modifiziertes Benzin	138
Motor	
Ausschalten	61
Oktanzahl	137
Spezifikation	140
Tankklappe	138, 139
Verbrauch	140
Bergung	
Abschleppösen	74

- Bildschirmmodi (Navigationssystem) . . . 111
Blinkleuchten
 Warnleuchte 49
Bluetooth 103
 Audio
 Anmelden 97
 Medien
 Anmelden 97
 Telefon
 Anmelden 105
 Kompatibilität 104
 Sicherheit 104
 Symbole 106
 Telefonbuch 107
 Übersicht 103
Bremsen
 ABS-Warnleuchte 48
 EBA (Notbremssystem) 67
 EBD (Elektronische
 Bremskraftverteilung) 67
 Feststellbremse 67
 Parkbremse
 Warnleuchte 47
 Pedalweg 167
 Warnleuchte 46
- D**
DAB
 Ensembles 93
DAB-Radio
 Bedienelemente 91
Dachfenster
 Zurücksetzen 154
Deaktivieren des Sperrmodus 83
Diesel
 Fehlbetankungssicherung 139
 Kraftstoffverbrauch 140
 Motor 138
 Ausschalten 61
 Schwefelgehalt 138
 Spezifikation 140
 Tankklappe 138, 139
- Dieselmotoren
 Schwefelgehalt 138
Dieselpartikelfilter (DPF) 143
Doppelverriegelung 9
DPF (Dieselpartikelfilter) 143
Druck
 Überprüfen
 nach einer Reparatur 135
Drücke
 Reifen 174
DSC (Dynamische Stabilitätskontrolle)
 Ausschalten 66
 Einschalten 66
 Warnleuchte
 aktiv 47
 aus 48
- E**
EBA (Notbremssystem) 67
EBD (Elektronische
 Bremskraftverteilung) 67
Einbaulage der Warnschilder 189
Eingeben eines Ziels 112
Eingeben eines Ziels (Navigation) 112
Eingeschränkte Bewegung des Sitzes 13
Einparkhilfe
 Bedienung 71
 Sensorreinigung 72
 Systemstörung 72
Einschalten der Zündung 61
Einstellungen
 Hintere Medienschnittstelle 82
Elektrisch einstellbare Sitze
 vorn 12
Elektronische Bremskraftverteilung
 (EBD) 67
Elektronische Daten 188
Elektronische Parkbremse (EPB) 67
Elektronische Wegfahrsperrung 142
Ensembles (DAB-Radio) 93
Entriegeln 5, 10
EPB (Elektronische Parkbremse) 67

G		H	
Garagentoröffner	38	Handbremse	
Einfahrtstor	39	Warnleuchte	47
Löschen aller Programmierungen	39	Heizung und Lüftung	
Programmieren	38	Auto	51
Einzelne Taste	39	Hintere Einparkhilfe	71
Geräte mit Rollcodes	39	Systemstörung	72
Garagentor-Transceiver		HomeLink	38
Einfahrtstor	39	Programmieren einer einzelnen Taste	39
Garagentoröffner	38	Programmieren von Geräten mit	
Programmieren	38	Rollcodes	39
Programmieren einer einzelnen			
Taste	39	I	
Programmieren von Geräten mit		Informationsmeldungen	46
Rollcodes	39	Infotainment	
Garantie	119	DAB-Radio	
Geschwindigkeitsabhängige		Bedienelemente	91
Scheibenwischer	42	Navigation	
Geschwindigkeitsregelung		Autobahn	115
Bedienung	76	Koordinaten	114
Gesprächslautstärke	107	Menü	109
Geteilter Kartenbildschirm	110	Postleitzahl	114
Geteilter Kartenbildschirm		SoZ (Sonderziele)	113, 115
(Navigationssystem)	110	SoZ-Kategorien	115
Getriebe		TMC	116
Automatik	64	TMC-Anzeige	116
Vorübergehender manueller		TMC-Symbole	117
Gangwechsel	65	Vorige	114
Getriebe (Automatik)	64	Werkseinstellungen	113
Gewichte	164	Radio	
Glühlampe der		Bedienelemente	89
Kennzeichenbeleuchtung	152	RDS (Radiodatensystem)	90
Glühlampe wechseln	146	RSE (Fond-Multimediasystem)	
Glühlampen		Bildschirmeinstellungen	82
Kennzeichen	152	Telefon	
Nummernschild	152	Anmelden	105
Spezifikation	165	Telefonbuch	107
Gurte	156	Touchscreen	156
Sicherheitsgurt-Warnleuchte	47	Betrieb	82
Gurtwarnung		Pflege des Touchscreens	82
Warnleuchte	47	Setup	82
		Startmenü	81

Symbole	82	Kraftstoffverbrauch	
Systemeinstellungen	82	Fahrten innerorts	141
Tragbare Geräte		Methanol	137
Anmelden	97	Modifiziertes Benzin	138
Anschließen eines Geräts	96	MTBE (Methyl-tertiär-Butylether)	138
Anschließen mehrerer Geräte	97	Niedriger Kraftstoffstand	138
Anschlüsse	96	Oktanzahl	137
Bedienelemente	94	Sicherheitsvorkehrungen	137
Gerät wechseln	98	Tankinhalt	140
Verlust der Verbindung	98	Tankklappe	138, 139
Wiedergabe	97	Verbrauch	140
Video-Mediaplayer		Fahrten außerorts	141
Bedienelemente	99	Fahrten innerorts	141
Innenbeleuchtung		Kritische Warnmeldungen	46
Glühlampenspezifikation	165	Kühlmittel	
Glühlampenwechsel	146	Füllstandsprüfung	158
Innenraumreinigung	155	Nachfüllen	158
Instrumententafel		Spezifikation	158
Lampentest	46	L	
Warnleuchten	46	Laden der Fahrzeugbatterie	170
K		Lampentest	46
Karte (Navigationssystem)	114	Lautstärke	
Klimaanlage		Telefon	107
Automatisch	51	Lederreinigung	155
Luftqualitätssensor	52	Lenkrad	
Klimaregelung		Bedienelemente	
Automatisch	51	Abwärts scrollen/suchen	106
Kofferraum		Lautstärke erhöhen	106
Sicherungskasten	184	Lautstärke verringern	106
Komfortschließung	9	Telefon	
Kondenswasserbildung		Sprachsteuerung – Sprechen	106
(Scheinwerfer)	32	Telefonverbindung herstellen	106
Konformitätserklärungen	120, 191	Telefonverbindung trennen	106
Navigationssystem	120	Einstellen	17
Kraftstoff und Tanken		Lenkrad-Bedienelemente	106
Diesel	138	Leuchten	148
Schwefelgehalt	138	Bedienelemente	31
Ethanol	137	Glühlampenspezifikation	165
Fehlbetankungssicherung	139	Glühlampenwechsel	146
Kraftstoffspezifikation	140	Kondenswasserbildung	32
Kraftstoffsystem	144	Scheinwerfer-Ausschaltverzögerung	32

Warnleuchten	46
TPMS (Reifendrucküberwachungs- system)	48
Warnung	
Feststellbremse	47
Xenon-Scheinwerfer	147
Luftqualitätssensor	52

M

Medien	100
Gesperrt	100
Tragbare Geräte	
Anschlüsse	96
Verlust der Verbindung	98
Wiedergabe	97
Meldungen	46
Methanol	137
Modifiziertes Benzin	138
Motor	
Ausschalten	61
Diesel	138
DPF (Dieselpartikelfilter)	143
Motorraum	145
Öffnen	144
Sicherungskasten	179
Übersicht	145
Ölstand	
Prüfen	157
Prüfen des Kühlmittelstands	158
Spezifikationen	162
Motorhaube	
Öffnen	144
Schließen	145
mpg	140
MTBE (Methyl-tertiär-Butylether)	138
Multimedia	
DAB-Radio	
Bedienelemente	91
Navigation	
Autobahn	115
Koordinaten	114
Menü	109

Postleitzahl	114
SoZ (Sonderziele)	113, 115
SoZ-Kategorien	115
TMC	116
TMC-Anzeige	116
TMC-Symbole	117
Vorige	114
Werkseinstellungen	113

Radio

Bedienelemente	89
RDS (Radiodatensystem)	90
RSE (Fond-Multimediasystem)	
Bildschirmeinstellungen	82

Telefon

Anmelden	105
Telefonbuch	107
Touchscreen	156
Betrieb	82
Pflege des Touchscreens	82
Setup	82
Startmenü	81
Symbole	82
Systemeinstellungen	82

Tragbare Geräte

Anmelden	97
Anschließen eines Geräts	96
Anschließen mehrerer Geräte	97
Anschlüsse	96
Bedienelemente	94
Gerät wechseln	98
Verlust der Verbindung	98
Wiedergabe	97

Video-Mediaplayer

Bedienelemente	99
----------------------	----

N

Navigation

Abbrechen der Routenführung	113
Bildschirmmodi	111
Funktion	108
Geteilter Kartenbildschirm	110
Karte	114

Menü	109	P	
SoZ (Sonderziele)	115	Pannenreparatursatz	
Kategorien/Unterkategorien	115	Gebrauchsanweisungen	133
SoZ-Suche	116	Reparaturverfahren	134
Sprachbefehle (SoZ)	102	Parkbremse	67
TMC	116	Perimeteralarm	9
Anzeige	116	Programmierung	
Symbole	117	Garagentoröffner	
Verwenden von TMC	118	Alle löschen	39
Übersicht	108	Prüfen des Frostschutzmittelfüllstands	158
Werkseinstellungen	113		
Ziel eingeben	112	R	
Autobahn	115	Räder	
Beginn der Routenführung	112	Radfluchtdaten	167
Koordinaten	114	Räder und Reifen	
Notfall	114	Beschädigt	175
Postleitzahl	114	Drücke	174
Suchgebiet	111	Ersatz	175
Vorheriges	114	Flachstellen	176
Navigationssystem		Pannenreparatur	132
Sonderziele (SoZ)		Reifenetikett	189
SoZ-Schnellauswahl	113	Reifenpflege	173
Sprachführung	113	Reparatursatz	132, 133
Nebelleuchten		Reparaturverfahren	134
Warnleuchte	48	Schneeketten	177
Neustart des Motors während der		TPMS (Reifendrucküberwachungs-	
Fahrt	62	system)	
Niedriger Kraftstoffstand	138	Warnleuchte	48
Notfall		Überprüfen der Drücke nach einer	
Starthilfe		Reparatur	135
Anschließen von Kabeln	169	Ventile	174
Notrad	185	Winterreifen	175
		Zustandsverschlechterung durch	
O		Alterung	176
Öffnen		Radio	
Motorhaube	144	Bedienelemente	89
Öl		DAB-Ensembles	93
Altöl	144	RDS (Radiodatensystem)	90
Motor		Radwechsel	185
Füllstandsprüfung	157	RDS (Radiodatensystem)	90
Motorölspezifikation	157	RDS-TMC	116, 118
		Anzeige	116

Stichwortverzeichnis

RDS-TMC-Symbole	117	SoZ (Sonderziele)	115
Regensensor	42	Kategorien	115
Reifen		SoZ-Schnellauswahl	113
Drücke	174	SoZ-Suche	116
Ersatz	175	Sprachbefehle (SoZ)	102
Flachstellen	176	Sprachführung	113
Reifenpanne	175	TMC	116
Reifenpflege	173	Anzeige	116
Reparatursatz	132, 133	Symbole	117
Reparaturverfahren	134	Übersicht	108
Schneeketten	177	Verwenden von TMC	118
TPMS (Reifendrucküberwachungs- system)		Werkseinstellungen	113
Warnleuchte	48	Ziel eingeben	112
Ventile	174	Beginn der Routenführung	112
Winter	175	Koordinaten	114
Zustandsverschlechterung durch Alterung	176	Postleitzahl	114
Reifendruckkontrolle nach einer Reparatur	135	Suchgebiet	111
Reifenreparatursatz	132	Vorheriges	114
Reparaturverfahren	134	Scheiben (beheizt)	52
Reifenschäden	175	Scheibenheizungen	52
Reinigung		Scheibenwaschanlage	
Außen	154	Funktion	41
Einparkhilfe-Sensoren	72	Scheibenwischer	
Innen	155	Funktion	41
Leder	155	Geschwindigkeitsabhängiger Modus	42
Richtige Sitzhaltung	13	Scheibenwischer und Scheibenwaschanlage	
RSE (Fond-Multimediasystem)		Flüssigkeit	
Bildschirmeinstellungen	82	Nachfüllen	161
		Spezifikation	161
		Funktion	41
		Regensensor	42
		Scheibenwischer	
		Geschwindigkeitsabhängiger Modus	42
S		Scheinwerfer	
Satellitenavigation		Auslandsreisen	32
Abbrechen der Routenführung	113	Ausschaltverzögerung	32
Autobahn	115	Bedienelemente	31
Bildschirmmodi	111	Fernlicht-Warnleuchte	48
Funktion	108	Glühlampenspezifikation	165
Geteilter Kartenbildschirm	110	Glühlampenwechsel	146, 148
Karte	114	Kondenswasserbildung	32
Menü	109	Waschanlage	42
Notfall	114	Xenon	147

Schließen		Eingeschränkte Bewegung des	
Einfachverriegelung	9	Sitzes	13
Schließen der Motorhaube	145	Elektrisch einstellbar	
Schlüssel		vorn	12
Einfachverriegelung	9	Fahrpositionsspeicher	13
Schmiermittel		Richtige Sitzhaltung	13
Spezifikationen	162	Sicherheitsgurte	156
Schneeketten	177	Warnleuchte	47
Sender		Sitzheizungen	52
Smart Key	166	Smart Key	
Servolenkung		Batterie wechseln	7
Öl		Fahrpositionsspeicher	13
Spezifikation	160	Sender	166
Ölstand		Smart Key	
Prüfen	160	Einfachverriegelung	9
Sicherheit	9	SoZ (Sonderziele)	115
Alarm	142	Suche	116
Perimeter	9	Sperren	
Altöl	144	Doppelverriegelung	9
in der Garage	143	Wegfahren	7
Kraftstoff und Tanken	137	Sperrmodus	83
Reifenpflege	173	Deaktivieren	83
Richtige Sitzhaltung	13	Sperrung der Medienwiedergabe	100
Sicherheitsgurte	156	Spezifikationen	
Warnleuchte	47	Abmessungen	164
Verwenden des Telefons	104	Bremspedalweg	167
Sicherheit der Fahrzeuginsassen		Einbaulage der Schilder	189
Sicherheitsgurte	156	Ethanol	137
Warnleuchte	47	Flüssigkeiten	162
Sicherheitsgurte	156	Scheibenwaschanlage	161
Warnleuchte	47	Füllmenge des Kraftstoffbehälters	140
Sicherheitsschließfunktion		Gewicht	164
Fenster	35	Kraftstoff	140
Sicherungen		Methanol	137
Einbaulage	178	Motor	162
Fahrer- und Beifahrer-Sicherungskasten	181	Schmiermittel	162
Kofferraum-Sicherungskasten	184	Spiegel	
Motorraum-Sicherungskasten	179	Automatische Spiegelparkhilfe	37
Wechseln	179	Spiegel und Fenster	
Sicherungswechsel	179	Außenspiegel	36
Sitze		Schiebedach	
beheizt	52	Zurücksetzen	154

Sprachführung	113	Gesprächslautstärke	107
Sprachsteuerung	101	Kompatibilität	104
SoZ-Navigation	102	Sicherheit	104
Sprachbedienungsanleitung/ Sprachsteuerungs- Lernprogramm	101	Symbole	106
Sprachwahlen	102	Telefonbuch	107
Training	102	Übersicht	103
SRS (Ergänzendes Rückhaltesystem)		Verbundenes Telefon wechseln	105
Airbagabdeckungen	156	TMC (Verkehrsfunkkanal)	118
Airbag-Warnleuchte	48	Anzeige	116
Stabilitätskontrolle		Symbole	117
Ausschalten	66	Übersicht	116
Einschalten	66	Touchscreen	156
Standardeinstellungen wiederherstellen (Navigationssystem)	113	Betrieb	82
Standorte der Vertragspartner	115	Navigation	
Starthilfe	169	Autobahn	115
Staufächer	55	Bildschirmmodi	111
Ablagefach vorn	55	Koordinaten	114
Armlehne hinten	55	Menü	109
Becherhalter	55	Postleitzahl	114
Handschuhfach	55	SoZ (Sonderziele)	113, 115
Suchgebiet (Navigationssystem)	111	SoZ-Kategorien	115
T		Suchgebiet	111
Tägliche Kontrollen	142	TMC	116
Tanken		TMC-Anzeige	116
Diesel	138	TMC-Symbole	117
Schwefelgehalt	138	Pflege des Touchscreens	82
Modifiziertes Benzin	138	RSE (Fond-Multimediasystem)	
Niedriger Kraftstoffstand	138	Bildschirmeinstellungen	82
Oktanzahl	137	Setup	82
Sicherheitshinweise	137	Sperrmodus	83
Technische Spezifikationen		Startmenü	81
Gewichte	164	Symbole	82
Telefon		Systemeinstellungen	82
Anmelden	105	Telefon	
Anmelden über den Touchscreen	105	Anmelden	105
Bedienelemente		Telefonbuch	107
Lenkrad	106	Tragbare Geräte	
Bluetooth	103	Anmelden	97
		Anschließen eines Geräts	96
		Anschließen mehrerer Geräte	97
		Anschlüsse	96
		Bedienelemente	94
		Gerät wechseln	98

Verlust der Verbindung	98	Video-Mediaplayer	
Wiedergabe	97	Bedienelemente	99
Video-Mediaplayer		Gesperrte Wiedergabe	100
Bedienelemente	99	Vordere Einparkhilfe	71
TPMS (Reifendrucküberwachungs-		Systemstörung	72
system)		Vorheriges Ziel (Navigationssystem)	114
Reifenpflege	173		
Ventile	174	W	
Warnleuchte	48	Warnleuchten	46
Tragbare Geräte		ABS	48
Anmelden	97	Airbags	48
Anschließen eines Geräts	96	Anzeigen	49
Anschließen mehrerer Geräte	97	Bremse	46
Anschlüsse	96	DSC	47, 48
Bedienelemente	94	Fernlicht	48
Gerät wechseln	98	Feststellbremse	47
Verlust der Verbindung	98	Kritische Warnmeldung	46
Wiedergabe	97	Lampentest	46
Traktionskontrolle		Nebelleuchten	48
Ausschalten	66	Sicherheitsgurt	47
Einschalten	66	TPMS (Reifendrucküberwachungs-	
		system)	48
V		Warnsymbole (Batterie)	168
Ver- und Entriegeln		Wartung	
Alarm		Austauschen der Smart Key-Batterie	7
Perimeter	9	äußere Reinigung	154
Einfachverriegelung	9	Datenaufzeichnung	188
Entriegeln	5	DPF	143
Verbrauch		Einbaulage der Warnschilder	189
Kraftstoff		Füllmengen	163
Fahrten innerorts	141	Glühlampe der	
Verbrauch (Kraftstoff)	140	Kennzeichenbeleuchtung	152
Verkleidung		Glühlampenspezifikation	165
Airbagabdeckungen (Reinigung)	156	Glühlampenwechsel	146
Verriegeln		Innenraumreinigung	155
Fehlverriegelung	10	Lederreinigung	155
Komfortschließung	9	Motorraum	145
Türschlösser und		Prüfen des Kühlmittelstands	158
Entriegelungshebel	10	Reinigen der Einparkhilfe-Sensoren	72
Verwenden der Einparkhilfe	71	Schließen der Motorhaube	145
Verwenden der		Schmiermittel und	
Geschwindigkeitsregelung	76	Flüssigkeitsspezifikationen	162

Sicherungskasten (Kofferraum)	184
Starthilfe	
Anschließen von Kabeln	169
Tägliche Kontrollen	142
Überprüfen der Reifendrücke nach	
einer Reparatur	135
Verstopfte Waschdüsen	146
Wechseln einer Sicherung	179
Wöchentliche Kontrollen	142
Waschanlage (Scheinwerfer)	42
Waschdüsen	
Verstopfungen	146
Wegfahr-Türverriegelung	7
Windschutzscheibe (beheizt)	52

X

Xenon-Scheinwerfer	147
------------------------------	-----

Z

Ziel eingeben	112
Postleitzahl	114
Suchgebiet	111
Zündung	
Einschalten	61
Fliegender Neustart	62
Zurücksetzen der Fenster	154
Zusatzgeräte	
Anschließen mehrerer Geräte	97
Zusätzliches Rückhaltesystem (SRS)	
Airbags	142
Zustandsverschlechterung durch	
Alterung (Reifen)	176

