


## CHILD SAFETY LOCKS

If children are to be carried in the rear seat positions, it is recommended that the rear door interior handles are disabled.



E 146613

To change the child lock settings:

1. Open the door to access the child safety lock.
2. Insert the emergency key into the slot, and rotate a quarter of a turn to enable or disable the interior door handle, as required.

## CHILD SEATS

### **⚠ WARNING**

According to crash statistics, children are safer when properly restrained in the rear seats than in the front seat. The air bags alone will not prevent children from being seriously injured or killed. Never place a child in any type of child restraint or booster seat in the front passenger seat. Children under 13 should always ride in the rear.

Make sure the child seat fits your child properly. Always check the seat manufacturer's instructions and labels for height and weight limits. For more specific guidance, consult your pediatrician.

There are three general types of child restraint systems: Infant seats, toddler seats, and belt-positioning booster seats.

**Infants:** at least 1 year of age and at least 20 lbs (9 kg).

**Toddlers:** until about age 4 years and about 40 lbs (18 kg).

**Boosters:** belt-positioning booster until about 8 or at least 4 ft 9 ins (145 cm) and seat belt fits properly.

### **⚠ DANGER**

Do not allow a baby or infant to be held or carried on the lap. The force of a crash can increase effective body weight by as much as thirty times, making it impossible to hold onto the child. At all times, children should be restrained in age and size appropriate child seats to reduce the risk of injury in a crash.

### **⚠ WARNING**

Children could be endangered in a crash if their child restraints are not properly secured in the vehicle. Always follow the instructions that accompany the child seat carefully.