

- Do not dress a child in bulky clothing, or place any objects/padding between the child and the restraint.
- Regularly check the fit and condition of child restraints. If the fit is poor, or wear/damage is visible replace the restraint immediately.
- Set a good example - always wear your seatbelt.



Crash statistics show that children are safest when properly restrained in a child or infant restraint system that is secured in a rear seating position.

Note: The information contained in the following table may not be applicable to all countries. If you are in any doubt regarding the type and fitment of child seats, seek advice from a qualified source.

CHILD SEAT POSITIONING



WARNING: Child restraint anchorages are designed to withstand only those loads imposed by correctly fitted child restraints. Under no circumstances are they to be used for adult seat belts, harnesses or for attaching other items or equipment to the vehicle.

Seating positions	Mass group				
	0 = Up to 10 kg (22 lb) 0 to 9 months	0+ = Up to 13 kg (29 lb) 0 to 18 months	I = 9 - 18 kg (20 - 40 lb) 9 months to 4 years	II = 15 - 25 kg (33- 55 lb) 4 to 9 years	III = 22 - 36 kg (49 - 80 lb) 8 to 12 years
Front passenger	U	U	U	U	U
Second-row seats	U	U	U	U	U
Third-row seats	U	U	U	U	U

U = Suitable for universal category restraints, approved for use in this mass group.

Note: Ages given are approximate. In case of doubt, the child's weight, not age, should be used when considering an appropriate child seat.



Information given within the table is correct at the time of going to press. However, availability of child restraints may change. Please consult your Land Rover Dealer/Authorised Repairer for the latest recommendation.