

## 2015 MY Maintenance Schedule

## Range Rover Sport

**NOTE:** The maintenance intervals listed are for vehicles operating under normal driving, road, and climatic conditions. More frequent attention may be necessary if the vehicle is subject to routine stop & go driving, extreme temperatures, dusty conditions, off-road driving, or frequent trailer towing. Consult your Land Rover Retailer for more information.

Maintenance Interval – whichever occurs first (based on expected vehicle display).											
	Miles x 1000	16	32	48	64	80	96	112	128	144	160
	Years	1	2	3	4	5	6	7	8	9	10
<b>SERVICE</b>	Kilometers x 1000	26	52	78	104	130	156	182	208	234	260
Change engine oil and replace filter	●	●	●	●	●	●	●	●	●	●	
<b>VEHICLE INTERIOR</b>											
Reset the Service Interval Indicator	●	●	●	●	●	●	●	●	●	●	
Reset engine oil level indicator	●	●	●	●	●	●	●	●	●	●	
Check operation of all lights, warning indicators and horn	●	●	●	●	●	●	●	●	●	●	
Check operation of front/rear wiper washer systems	●	●	●	●	●	●	●	●	●	●	
Check condition and security of seats and seat belts	●	●	●	●	●	●	●	●	●	●	
Replace pollen filter	●	●	●	●	●	●	●	●	●	●	
Replace climate controlled seat cushion motor filters (if equipped)	●	●	●	●	●	●	●	●	●	●	
<b>VEHICLE EXTERIOR</b>											
Check condition of wiper blades	●	●	●	●	●	●	●	●	●	●	
Check operation of all door checks, hood latch, and fuel flap; lubricate door checks	●	●	●	●	●	●	●	●	●	●	
<b>ENGINE COMPARTMENT</b>											
Check battery condition; check / top up electrolyte level	●	●	●	●	●	●	●	●	●	●	
Check / top up fluid levels (brake, coolant, Dynamic Response, windshield washer)	●	●	●	●	●	●	●	●	●	●	
Check specific gravity of coolant	●	●	●	●	●	●	●	●	●	●	
Check condition of accessory drive belt(s) and, if fitted, supercharger drive belt	●	●	●	●	●	●	●	●	●	●	
Change brake fluid: <b>every 3 years</b>											
Change engine coolant: <b>every 10 years</b>											
Clean debris from auxiliary oil cooler (supercharged vehicles)	●	●	●	●	●	●	●	●	●	●	
Replace spark plugs - 3.0L											
Replace spark plugs - 5.0L											
Replace air cleaner element											

## 2015 MY Maintenance Schedule

## Range Rover Sport

Maintenance Interval – whichever occurs first (based on expected vehicle display).											
SERVICE	Miles x 1000	16	32	48	64	80	96	112	128	144	160
	Kilometers x 1000	26	52	78	104	130	156	182	208	234	260
<b>ENGINE COMPARTMENT (CONTINUED)</b>											
Replace accessory drive belt; <b>every 10 years</b>											
Replace supercharger drive belt (supercharged vehicles); <b>every 7 years</b>											
<b>VEHICLE UNDERBODY</b>											
<b>NOTE:</b> Remove all road wheels before inspecting brake components.											
Inspect brake pads for wear, calipers for leaks, and discs for condition	●	●	●	●	●	●	●	●	●	●	
Check operation of electronic parking brake	●	●	●	●	●	●	●	●	●	●	
Inspect tire pressures, condition, and tread depth	●	●	●	●	●	●	●	●	●	●	
Inspect exhaust system for leaks, security and damage	●	●	●	●	●	●	●	●	●	●	
Inspect for fluid leaks	●	●	●	●	●	●	●	●	●	●	
Inspect condition of driveshafts, suspension, and steering boots/gaiters											
Inspect steering rod/ball joint fixings and condition of ball joints, dust covers, and EPAS water drain valve											
Inspect fuel, brake, hydraulic, Dynamic Response, and fluid pipes, hoses and unions	●	●	●	●	●	●	●	●	●	●	
Inspect electrical harnesses, routing and connections	●	●	●	●	●	●	●	●	●	●	
Check for free play in all suspension and body mounting bushings	●	●	●	●	●	●	●	●	●	●	
Lubricate wheel spigot bore with anti-seize compound; install road wheels to opposite side of same axle (except unidirectional tires, which install on same side)	●	●	●	●	●	●	●	●	●	●	
Replace all flexible brake hoses; <b>every 6 years</b>							●				
Change transmission fluid and filter											
Change front and rear axle oil (non-locking differential)											
Change transfer box oil; replace drain and fill plugs and washers											
Replace Dynamic Response filter; replace lost fluid	●	●	●	●	●	●	●	●	●	●	
Conduct road test; select LOW range gears and drive the vehicle 3 – 4 vehicle lengths, then reselect HIGH range gears	●	●	●	●	●	●	●	●	●	●	
If fault lamps are illuminated, interrogate with ISS/SDD and report findings	●	●	●	●	●	●	●	●	●	●	
Check for any outstanding Recalls or Service Actions											