

**Note:** If, while raising or lowering the vehicle, the approach lamps button (1) is pressed for 10 seconds or more or if unusual behaviour occurs (e.g., the tailgate or windows opening), press the approach lamps button (1) twice and start the procedure again.

## ADAPTIVE DYNAMICS

Adaptive dynamics continuously analyses the vehicle's movements while being driven. The system will react instantaneously to road conditions and the driver's actions. Infinitely variable suspension dampers will help to maintain a composed and balanced ride.

If a fault is detected, the Instrument panel will illuminate either the critical or general warning lamp. See **59, CRITICAL WARNING MESSAGE (RED)** and **61, GENERAL WARNING/INFORMATION MESSAGE (AMBER)**. The warning messages **ADAPTIVE DYNAMICS FAULT** or **SUSPENSION FAULT VEHICLE LEAN WHEN CORNERING**, will also be displayed in the Message centre. Some reduction in ride comfort may also be experienced. If the fault persists, consult a Retailer/Authorised Repairer.

## SUSPENSION LOWERED FOR SAFETY

In the event of a fault with the Dynamic Stability Control (DSC) system, the suspension height will be lowered to increase the vehicle's stability. See **131, DYNAMIC STABILITY CONTROL (DSC)**.

This will be accompanied by a message in the Message centre and the LED indicator lamps on the air suspension controls will extinguish.



The vehicle's suspension height will be reduced, so exercise extreme caution while driving off-road.

**To override the ride height reduction:**



**The suspension height is lowered to increase the vehicle's stability, and overriding the suspension ride height reduction is not recommended. Doing so, could result in a vehicle rollover during extreme manoeuvres.**

1. Press the up or down on the raise/lower switch.
2. Follow the instructions displayed in the Message centre.

**Note:** If the vehicle is driven enthusiastically, while the system override is active, a message will be displayed in the Message centre as a reminder that a safety system has been bypassed. A further message will provide instructions for cancelling the override.